

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE Semester End Examination for the Academic year 2017-18

14-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	146	P13CV81			P13CV82			P13CV834			P13CV841			P13CV842			P13CV85			P13CV86			C S T CR GP GR			C S T CR GP GR			C S T CR GP GR			SGPA	CLASS															
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR			C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T
1	4PS13CV058	SUJAL M S		27	11	38	0.0	0	F	34	25	59	3.0	7	C	27	26	53	3.0	7	C				24	32	56	3.0	7	C	85	93	178	8.0	9	A	37	0	74	2.0	8	B							6.86	FL
2	4PS13CV093	SACHIN KUMAR N		30	21	51	3.0	7	C	36	20	56	3.0	7	C	30	30	60	3.0	8	B				28	27	55	3.0	7	C	92	94	186	8.0	10	S	36	0	72	2.0	8	B							8.32	FCD
3	4PS14CV001	ABHIRAM S A		21	26	47	3.0	5	D	34	20	54	3.0	7	C	37	42	79	3.0	9	A				35	31	66	3.0	8	B	92	94	186	8.0	10	S	45	0	90	2.0	10	S							8.50	FCD
4	4PS14CV002	ABHISHEK M		36	39	75	3.0	9	A	46	40	86	3.0	9	A	32	35	67	3.0	8	B	37	37	74	3.0	8	B				92	95	187	8.0	10	S	44	0	88	2.0	9	A							9.09	FCD
5	4PS14CV003	ABRAR S A		31	27	58	3.0	7	C	33	29	62	3.0	8	B	45	40	85	3.0	9	A				44	47	91	3.0	10	S	95	95	190	8.0	10	S	40	0	80	2.0	9	A							9.09	FCD
6	4PS14CV004	AISHWARYA S		38	38	76	3.0	9	A	50	46	96	3.0	10	S	48	46	94	3.0	10	S	44	39	83	3.0	9	A				96	96	192	8.0	10	S	46	0	92	2.0	10	S							9.73	FCD
7	4PS14CV005	AKHILESH K B		28	23	51	3.0	7	C	47	44	91	3.0	10	S	35	29	64	3.0	8	B				33	34	67	3.0	8	B	92	95	187	8.0	10	S	43	0	86	2.0	9	A							8.95	FCD
8	4PS14CV006	AKHILESH M		43	35	78	3.0	9	A	42	30	72	3.0	8	B	41	42	83	3.0	9	A				46	46	92	3.0	10	S	95	96	191	8.0	10	S	38	0	76	2.0	9	A							9.36	FCD
9	4PS14CV007	AMAN SAH		44	42	86	3.0	9	A	43	35	78	3.0	9	A	38	42	80	3.0	9	A				46	44	90	3.0	10	S	97	95	192	8.0	10	S	45	0	90	2.0	10	S							9.59	FCD
10	4PS14CV008	AMITH M S		25	25	50	3.0	7	C	43	33	76	3.0	9	A	40	36	76	3.0	9	A	41	38	79	3.0	9	A				91	94	185	8.0	10	S	46	0	92	2.0	10	S							9.18	FCD
11	4PS14CV009	AMRUTH SAGAR A		30	30	60	3.0	8	B	40	33	73	3.0	8	B	33	40	73	3.0	8	B	42	45	87	3.0	9	A				92	93	185	8.0	10	S	41	0	82	2.0	9	A							8.95	FCD
12	4PS14CV010	ANIL		21	28	49	3.0	5	D	41	40	81	3.0	9	A	40	35	75	3.0	9	A				36	36	72	3.0	8	B	91	95	186	8.0	10	S	32	0	64	2.0	8	B							8.59	FCD
13	4PS14CV011	ANUSHA M L		46	36	82	3.0	9	A	43	45	88	3.0	9	A	45	45	90	3.0	10	S				47	48	95	3.0	10	S	93	97	190	8.0	10	S	43	0	86	2.0	9	A							9.64	FCD
14	4PS14CV013	BASAVARAJ C DHOOLAPP,		36	22	58	3.0	7	C	36	29	65	3.0	8	B	30	39	69	3.0	8	B				43	36	79	3.0	9	A	94	90	184	8.0	10	S	43	0	86	2.0	9	A							8.82	FCD
15	4PS14CV014	BHANUMATHI K		47	39	86	3.0	9	A	48	36	84	3.0	9	A	40	42	82	3.0	9	A	44	44	88	3.0	9	A				95	98	193	8.0	10	S	42	0	84	2.0	9	A							9.36	FCD
16	4PS14CV015	BHARATH A		35	13	48	0.0	0	F	27	20	47	3.0	5	D	31	32	63	3.0	8	B				42	31	73	3.0	8	B	94	94	188	8.0	10	S	44	0	88	2.0	9	A							7.32	FL
17	4PS14CV016	BRUNDA M		39	36	75	3.0	9	A	49	45	94	3.0	10	S	47	39	86	3.0	9	A	46	45	91	3.0	10	S				99	99	198	8.0	10	S	45	0	90	2.0	10	S							9.73	FCD
18	4PS14CV017	C GAJENDRA KUMAR		21	22	43	3.0	4	E	41	41	82	3.0	9	A	37	36	73	3.0	8	B	36	33	69	3.0	8	B				97	96	193	8.0	10	S	45	0	90	2.0	10	S							8.50	FCD
19	4PS14CV018	CHAITHRA		41	47	88	3.0	9	A	50	49	99	3.0	10	S	48	47	95	3.0	10	S	48	48	96	3.0	10	S				96	98	194	8.0	10	S	44	0	88	2.0	9	A							9.77	FCD
20	4PS14CV019	CHANDRAKALA H N		45	41	86	3.0	9	A	49	47	96	3.0	10	S	46	44	90	3.0	10	S	47	47	94	3.0	10	S				97	97	194	8.0	10	S	48	0	96	2.0	10	S							9.86	FCD

P13CV81 : - Design of Pre-stressed Concrete Structures

P13CV82 : - Design and Drawing of Steel Structures

P13CV834 : - Industrial Waste Water Treatment

P13CV841 : - Alternative Building Materials

P13CV842 : - Urban Transport Planning

P13CV85 : - Project Work

P13CV86 : - Seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)								
8.25	75								

Raw Score

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE Semester End Examination for the Academic year 2017-18

14-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	146	P13CV81			P13CV82			P13CV834			P13CV841			P13CV842			P13CV85			P13CV86			C S T CR GP GR			C S T CR GP GR			SGPA	CLASS															
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR						
21	4PS14CV020	CHETHANA H P		38	24	62	3.0	8	B	42	39	81	3.0	9	A	41	38	79	3.0	9	A				44	40	84	3.0	9	A	97	98	195	8.0	10	S	42	0	84	2.0	9	A				9.23	FCD
22	4PS14CV021	DARSHAN C N		27	36	63	3.0	8	B	46	43	89	3.0	9	A	41	36	77	3.0	9	A				36	42	78	3.0	9	A	90	96	186	8.0	10	S	43	0	86	2.0	9	A				9.23	FCD
23	4PS14CV022	DEEPTHI K M		40	26	66	3.0	8	B	47	43	90	3.0	10	S	38	34	72	3.0	8	B	42	37	79	3.0	9	A				94	98	192	8.0	10	S	47	0	94	2.0	10	S				9.32	FCD
24	4PS14CV023	DEVARAJANAYAKA HN		40	33	73	3.0	8	B	41	38	79	3.0	9	A	40	40	80	3.0	9	A				37	38	75	3.0	9	A	96	95	191	8.0	10	S	41	0	82	2.0	9	A				9.23	FCD
25	4PS14CV024	DHANANJAYA GOWDA C S		34	20	54	3.0	7	C	39	31	70	3.0	8	B	39	39	78	3.0	9	A				37	42	79	3.0	9	A	96	98	194	8.0	10	S	43	0	86	2.0	9	A				8.95	FCD
26	4PS14CV025	DIVYA JYOTHI V B		35	30	65	3.0	8	B	49	47	96	3.0	10	S	45	39	84	3.0	9	A	48	44	92	3.0	10	S				99	98	197	8.0	10	S	45	0	90	2.0	10	S				9.59	FCD
27	4PS14CV026	DODDABASAPPA BANNIM/		22	27	49	3.0	5	D	45	39	84	3.0	9	A	33	28	61	3.0	8	B	36	33	69	3.0	8	B				80	91	171	8.0	9	A	43	0	86	2.0	9	A				8.18	FCD
28	4PS14CV027	FAHAD AHMED		29	20	49	3.0	5	D	40	27	67	3.0	8	B	30	36	66	3.0	8	B				29	39	68	3.0	8	B	80	88	168	8.0	9	A	43	0	86	2.0	9	A				8.05	FCD
29	4PS14CV028	FAZAL AHMED SHARIFF		41	20	61	3.0	8	B	44	44	88	3.0	9	A	36	42	78	3.0	9	A				32	41	73	3.0	8	B	92	99	191	8.0	10	S	40	0	80	2.0	9	A				9.09	FCD
30	4PS14CV029	GAGAN K		28	11	39	0.0	0	F	30	20	50	3.0	7	C	28	36	64	3.0	8	B				36	28	64	3.0	8	B	91	92	183	8.0	10	S	30	0	60	2.0	8	B				7.50	FL
31	4PS14CV030	GIRISH B R		38	39	77	3.0	9	A	43	35	78	3.0	9	A	48	31	79	3.0	9	A				45	42	87	3.0	9	A	93	94	187	8.0	10	S	48	0	96	2.0	10	S				9.45	FCD
32	4PS14CV031	GOWTHAM H R		37	24	61	3.0	8	B	40	20	60	3.0	8	B	35	41	76	3.0	9	A				46	42	88	3.0	9	A	96	97	193	8.0	10	S	41	0	82	2.0	9	A				9.09	FCD
33	4PS14CV032	GURUPRASADA K		40	31	71	3.0	8	B	47	40	87	3.0	9	A	35	111	35	0.0	0	G				42	41	83	3.0	9	A	96	95	191	8.0	10	S	36	0	72	2.0	8	B				7.91	FL
34	4PS14CV033	HARSHITH GOWDA K J		43	43	86	3.0	9	A	50	47	97	3.0	10	S	49	42	91	3.0	10	S	50	42	92	3.0	10	S				98	99	197	8.0	10	S	46	0	92	2.0	10	S				9.86	FCD
35	4PS14CV034	HARSHITH T		27	28	55	3.0	7	C	37	20	57	3.0	7	C	28	32	60	3.0	8	B				29	29	58	3.0	7	C	95	95	190	8.0	10	S	29	0	58	2.0	7	C				8.23	FCD
36	4PS14CV035	HARSHITHA G		21	23	44	3.0	4	E	44	39	83	3.0	9	A	40	38	78	3.0	9	A	41	42	83	3.0	9	A				96	97	193	8.0	10	S	34	0	68	2.0	8	B				8.59	FCD
37	4PS14CV036	HEMAVATHI N		38	20	58	3.0	7	C	49	44	93	3.0	10	S	43	40	83	3.0	9	A	43	37	80	3.0	9	A				97	97	194	8.0	10	S	42	0	84	2.0	9	A				9.23	FCD
38	4PS14CV037	JANANI H J		30	38	68	3.0	8	B	49	46	95	3.0	10	S	47	45	92	3.0	10	S	46	36	82	3.0	9	A				97	97	194	8.0	10	S	48	0	96	2.0	10	S				9.59	FCD
39	4PS14CV038	JAYANTH N RAJ		38	24	62	3.0	8	B	27	25	52	3.0	7	C	22	30	52	3.0	7	C				39	36	75	3.0	9	A	92	94	186	8.0	10	S	45	0	90	2.0	10	S				8.77	FCD
40	4PS14CV039	JEEVANKISHORE A		39	40	79	3.0	9	A	47	48	95	3.0	10	S	45	41	86	3.0	9	A				44	45	89	3.0	9	A	95	95	190	8.0	10	S	41	0	82	2.0	9	A				9.50	FCD
41	4PS14CV040	JEEVAN R J		32	33	65	3.0	8	B	33	21	54	3.0	7	C	34	41	75	3.0	9	A				36	44	80	3.0	9	A	95	96	191	8.0	10	S	38	0	76	2.0	9	A				8.95	FCD

P13CV81 : - Design of Pre-stressed Concrete Structures

P13CV82 : - Design and Drawing of Steel Structures

P13CV834 : - Industrial Waste Water Treatment

P13CV841 : - Alternative Building Materials

P13CV842 : - Urban Transport Planning

P13CV85 : - Project Work

P13CV86 : - Seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR- Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)								
8.25	75								

Raw Score

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE Semester End Examination for the Academic year 2017-18

14-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	146	P13CV81			P13CV82			P13CV834			P13CV841			P13CV842			P13CV85			P13CV86			C S T CR GP GR			C S T CR GP GR			SGPA	CLASS																														
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR															
42	4PS14CV041	JEEVAN T P		23	33	56	3.0	7	C	43	40	83	3.0	9	A	37	32	69	3.0	8	B												44	43	87	3.0	9	A	97	95	192	8.0	10	S	43	0	86	2.0	9	A											8.95	FCD
43	4PS14CV042	K LALREMRUATI		42	43	85	3.0	9	A	45	30	75	3.0	9	A	37	41	78	3.0	9	A	40	40	80	3.0	9	A																			9.36	FCD															
44	4PS14CV043	K M KAILASH		26	35	61	3.0	8	B	45	47	92	3.0	10	S	41	38	79	3.0	9	A																						9.23	FCD																		
45	4PS14CV044	KARTHIK J AALE		37	30	67	3.0	8	B	44	31	75	3.0	9	A	42	38	80	3.0	9	A																						9.23	FCD																		
46	4PS14CV045	KARTHIK M M		26	21	47	3.0	5	D	41	47	88	3.0	9	A	34	30	64	3.0	8	B																						8.64	FCD																		
47	4PS14CV047	KIRAN B R		20	25	45	3.0	5	D	35	23	58	3.0	7	C	35	39	74	3.0	8	B																						8.27	FCD																		
48	4PS14CV048	KRUTHI K		28	20	48	3.0	5	D	38	13	51	0.0	0	F	36	34	70	3.0	8	B																						7.32	FL																		
49	4PS14CV049	KUMAR SHUBHAM		30	20	50	3.0	7	C	37	23	60	3.0	8	B	30	36	66	3.0	8	B																						8.77	FCD																		
50	4PS14CV050	LALLAWMSANGI PACHUAL		38	39	77	3.0	9	A	46	33	79	3.0	9	A	34	47	81	3.0	9	A	41	43	84	3.0	9	A																					9.36	FCD													
51	4PS14CV052	LEKHANA G S		37	39	76	3.0	9	A	49	48	97	3.0	10	S	48	45	93	3.0	10	S	47	43	90	3.0	10	S																						9.86	FCD												
52	4PS14CV053	LOKESH M		34	26	60	3.0	8	B	38	28	66	3.0	8	B	30	34	64	3.0	8	B																						8.82	FCD																		
53	4PS14CV054	RAVINDRA M L		20	20	40	3.0	4	E	22	21	43	3.0	4	E	25	33	58	3.0	7	C																						7.36	FC																		
54	4PS14CV055	MANJUNATH K S		29	24	53	3.0	7	C	44	48	92	3.0	10	S	33	28	61	3.0	8	B																						9.09	FCD																		
55	4PS14CV056	MANJUNATH		20	22	42	3.0	4	E	37	35	72	3.0	8	B	38	34	72	3.0	8	B																						8.41	FCD																		
56	4PS14CV057	MANOHAR B		35	34	69	3.0	8	B	46	45	91	3.0	10	S	48	42	90	3.0	10	S	42	46	88	3.0	9	A																					9.50	FCD													
57	4PS14CV058	MANOJ P		33	27	60	3.0	8	B	40	34	74	3.0	8	B	32	41	73	3.0	8	B																						8.95	FCD																		
58	4PS14CV059	MANUKUMAR P K		37	41	78	3.0	9	A	49	49	98	3.0	10	S	49	46	95	3.0	10	S																						9.86	FCD																		
59	4PS14CV060	MEGHANA S		43	37	80	3.0	9	A	48	35	83	3.0	9	A	40	42	82	3.0	9	A																						9.14	FCD																		
60	4PS14CV061	MOHAN KUMAR S		40	33	73	3.0	8	B	46	35	81	3.0	9	A	36	41	77	3.0	9	A																						9.32	FCD																		
61	4PS14CV063	MONISH M R		30	29	59	3.0	7	C	44	41	85	3.0	9	A	42	44	86	3.0	9	A																						9.09	FCD																		
62	4PS14CV064	MUHAMMAD MANSOOR N/		36	30	66	3.0	8	B	41	33	74	3.0	8	B	42	40	82	3.0	9	A																						9.09	FCD																		

P13CV81 : - Design of Pre-stressed Concrete Structures

P13CV82 : - Design and Drawing of Steel Structures

P13CV834 : - Industrial Waste Water Treatment

P13CV841 : - Alternative Building Materials

P13CV842 : - Urban Transport Planning

P13CV85 : - Project Work

P13CV86 : - Seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance


G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40
7.25	65	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)								
8.25	75								



Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE Semester End Examination for the Academic year 2017-18

14-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	146	P13CV81			P13CV82			P13CV834			P13CV841			P13CV842			P13CV85			P13CV86			C S T CR GP GR			C S T CR GP GR			SGPA	CLASS																		
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR									
63	4PS14CV065	MYTHRI H M		38	33	71	3.0	8	B	49	48	97	3.0	10	S	49	47	96	3.0	10	S	46	44	90	3.0	10	S				97	96	193	8.0	10	S	47	0	94	2.0	10	S				9.73	FCD			
64	4PS14CV066	NAMITHA S		43	43	86	3.0	9	A	50	47	97	3.0	10	S	49	49	98	3.0	10	S	49	46	95	3.0	10	S				99	99	198	8.0	10	S	47	0	94	2.0	10	S				9.86	FCD			
65	4PS14CV067	NANDINI V		33	34	67	3.0	8	B	49	47	96	3.0	10	S	47	44	91	3.0	10	S	42	41	83	3.0	9	A				98	97	195	8.0	10	S	45	0	90	2.0	10	S				9.59	FCD			
66	4PS14CV068	NANDITHA V G		41	41	82	3.0	9	A	49	38	87	3.0	9	A	50	46	96	3.0	10	S							44	48	92	3.0	10	S	95	99	194	8.0	10	S	41	0	82	2.0	9	A				9.64	FCD
67	4PS14CV069	NAYANASHREE G		35	41	76	3.0	9	A	49	46	95	3.0	10	S	46	41	87	3.0	9	A	47	44	91	3.0	10	S				97	98	195	8.0	10	S	48	0	96	2.0	10	S				9.73	FCD			
68	4PS14CV070	NIKHIL L		35	25	60	3.0	8	B	43	33	76	3.0	9	A	32	37	69	3.0	8	B							38	38	76	3.0	9	A	96	97	193	8.0	10	S	45	0	90	2.0	10	S				9.18	FCD
69	4PS14CV071	NISARGA		44	43	87	3.0	9	A	46	41	87	3.0	9	A	42	37	79	3.0	9	A							46	35	81	3.0	9	A	96	96	192	8.0	10	S	45	0	90	2.0	10	S				9.45	FCD
70	4PS14CV072	NISHANTH S P		34	23	57	3.0	7	C	38	20	58	3.0	7	C	36	42	78	3.0	9	A							36	39	75	3.0	9	A	95	95	190	8.0	10	S	44	0	88	2.0	9	A				8.82	FCD
71	4PS14CV073	NITHISH S A		42	41	83	3.0	9	A	46	34	80	3.0	9	A	39	41	80	3.0	9	A							36	42	78	3.0	9	A	98	98	196	8.0	10	S	44	0	88	2.0	9	A				9.36	FCD
72	4PS14CV074	PC LALHRUITLUANGA		21	20	41	3.0	4	E	35	20	55	3.0	7	C	33	36	69	3.0	8	B	28	38	66	3.0	8	B				91	94	185	8.0	10	S	32	0	64	2.0	8	B				8.05	FCD			
73	4PS14CV075	PARVATHI C		34	44	78	3.0	9	A	50	46	96	3.0	10	S	48	43	91	3.0	10	S	49	43	92	3.0	10	S				96	96	192	8.0	10	S	41	0	82	2.0	9	A				9.77	FCD			
74	4PS14CV076	PASUPULETI DEVAKICHAR		35	36	71	3.0	8	B	46	24	70	3.0	8	B	31	37	68	3.0	8	B							39	29	68	3.0	8	B	93	94	187	8.0	10	S	43	0	86	2.0	9	A				8.82	FCD
75	4PS14CV077	POOJA M P		30	24	54	3.0	7	C	45	25	70	3.0	8	B	44	35	79	3.0	9	A	35	36	71	3.0	8	B				93	96	189	8.0	10	S	33	0	66	2.0	8	B				8.73	FCD			
76	4PS14CV078	POORNACHANDRA D M		38	36	74	3.0	8	B	47	38	85	3.0	9	A	46	40	86	3.0	9	A							36	36	72	3.0	8	B	99	98	197	8.0	10	S	43	0	86	2.0	9	A				9.09	FCD
77	4PS14CV080	PRAKASH PUJARA		39	36	75	3.0	9	A	38	30	68	3.0	8	B	41	39	80	3.0	9	A							40	38	78	3.0	9	A	93	89	182	8.0	10	S	39	0	78	2.0	9	A				9.23	FCD
78	4PS14CV082	PRUTHVI RAJ S		44	36	80	3.0	9	A	46	44	90	3.0	10	S	30	42	72	3.0	8	B	40	29	69	3.0	8	B				98	98	196	8.0	10	S	35	0	70	2.0	8	B				9.14	FCD			
79	4PS14CV083	PRUTHVIN H.P		26	28	54	3.0	7	C	36	23	59	3.0	7	C	29	27	56	3.0	7	C							31	26	57	3.0	7	C	90	92	182	8.0	10	S	34	0	68	2.0	8	B				8.18	FCD
80	4PS14CV084	R VANLALRAWNI		44	32	76	3.0	9	A	45	30	75	3.0	9	A	34	38	72	3.0	8	B	39	38	77	3.0	9	A				80	90	170	8.0	9	A	41	0	82	2.0	9	A				8.86	FCD			
81	4PS14CV086	RAJESHWARI M S		43	43	86	3.0	9	A	50	49	99	3.0	10	S	49	48	97	3.0	10	S	47	47	94	3.0	10	S				97	98	195	8.0	10	S	49	0	98	2.0	10	S				9.86	FCD			
82	4PS14CV087	RAJU R		38	36	74	3.0	8	B	43	36	79	3.0	9	A	45	41	86	3.0	9	A							43	39	82	3.0	9	A	94	94	188	8.0	10	S	32	0	64	2.0	8	B				9.14	FCD
83	4PS14CV088	RAKSHITHA S		43	39	82	3.0	9	A	39	43	82	3.0	9	A	45	42	87	3.0	9	A							44	46	90	3.0	10	S	94	98	192	8.0	10	S	40	0	80	2.0	9	A				9.50	FCD

P13CV81 : - Design of Pre-stressed Concrete Structures

P13CV82 : - Design and Drawing of Steel Structures

P13CV834 : - Industrial Waste Water Treatment

P13CV841 : - Alternative Building Materials

P13CV842 : - Urban Transport Planning

P13CV85 : - Project Work

P13CV86 : - Seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)								
8.25	75								

Raw Score



Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE Semester End Examination for the Academic year 2017-18

14-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	P13CV81														P13CV82														P13CV834														P13CV841														P13CV842														P13CV85														P13CV86														C S T CR GP GR														C S T CR GP GR														SGPA	CLASS
			C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR																																																														
84	4PS14CV089	RAMESH GOWDA K H	40	33	73	3.0	8	B	50	35	85	3.0	9	A	43	45	88	3.0	9	A							47	44	91	3.0	10	S	95	94	189	8.0	10	S	32	0	64	2.0	8	B																			9.27	FCD																																																																		
85	4PS14CV090	RAMYA M	40	41	81	3.0	9	A	48	43	91	3.0	10	S	46	44	90	3.0	10	S	49	48	97	3.0	10	S							98	98	196	8.0	10	S	38	0	76	2.0	9	A													9.77	FCD																																																																								
86	4PS14CV091	RAUSHAN KUMAR	31	33	64	3.0	8	B	40	20	60	3.0	8	B	35	36	71	3.0	8	B							31	37	68	3.0	8	B	93	91	184	8.0	10	S	43	0	86	2.0	9	A													8.82	FCD																																																																								
87	4PS14CV092	ROHITH H	21	33	54	3.0	7	C	35	29	64	3.0	8	B	35	35	70	3.0	8	B							36	39	75	3.0	9	A	90	90	180	8.0	10	S	43	0	86	2.0	9	A													8.82	FCD																																																																								
88	4PS14CV093	ROOPESHGOWDA B S	29	27	56	3.0	7	C	43	24	67	3.0	8	B	30	32	62	3.0	8	B							28	29	57	3.0	7	C	95	96	191	8.0	10	S	44	0	88	2.0	9	A													8.55	FCD																																																																								
89	4PS14CV094	SACHIN A K	47	46	93	3.0	10	S	50	46	96	3.0	10	S	50	47	97	3.0	10	S							49	50	99	3.0	10	S	99	99	198	8.0	10	S	45	0	90	2.0	10	S													10.00	FCD																																																																								
90	4PS14CV095	SACHITH S	26	25	51	3.0	7	C	38	35	73	3.0	8	B	34	31	65	3.0	8	B	44	35	79	3.0	9	A							95	96	191	8.0	10	S	44	0	88	2.0	9	A													8.82	FCD																																																																								
91	4PS14CV096	SAGAR S RATHOD	21	31	52	3.0	7	C	36	33	69	3.0	8	B	38	30	68	3.0	8	B							37	34	71	3.0	8	B	90	95	185	8.0	10	S	42	0	84	2.0	9	A													8.68	FCD																																																																								
92	4PS14CV097	SANJAY S	32	37	69	3.0	8	B	40	46	86	3.0	9	A	35	36	71	3.0	8	B	45	43	88	3.0	9	A							97	98	195	8.0	10	S	46	0	92	2.0	10	S													9.18	FCD																																																																								
93	4PS14CV098	SANTHOSHKUMAR M B	29	29	58	3.0	7	C	42	25	67	3.0	8	B	30	30	60	3.0	8	B	39	30	69	3.0	8	B							95	95	190	8.0	10	S	35	0	70	2.0	8	B													8.59	FCD																																																																								
94	4PS14CV099	SEEMA M	38	32	70	3.0	8	B	50	44	94	3.0	10	S	48	41	89	3.0	9	A	41	36	77	3.0	9	A							98	98	196	8.0	10	S	45	0	90	2.0	10	S													9.45	FCD																																																																								
95	4PS14CV100	SHARATH KUMAR M	23	25	48	3.0	5	D	42	28	70	3.0	8	B	29	36	65	3.0	8	B							45	33	78	3.0	9	A	90	95	185	8.0	10	S	43	0	86	2.0	9	A													8.55	FCD																																																																								
96	4PS14CV101	SHASHANK B	30	39	69	3.0	8	B	45	44	89	3.0	9	A	46	38	84	3.0	9	A	36	45	81	3.0	9	A							92	95	187	8.0	10	S	44	0	88	2.0	9	A													9.23	FCD																																																																								
97	4PS14CV102	SHILPA G R	42	38	80	3.0	9	A	45	39	84	3.0	9	A	49	43	92	3.0	10	S	41	45	86	3.0	9	A							96	95	191	8.0	10	S	40	0	80	2.0	9	A													9.50	FCD																																																																								
98	4PS14CV103	SHREYAS R	30	28	58	3.0	7	C	31	20	51	3.0	7	C	24	38	62	3.0	8	B							37	35	72	3.0	8	B	92	94	186	8.0	10	S	45	0	90	2.0	10	S													8.64	FCD																																																																								
99	4PS14CV104	SHRUNGA G S	41	41	82	3.0	9	A	49	49	98	3.0	10	S	47	42	89	3.0	9	A	48	44	92	3.0	10	S							98	98	196	8.0	10	S	48	0	96	2.0	10	S													9.73	FCD																																																																								
100	4PS14CV105	SHUBHA VINAYA A S	43	44	87	3.0	9	A	46	45	91	3.0	10	S	50	40	90	3.0	10	S	47	46	93	3.0	10	S							95	98	193	8.0	10	S	49	0	98	2.0	10	S													9.86	FCD																																																																								
101	4PS14CV106	SINDHU K	33	34	67	3.0	8	B	43	32	75	3.0	9	A	47	36	83	3.0	9	A	47	43	90	3.0	10	S							98	97	195	8.0	10	S	46	0	92	2.0	10	S													9.45	FCD																																																																								
102	4PS14CV107	SONIKA S	34	28	62	3.0	8	B	45	24	69	3.0	8	B	42	39	81	3.0	9	A							44	29	73	3.0	8	B	95	95	190	8.0	10	S	45	0	90	2.0	10	S													9.05	FCD																																																																								
103	4PS14CV108	SONU KUMAR GUPTA	37	35	72	3.0	8	B	41	29	70	3.0	8	B	33	39	72	3.0	8	B							34	32	66	3.0	8	B	95	95	190	8.0	10	S	45	0	90	2.0	10	S													8.91	FCD																																																																								
104	4PS14CV109	SOWJANYA B	33	40	73	3.0	8	B	48	44	92	3.0	10	S	48	44	92	3.0	10	S							48	46	94	3.0	10	S	98	98	196	8.0	10	S	46	0	92	2.0	10	S													9.73	FCD																																																																								

P13CV81 : - Design of Pre-stressed Concrete Structures

P13CV82 : - Design and Drawing of Steel Structures

P13CV834 : - Industrial Waste Water Treatment

P13CV841 : - Alternative Building Materials

P13CV842 : - Urban Transport Planning

P13CV85 : - Project Work

P13CV86 : - Seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G - Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)	Raw Score							
8.25	75								



Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE Semester End Examination for the Academic year 2017-18

14-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	146	P13CV81			P13CV82			P13CV834			P13CV841			P13CV842			P13CV85			P13CV86			C S T CR GP GR			C S T CR GP GR			SGPA	CLASS																																					
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR																						
105	4PS14CV110	SOWJANYA M C		35	39	74	3.0	8	B	47	44	91	3.0	10	S	49	43	92	3.0	10	S												45	43	88	3.0	9	A	98	98	196	8.0	10	S	46	0	92	2.0	10	S												9.59	FCD						
106	4PS14CV111	SOWMYA K		35	43	78	3.0	9	A	49	47	96	3.0	10	S	47	42	89	3.0	9	A	40	44	84	3.0	9	A												95	94	189	8.0	10	S	46	0	92	2.0	10	S												9.59	FCD						
107	4PS14CV112	SPANDANA A V		34	43	77	3.0	9	A	49	45	94	3.0	10	S	47	36	83	3.0	9	A	46	40	86	3.0	9	A												98	97	195	8.0	10	S	45	0	90	2.0	10	S												9.59	FCD						
108	4PS14CV113	SRIHARSHA.S		20	26	46	3.0	5	D	33	24	57	3.0	7	C	36	28	64	3.0	8	B												29	36	65	3.0	8	B	99	98	197	8.0	10	S	42	0	84	2.0	9	A												8.27	FCD						
109	4PS14CV114	SRUJANA M V		21	20	41	3.0	4	E	42	42	84	3.0	9	A	46	39	85	3.0	9	A	42	41	83	3.0	9	A												93	96	189	8.0	10	S	40	0	80	2.0	9	A												8.68	FCD						
110	4PS14CV115	SUHASGOWDA C		42	38	80	3.0	9	A	50	48	98	3.0	10	S	49	48	97	3.0	10	S												45	45	90	3.0	10	S	92	99	191	8.0	10	S	44	0	88	2.0	9	A												9.77	FCD						
111	4PS14CV116	SUHAS R		38	27	65	3.0	8	B	28	21	49	3.0	5	D	38	42	80	3.0	9	A												41	36	77	3.0	9	A	92	94	186	8.0	10	S	45	0	90	2.0	10	S												8.77	FCD						
112	4PS14CV118	SURAJ KUMAR SHARMA		37	29	66	3.0	8	B	44	33	77	3.0	9	A	34	39	73	3.0	8	B												41	33	74	3.0	8	B	96	95	191	8.0	10	S	47	0	94	2.0	10	S												9.05	FCD						
113	4PS14CV119	THANUSHA S		50	47	97	3.0	10	S	48	36	84	3.0	9	A	50	45	95	3.0	10	S												45	36	81	3.0	9	A	97	97	194	8.0	10	S	45	0	90	2.0	10	S												9.73	FCD						
114	4PS14CV120	UDAYA TEJA S G		42	39	81	3.0	9	A	46	33	79	3.0	9	A	40	40	80	3.0	9	A												39	36	75	3.0	9	A	99	98	197	8.0	10	S	45	0	90	2.0	10	S												9.45	FCD						
115	4PS14CV121	VINAYAK SHARAN A		23	29	52	3.0	7	C	25	32	57	3.0	7	C	26	31	57	3.0	7	C	27	33	60	3.0	8	B												93	92	185	8.0	10	S	44	0	88	2.0	9	A												8.41	FCD						
116	4PS14CV122	YASHASWINI M		43	44	87	3.0	9	A	50	35	85	3.0	9	A	47	44	91	3.0	10	S	45	37	82	3.0	9	A												96	96	192	8.0	10	S	41	0	82	2.0	9	A												9.50	FCD						
117	4PS14CV123	YATHISH B N		10	111	10	0.0	0	N	0	111	0	0.0	0	N	0	111	0	0.0	0	N												0	111	0	0.0	0	N	0	111	0	0.0	0	N	0	111	0	0.0	0	N	0	111	0	0.0	0	N												0	FL
118	4PS14CV124	ZAIREMCHHUNGA		25	27	52	3.0	7	C	41	23	64	3.0	8	B	35	34	69	3.0	8	B	27	27	54	3.0	7	C												91	97	188	8.0	10	S	44	0	88	2.0	9	A												8.55	FCD						
119	4PS14CV405	EMTYAZPASHA		23	28	51	3.0	7	C	39	31	70	3.0	8	B	34	30	64	3.0	8	B												36	31	67	3.0	8	B	97	99	196	8.0	10	S	41	0	82	2.0	9	A												8.68	FCD						
120	4PS15CV400	ABHILASH P L		42	41	83	3.0	9	A	44	42	86	3.0	9	A	34	35	69	3.0	8	B	37	44	81	3.0	9	A												94	95	189	8.0	10	S	46	0	92	2.0	10	S												9.32	FCD						
121	4PS15CV401	ABHISHEK K N		32	16	48	0.0	0	F	32	20	52	3.0	7	C	28	27	55	3.0	7	C												39	31	70	3.0	8	B	93	98	191	8.0	10	S	41	0	82	2.0	9	A												7.45	FL						
122	4PS15CV402	ANUSH S GOWDA		32	33	65	3.0	8	B	41	35	76	3.0	9	A	46	41	87	3.0	9	A												35	41	76	3.0	9	A	94	96	190	8.0	10	S	42	0	84	2.0	9	A												9.23	FCD						
123	4PS15CV403	BALARAJU B		37	33	70	3.0	8	B	44	38	82	3.0	9	A	45	45	90	3.0	10	S	40	41	81	3.0	9	A												96	99	195	8.0	10	S	46	0	92	2.0	10	S												9.45	FCD						
124	4PS15CV404	CHANDANA K P		37	46	83	3.0	9	A	49	43	92	3.0	10	S	47	46	93	3.0	10	S	50	48	98	3.0	10	S												98	97	195	8.0	10	S	47	0	94	2.0	10	S												9.86	FCD						
125	4PS15CV406	SHIVA KUMAR H M		20	24	44	3.0	4	E	43	27	70	3.0	8	B	40	32	72	3.0	8	B												28	31	59	3.0	7	C	95	94	189	8.0	10	S	43	0	86	2.0	9	A												8.14	FCD						

P13CV81 : - Design of Pre-stressed Concrete Structures

P13CV82 : - Design and Drawing of Steel Structures

P13CV834 : - Industrial Waste Water Treatment

P13CV841 : - Alternative Building Materials

P13CV842 : - Urban Transport Planning

P13CV85 : - Project Work

P13CV86 : - Seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40
7.25	65	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)								
8.25	75								



Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE Semester End Examination for the Academic year 2017-18

14-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	146	P13CV81			P13CV82			P13CV834			P13CV841			P13CV842			P13CV85			P13CV86			C S T CR GP GR			C S T CR GP GR			SGPA	CLASS											
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR	C	S
126	4PS15CV407	KIRAN K M		25	27	52	3.0	7	C	42	24	66	3.0	8	B	36	34	70	3.0	8	B																	8.82	FCD				
127	4PS15CV408	MAHESHWARI P		38	29	67	3.0	8	B	44	37	81	3.0	9	A	39	38	77	3.0	9	A																	9.32	FCD				
128	4PS15CV409	MALLESH M		33	39	72	3.0	8	B	44	36	80	3.0	9	A	41	36	77	3.0	9	A																	9.23	FCD				
129	4PS15CV410	MANJUNATH BOMMAPPA S		31	33	64	3.0	8	B	36	38	74	3.0	8	B	39	35	74	3.0	8	B																	8.82	FCD				
130	4PS15CV411	MANJUNATHA		35	22	57	3.0	7	C	42	38	80	3.0	9	A	39	43	82	3.0	9	A																	9.09	FCD				
131	4PS15CV412	MEGHARAJ KADAGAD		35	24	59	3.0	7	C	43	38	81	3.0	9	A	43	44	87	3.0	9	A																	9.09	FCD				
132	4PS15CV413	NAMRATHA S		45	43	88	3.0	9	A	49	42	91	3.0	10	S	46	42	88	3.0	9	A	42	42	84	3.0	9	A															9.50	FCD
133	4PS15CV414	NETHRA		41	43	84	3.0	9	A	49	46	95	3.0	10	S	45	40	85	3.0	9	A	45	42	87	3.0	9	A															9.59	FCD
134	4PS15CV415	NINGARAJ GURIYAPPA LAI		27	30	57	3.0	7	C	41	38	79	3.0	9	A	31	28	59	3.0	7	C																	8.82	FCD				
135	4PS15CV416	NIRANJAN H M R		43	42	85	3.0	9	A	47	36	83	3.0	9	A	47	38	85	3.0	9	A																	9.59	FCD				
136	4PS15CV417	PRAMOD T K		23	25	48	3.0	5	D	44	20	64	3.0	8	B	28	30	58	3.0	7	C																	8.36	FCD				
137	4PS15CV418	RAGHUNANDAN D J		43	30	73	3.0	8	B	46	44	90	3.0	10	S	40	41	81	3.0	9	A																9.36	FCD					
138	4PS15CV419	RAKSHITHA U N MURTHY		43	25	68	3.0	8	B	47	38	85	3.0	9	A	40	40	80	3.0	9	A	44	42	86	3.0	9	A															9.23	FCD
139	4PS15CV420	RASHMIKA M P		40	21	61	3.0	8	B	44	21	65	3.0	8	B	39	42	81	3.0	9	A																8.64	FCD					
140	4PS15CV421	SAHANA K C		45	28	73	3.0	8	B	48	36	84	3.0	9	A	42	42	84	3.0	9	A	39	39	78	3.0	9	A															9.32	FCD
141	4PS15CV423	SANTHOSH KUMARA H S		28	38	66	3.0	8	B	43	38	81	3.0	9	A	37	34	71	3.0	8	B																9.09	FCD					
142	4PS15CV424	SRIDHARKUMAR H S		45	22	67	3.0	8	B	45	43	88	3.0	9	A	40	38	78	3.0	9	A																9.23	FCD					
143	4PS15CV425	SURESHKUMAR K M		35	41	76	3.0	9	A	50	44	94	3.0	10	S	40	38	78	3.0	9	A																9.59	FCD					
144	4PS15CV426	VINAY KUMAR M B		31	39	70	3.0	8	B	47	42	89	3.0	9	A	41	33	74	3.0	8	B																9.18	FCD					
145	4PS15CV427	VINODRAJ B S		45	36	81	3.0	9	A	49	46	95	3.0	10	S	45	46	91	3.0	10	S																9.86	FCD					

P13CV81 : - Design of Pre-stressed Concrete Structures

P13CV82 : - Design and Drawing of Steel Structures

P13CV834 : - Industrial Waste Water Treatment

P13CV841 : - Alternative Building Materials

P13CV842 : - Urban Transport Planning

P13CV85 : - Project Work

P13CV86 : - Seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)	Raw Score							
8.25	75								



Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.