

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

**Provisional Results of Third Semester BE Semester End Examination for the Academic year 2017-18**

08-01-2018

CIVIL ENGINEERING

P13CV36 : - Applied Engineering Geology

P13CV35 : - Fluid Mechanics

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained  
Transitional Grades: L - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

**G - Satisfactory CIE and Attendance but Absent for SEE without Permission**

**G**-Satisfactory GIE and Attendance but Absent for SEE without F permission

FCD - First Class with Distinction, FC - First Class, SC - Second  
\* Mandatory Learning Course (\*PR : Passed ; \*NP : Not Passed )

#### **Percentage Equivalence of Grade Points (10 - Point Scale)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
Grade	S	A	B	C	D	E	F
Grade Points	10	09	08	07	05	04	00
P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

Dr. K. Narasimha Chary  
Controller of Examinations  
P.E.S. College of Engineering

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

## Provisional Results of Third Semester BE Semester End Examination for the Academic year 2017-18

08-01-2018

### CIVIL ENGINEERING

SL.No.	USN	NAME	143	P15MA31				P15CV32				P15CV33				P15CV34				P15CV35				P15CV36				P15CVL37				P15CVL38				C S T CR GP GR				C S T CR GP GR SGPA	CLASS											
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR													
1	4PS14CV046	KAVYAA								28	20	48	4.0	4	E																										4.00											
2	4PS15CV011	C MALSAMMTLUANGA		25	20	45	4.0	4	E	38	25	63	4.0	8	B	27	20	47	4.0	5	D	39	30	69	3.0	8	B	33	20	53	4.0	7	C	30	33	63	4.0	8	B	45	20	65	1.5	8	B	35	25	60	1.5	8	B	6.77
3	4PS15CV030	K LALDUHKIMA		25	111	25	0.0	0	G																															0												
4	4PS15CV097	SHASHANK H B		39	22	61	4.0	8	B	45	32	77	4.0	9	A	28	15	43	0.0	0	F	27	26	53	3.0	7	C	39	21	60	4.0	8	B	37	29	66	4.0	8	B	48	25	73	1.5	8	B	40	36	76	1.5	9	A	6.87
5	4PS15CV102	SHREYAS B K		25	21	46	4.0	5	D	32	111	32	0.0	0	G	25	111	25	0.0	0	G	25	0	0	0.0	0		12	111	12	0.0	0	N	24	111	24	0.0	0	N	41	25	66	1.5	8	B	42	15	57	0.0	0	F	1.39
6	4PS15CV422	SANDHYA B S		44	35	79	4.0	9	A	48	39	87	4.0	9	A	46	38	84	4.0	9	A	41	35	76	3.0	9	A	48	37	85	4.0	9	A	48	44	92	4.0	10	S	48	46	94	1.5	10	S	48	45	93	1.5	10	S	9.27
7	4PS16CV001	ADARSHA B M		38	36	74	4.0	8	B	40	32	72	4.0	8	B	25	47	72	4.0	8	B	28	27	55	3.0	7	C	28	31	59	4.0	7	C	29	36	65	4.0	8	B	48	42	90	1.5	10	S	47	43	90	1.5	10	S	7.96
8	4PS16CV003	AKHILESH M		36	28	64	4.0	8	B	40	41	81	4.0	9	A	31	30	61	4.0	8	B	34	26	60	3.0	8	B	41	32	73	4.0	8	B	39	34	73	4.0	8	B	47	37	84	1.5	9	A	46	36	82	1.5	9	A	8.27
9	4PS16CV004	AMULYA B C		43	40	83	4.0	9	A	46	42	88	4.0	9	A	42	41	83	4.0	9	A	43	29	72	3.0	8	B	48	34	82	4.0	9	A	39	43	82	4.0	9	A	49	46	95	1.5	10	S	48	45	93	1.5	10	S	9.00
10	4PS16CV005	ANIL KUMAR N		25	13	38	0.0	0	F	35	20	55	4.0	7	C	25	8	33	0.0	0	F	25	15	40	0.0	0	F	25	20	45	4.0	4	E	25	30	55	4.0	7	C	42	32	74	1.5	8	B	44	37	81	1.5	9	A	3.75
11	4PS16CV006	ANUSHAM C		46	46	92	4.0	10	S	44	40	84	4.0	9	A	38	40	78	4.0	9	A	44	29	73	3.0	8	B	45	36	81	4.0	9	A	43	37	80	4.0	9	A	48	36	84	1.5	9	A	48	45	93	1.5	10	S	9.10
12	4PS16CV007	ANUSHAS B		34	32	66	4.0	8	B	36	39	75	4.0	9	A	26	30	56	4.0	7	C	28	16	44	0.0	0	F	28	32	60	4.0	8	B	25	33	58	4.0	7	C	44	32	76	1.5	9	A	45	37	82	1.5	9	A	7.04
13	4PS16CV008	ANUSUYA B		39	42	81	4.0	9	A	35	28	63	4.0	8	B	36	44	80	4.0	9	A	38	20	58	3.0	7	C	41	34	75	4.0	9	A	35	36	71	4.0	8	B	49	33	82	1.5	9	A	48	44	92	1.5	10	S	8.52
14	4PS16CV009	ARPITHA N		47	45	92	4.0	10	S	44	38	82	4.0	9	A	41	43	84	4.0	9	A	40	33	73	3.0	8	B	45	48	93	4.0	10	S	43	44	87	4.0	9	A	47	45	92	1.5	10	S	9.31						
15	4PS16CV010	AVINITH GOWDA S K		40	23	63	4.0	8	B	33	37	70	4.0	8	B	27	12	39	0.0	0	F	38	31	69	3.0	8	B	34	22	56	4.0	7	C	34	27	61	4.0	8	B	48	42	90	1.5	10	S	42	36	78	1.5	9	A	6.79
16	4PS16CV011	BASAVARAJU C R		33	24	57	4.0	7	C	40	39	79	4.0	9	A	31	20	51	4.0	7	C	39	32	71	3.0	8	B	36	25	61	4.0	8	B	30	32	62	4.0	8	B	48	43	91	1.5	10	S	46	34	80	1.5	9	A	8.02
17	4PS16CV012	A S BHARATH KUMAR		40	33	73	4.0	8	B	44	45	89	4.0	9	A	43	39	82	4.0	9	A	42	37	79	3.0	9	A	44	35	79	4.0	9	A	45	45	90	4.0	10	S	48	44	92	1.5	10	S	9.06						
18	4PS16CV013	BHARGAVI H K		47	46	93	4.0	10	S	50	48	98	4.0	10	S	45	47	92	4.0	10	S	43	28	71	3.0	8	B	46	37	83	4.0	9	A	47	40	87	4.0	9	A	49	49	98	1.5	10	S	49	47	96	1.5	10	S	9.46
19	4PS16CV014	BHAVANI SINGH		39	27	66	4.0	8	B	42	41	83	4.0	9	A	35	38	73	4.0	8	B	43	29	72	3.0	8	B	44	32	76	4.0	9	A	45	42	87	4.0	9	A	47	46	93	1.5	10	S	47	40	87	1.5	9	A	8.63
20	4PS16CV015	BHAVYA S R		42	41	83	4.0	9	A	43	40	83	4.0	9	A	39	39	78	4.0	9	A	44	36	80	3.0	9	A	37	42	79	4.0	9	A	44	46	90	4.0	10	S	47	48	95	1.5	10	S	48	43	91	1.5	10	S	9.27

P15MA31 : - Engineering Mathematics - III

P15CV32 : - Building Materials ,Construction

P15CV33 : - Strength of Materials

P15CV34 : - Applied Engineering Geology

P15CV35 : - Fluid Mechanics

P15CV36 : - Basic Surveying

P15CVL37 : - Basic Surveying Practice

P15CVL38 : - Basic Material Testing Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

\* Mandatory Learning Course (\*PP : Passed ; \*NP : Not Passed )

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Percentage Equivalence of Grade Points (10 - Point Scale)			
				Excellent	Very Good	Good	Average
5.75	50 (Second Class)	Grade	S	A	B	C	D
6.25	55	Grade Points	10	09	08	07	05
6.75	60 (First Class)	Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50
7.25	65		P15, P17 Scheme	90 Above	89-75	74-60	59-50
7.75	70 (Distinction)				49-45	44-40	Below 40
8.25	75				45	Below 45	

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

*Dr. K. Narasimha Chary*  
Controller of Examinations  
P.E.S. College of Engineering,  
Mandy

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

## Provisional Results of Third Semester BE Semester End Examination for the Academic year 2017-18

08-01-2018

### CIVIL ENGINEERING

SL.No.	USN	NAME	143	P15MA31				P15CV32				P15CV33				P15CV34				P15CV35				P15CV36				P15CVL37				P15CVL38				C S T CR GP GR				SGPA	CLASS											
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR													
21	4PS16CV016	BHIMARAO DALAWAI		34	36	70	4.0	8	B	41	38	79	4.0	9	A	25	30	55	4.0	7	C	35	29	64	3.0	8	B	29	33	62	4.0	8	B	41	32	73	4.0	8	B	46	42	88	1.5	9	A	45	41	86	1.5	9	A	8.12
22	4PS16CV017	CHANDAN B M		25	20	45	4.0	4	E	25	25	50	4.0	7	C	25	4	29	0.0	0	F	26	16	42	0.0	0	F	9	111	9	0.0	0	N	32	24	56	4.0	7	C	40	39	79	1.5	9	A	25	33	58	1.5	7	C	3.69
23	4PS16CV018	CHANDAN Y S		44	31	75	4.0	9	A	36	46	82	4.0	9	A	28	30	58	4.0	7	C	38	29	67	3.0	8	B	30	42	72	4.0	8	B	34	41	75	4.0	9	A	46	44	90	1.5	10	S	46	42	88	1.5	9	A	8.48
24	4PS16CV019	CHANDANA R		45	35	80	4.0	9	A	47	38	85	4.0	9	A	40	33	73	4.0	8	B	43	28	71	3.0	8	B	47	33	80	4.0	9	A	45	36	81	4.0	9	A	48	49	97	1.5	10	S	48	39	87	1.5	9	A	8.79
25	4PS16CV020	CHETHANA M		47	44	91	4.0	10	S	47	47	94	4.0	10	S	30	48	78	4.0	9	A	36	41	77	3.0	9	A	43	43	86	4.0	9	A	35	46	81	4.0	9	A	47	49	96	1.5	10	S	46	44	90	1.5	10	S	9.42
26	4PS16CV022	DEEPAK J		47	39	86	4.0	9	A	39	32	71	4.0	8	B	33	39	72	4.0	8	B	40	26	66	3.0	8	B	37	32	69	4.0	8	B	31	32	63	4.0	8	B	49	40	89	1.5	9	A	46	46	92	1.5	10	S	8.33
27	4PS16CV024	DHARSHITH SAGAR M D		25	13	38	0.0	0	F	25	32	57	4.0	7	C	25	2	27	0.0	0	F	27	111	27	0.0	0	N	16	111	16	0.0	0	N	25	31	56	4.0	7	C	39	26	65	1.5	8	B	40	28	68	1.5	8	B	3.08
28	4PS16CV026	DHRUVAKUMAR N T		30	28	58	4.0	7	C	37	37	74	4.0	8	B	28	31	59	4.0	7	C	38	25	63	3.0	8	B	38	20	58	4.0	7	C	30	32	62	4.0	8	B	47	42	89	1.5	9	A	46	36	82	1.5	9	A	7.65
29	4PS16CV027	DIVYA B N		47	39	86	4.0	9	A	47	46	93	4.0	10	S	42	41	83	4.0	9	A	43	30	73	3.0	8	B	47	29	76	4.0	9	A	44	40	84	4.0	9	A	48	49	97	1.5	10	S	48	44	92	1.5	10	S	9.15
30	4PS16CV028	DIVYAM		41	28	69	4.0	8	B	45	36	81	4.0	9	A	35	20	55	4.0	7	C	34	26	60	3.0	8	B	39	25	64	4.0	8	B	27	38	65	4.0	8	B	48	44	92	1.5	10	S	47	34	81	1.5	9	A	8.17
31	4PS16CV031	D GAGAN		25	21	46	4.0	5	D	25	35	60	4.0	8	B	25	10	35	0.0	0	F	32	111	32	0.0	0	N	25	28	53	4.0	7	C	25	29	54	4.0	7	C	39	25	64	1.5	8	B	30	25	55	1.5	7	C	5.02
32	4PS16CV032	GAGANA P		46	41	87	4.0	9	A	46	43	89	4.0	9	A	41	41	82	4.0	9	A	38	23	61	3.0	8	B	45	27	72	4.0	8	B	42	40	82	4.0	9	A	48	45	93	1.5	10	S	48	43	91	1.5	10	S	8.85
33	4PS16CV033	GOWTHAM S		46	42	88	4.0	9	A	45	47	92	4.0	10	S	31	30	61	4.0	8	B	44	37	81	3.0	9	A	41	36	77	4.0	9	A	42	40	82	4.0	9	A	48	45	93	1.5	10	S	47	46	93	1.5	10	S	9.12
34	4PS16CV034	GRACE LALREMDIKI SAILO		45	41	86	4.0	9	A	47	49	96	4.0	10	S	45	42	87	4.0	9	A	44	35	79	3.0	9	A	48	39	87	4.0	9	A	48	47	95	4.0	10	S	48	46	95	1.5	10	S	9.42						
35	4PS16CV035	GURULINGAPPA		41	31	72	4.0	8	B	35	39	74	4.0	8	B	25	34	59	4.0	7	C	37	30	67	3.0	8	B	29	35	64	4.0	8	B	41	34	75	4.0	9	A	46	39	85	1.5	9	A	8.12						
36	4PS16CV036	GURURAJ M R		42	34	76	4.0	9	A	42	28	70	4.0	8	B	34	35	69	4.0	8	B	44	20	64	3.0	8	B	47	26	73	4.0	8	B	41	40	81	4.0	9	A	41	25	66	1.5	8	B	44	25	69	1.5	8	B	8.31
37	4PS16CV037	HARSHITHA S		47	41	88	4.0	9	A	43	46	89	4.0	9	A	30	39	69	4.0	8	B	42	37	79	3.0	9	A	30	36	66	4.0	8	B	41	45	86	4.0	9	A	48	30	78	1.5	9	A	48	40	88	1.5	9	A	8.69
38	4PS16CV038	HEMALATHA N		49	46	95	4.0	10	S	44	49	93	4.0	10	S	39	50	89	4.0	9	A	46	37	83	3.0	9	A	44	49	93	4.0	10	S	46	44	90	4.0	10	S	49	48	97	1.5	10	S	47	38	85	1.5	9	A	9.67
39	4PS16CV039	INCHARA K N		40	33	73	4.0	8	B	32	34	66	4.0	8	B	36	22	58	4.0	7	C	30	26	56	3.0	7	C	40	26	66	4.0	8	B	38	38	76	4.0	9	A	40	42	82	1.5	9	A	40	27	67	1.5	8	B	7.94
40	4PS16CV040	IREEN JOSE		46	37	83	4.0	9	A	42	42	84	4.0	9	A	40	47	87	4.0	9	A	43	34	77	3.0	9	A	36	38	74	4.0	8	B	42	33	75	4.0	9	A	47	45	92	1.5	10	S	47	46	93	1.5	10	S	8.96
41	4PS16CV041	ISRAEL T ROCHANGLIANA		30	27	57	4.0	7	C	39	31	70	4.0	8	B	25	24	49	4.0	5	D	40	23	63	3.0	8	B	29	25	54	4.0	7	C	33	30	63	4.0	8	B	42	42	84	1.5	9	A	47	39	86	1.5	9	A	7.35

P15MA31 : - Engineering Mathematics - III

P15CV32 : - Building Materials ,Construction

P15CV33 : - Strength of Materials

P15CV34 : - Applied Engineering Geology

P15CV35 : - Fluid Mechanics

P15CV36 : - Basic Surveying

P15CVL37 : - Basic Surveying Practice

P15CVL38 : - Basic Material Testing Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

\* Mandatory Learning Course (\*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
Grade	S	A	B	C	D	E	F
Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40 Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45 Below 45

  
Dr. K. Narasimha Chary  
Controller of Examinations  
P.E.S. College of Engineering,  
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

## Provisional Results of Third Semester BE Semester End Examination for the Academic year 2017-18

08-01-2018

### CIVIL ENGINEERING

SL.No.	USN	NAME	143	P15MA31				P15CV32				P15CV33				P15CV34				P15CV35				P15CV36				P15CVL37				P15CVL38				C S T CR GP GR				SGPA	CLASS											
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR													
42	4PS16CV042	KAVANA B S		39	43	82	4.0	9	A	46	45	91	4.0	10	S	38	40	78	4.0	9	A	44	31	75	3.0	9	A	42	46	88	4.0	9	A	41	38	79	4.0	9	A	48	48	96	4.5	10	S	48	42	90	4.5	10	S	9.27
43	4PS16CV043	KIRAN PATEL M		25	12	37	0.0	0	F	30	29	59	4.0	7	C	25	16	41	0.0	0	F	25	111	25	0.0	0	N	25	27	52	4.0	7	C	28	32	60	4.0	8	B	44	30	74	4.5	8	B	42	25	67	4.5	8	B	4.31
44	4PS16CV044	KISHORE S		25	20	45	4.0	4	E	32	32	64	4.0	8	B	8	111	8	0.0	0	N	27	20	47	3.0	5	D	29	10	39	0.0	0	F	25	24	49	4.0	5	D	47	25	72	4.5	8	B	47	35	82	4.5	9	A	4.17
45	4PS16CV045	KUSHAL T		34	29	63	4.0	8	B	46	42	88	4.0	9	A	27	31	58	4.0	7	C	38	31	69	3.0	8	B	44	25	69	4.0	8	B	39	29	68	4.0	8	B	45	20	65	4.5	8	B	48	43	91	4.5	10	S	8.12
46	4PS16CV046	LALSANGMAWIA		43	41	84	4.0	9	A	47	32	79	4.0	9	A	32	39	71	4.0	8	B	45	28	73	3.0	8	B	44	32	76	4.0	9	A	43	39	82	4.0	9	A	48	20	68	4.5	8	B	48	30	78	4.5	9	A	8.67
47	4PS16CV047	LEPAKSHI S KUMAR		42	26	68	4.0	8	B	46	37	83	4.0	9	A	43	29	72	4.0	8	B	36	31	67	3.0	8	B	42	27	69	4.0	8	B	42	37	79	4.0	9	A	40	35	75	4.5	9	A	41	25	66	4.5	8	B	8.37
48	4PS16CV048	MADANKUMAR C B		33	24	57	4.0	7	C	39	30	69	4.0	8	B	31	20	51	4.0	7	C	29	29	58	3.0	7	C	44	26	70	4.0	8	B	35	36	71	4.0	8	B	40	20	60	4.5	8	B	40	32	72	4.5	8	B	7.58
49	4PS16CV049	MAHADEVAPRASAD H S		40	40	80	4.0	9	A	37	48	85	4.0	9	A	41	48	89	4.0	9	A	41	32	73	3.0	8	B	47	49	96	4.0	10	S	48	41	89	4.0	9	A	48	43	91	4.5	10	S	47	46	93	4.5	10	S	9.15
50	4PS16CV050	MALSAWMZUALI		47	34	81	4.0	9	A	46	43	89	4.0	9	A	41	37	78	4.0	9	A	38	25	63	3.0	8	B	49	40	89	4.0	9	A	45	38	83	4.0	9	A	45	44	89	4.5	9	A	45	45	90	4.5	10	S	8.94
51	4PS16CV052	MANASA M S		44	35	79	4.0	9	A	49	41	90	4.0	10	S	30	39	69	4.0	8	B	41	31	72	3.0	8	B	29	41	70	4.0	8	B	37	40	77	4.0	9	A	47	46	93	4.5	10	S	48	46	94	4.5	10	S	8.85
52	4PS16CV053	MANI SHANKAR R		33	31	64	4.0	8	B	40	40	80	4.0	9	A	26	32	58	4.0	7	C	38	23	61	3.0	8	B	36	29	65	4.0	8	B	39	31	70	4.0	8	B	47	15	62	0.0	0	F	48	44	92	4.5	10	S	7.65
53	4PS16CV054	MANOJ KUMAR C M		30	32	62	4.0	8	B	39	32	71	4.0	8	B	39	24	63	4.0	8	B	35	20	55	3.0	7	C	44	34	78	4.0	9	A	37	32	69	4.0	8	B	41	42	83	4.5	9	A	43	42	85	4.5	9	A	8.15
54	4PS16CV055	MANUSHREE H S		38	36	74	4.0	8	B	44	37	81	4.0	9	A	27	27	54	4.0	7	C	30	31	61	3.0	8	B	36	28	64	4.0	8	B	38	40	78	4.0	9	A	40	22	62	4.5	8	B	41	25	66	4.5	8	B	8.15
55	4PS16CV057	M MEGHA		47	45	92	4.0	10	S	49	45	94	4.0	10	S	43	42	85	4.0	9	A	41	33	74	3.0	8	B	46	36	82	4.0	9	A	48	44	92	4.0	10	S	48	26	74	4.5	8	B	9.35						
56	4PS16CV058	MOHAMMAD FAKRUDDIN II		35	21	56	4.0	7	C	45	45	90	4.0	10	S	25	31	56	4.0	7	C	41	27	68	3.0	8	B	39	29	68	4.0	8	B	29	27	56	4.0	7	C	47	20	67	4.5	8	B	48	32	80	4.5	9	A	7.90
57	4PS16CV059	MOHAMMED SAKHIB		34	27	61	4.0	8	B	36	39	75	4.0	9	A	31	20	51	4.0	7	C	31	20	51	3.0	7	C	36	24	60	4.0	8	B	39	32	71	4.0	8	B	40	17	57	0.0	0	F	43	25	68	4.5	8	B	7.42
58	4PS16CV060	MOHAMMED UMMER		38	23	61	4.0	8	B	42	39	81	4.0	9	A	31	23	54	4.0	7	C	37	26	63	3.0	8	B	37	23	60	4.0	8	B	40	38	78	4.0	9	A	47	36	83	4.5	9	A	47	40	87	4.5	9	A	8.27
59	4PS16CV061	MONICA M		46	33	79	4.0	9	A	43	30	73	4.0	8	B	27	32	59	4.0	7	C	44	21	65	3.0	8	B	36	29	65	4.0	8	B	38	36	74	4.0	8	B	46	41	87	4.5	9	A	48	36	84	4.5	9	A	8.12
60	4PS16CV064	NAGARJUN S GOWDA		40	36	76	4.0	9	A	38	39	77	4.0	9	A	44	31	75	4.0	9	A	40	22	62	3.0	8	B	37	28	65	4.0	8	B	44	34	78	4.0	9	A	50	49	99	4.5	10	S	49	46	95	4.5	10	S	8.85
61	4PS16CV065	NAMITHA S GOWDA		42	37	79	4.0	9	A	44	44	88	4.0	9	A	40	40	80	4.0	9	A	43	30	73	3.0	8	B	43	44	87	4.0	9	A	38	45	83	4.0	9	A	48	44	92	4.5	10	S	50	37	87	4.5	9	A	8.94
62	4PS16CV066	NIKHIL N D		34	31	65	4.0	8	B	47	43	90	4.0	10	S	31	31	62	4.0	8	B	42	33	75	3.0	9	A	30	29	59	4.0	7	C	43	39	82	4.0	9	A	47	46	93	4.5	10	S	48	42	90	4.5	10	S	8.65

P15MA31 : - Engineering Mathematics - III  
 P15CV32 : - Building Materials ,Construction  
 P15CV33 : - Strength of Materials  
 P15CV34 : - Applied Engineering Geology  
 P15CV35 : - Fluid Mechanics

Percentage Equivalence of Grade Points (10 - Point Scale)

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained  
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission  
 W - Withdrawn from the Course      N - Not Eligible w.r.t either CIE / Attendance  
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission  
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail  
 \* Mandatory Learning Course (\*PP : Passed ; \*NP : Not Passed )

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
Grade	S	A	B	C	D	E	F
Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40 Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45 Below 45

  
 Dr. K. Narasimha Chary  
 Controller of Examinations  
 P.E.S. College of Engineering,  
 Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

## Provisional Results of Third Semester BE Semester End Examination for the Academic year 2017-18

08-01-2018

### CIVIL ENGINEERING


SL.No.	USN	NAME	143	P15MA31				P15CV32				P15CV33				P15CV34				P15CV35				P15CV36				P15CVL37				P15CVL38				C S T CR GP GR				SGPA	CLASS											
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR																			
63	4PS16CV067	NISCHITHA M		46	45	91	4.0	10	S	48	39	87	4.0	9	A	42	36	78	4.0	9	A	46	35	81	3.0	9	A	41	33	74	4.0	8	B	41	39	80	4.0	9	A	47	49	96	1.5	10	S	47	45	92	1.5	10	S	9.12
64	4PS16CV068	NIVEDITHA R		45	47	92	4.0	10	S	42	40	82	4.0	9	A	36	40	76	4.0	9	A	40	31	71	3.0	8	B	45	41	86	4.0	9	A	43	42	85	4.0	9	A	49	38	87	1.5	9	A	47	36	83	1.5	9	A	9.04
65	4PS16CV069	PADMANABHA RAO B		41	33	74	4.0	8	B	38	40	78	4.0	9	A	27	33	60	4.0	8	B	40	34	74	3.0	8	B	42	35	77	4.0	9	A	35	36	71	4.0	8	B	49	44	93	1.5	10	S	47	44	91	1.5	10	S	8.54
66	4PS16CV070	PALLAVI M S		49	44	93	4.0	10	S	47	45	92	4.0	10	S	47	39	86	4.0	9	A	43	32	75	3.0	9	A	48	37	85	4.0	9	A	47	42	89	4.0	9	A	50	44	94	1.5	10	S	49	46	95	1.5	10	S	9.42
67	4PS16CV071	PAVANASHREE Y H		35	37	72	4.0	8	B	44	39	83	4.0	9	A	25	32	57	4.0	7	C	41	25	66	3.0	8	B	30	29	59	4.0	7	C	26	35	61	4.0	8	B	44	40	84	1.5	9	A	45	34	79	1.5	9	A	7.96
68	4PS16CV072	POOJA N S		40	32	72	4.0	8	B	35	32	67	4.0	8	B	30	43	73	4.0	8	B	41	27	68	3.0	8	B	32	43	75	4.0	9	A	43	39	82	4.0	9	A	48	40	88	1.5	9	A	47	46	93	1.5	10	S	8.48
69	4PS16CV073	POOJA R R		47	44	91	4.0	10	S	48	43	91	4.0	10	S	44	43	87	4.0	9	A	43	41	84	3.0	9	A	49	40	89	4.0	9	A	47	38	85	4.0	9	A	50	45	95	1.5	10	S	50	46	96	1.5	10	S	9.42
70	4PS16CV074	PRAMOD NAYAK K S		25	32	57	4.0	7	C	30	30	60	4.0	8	B	36	35	71	4.0	8	B	30	14	44	0.0	0	F	38	34	72	4.0	8	B	31	30	61	4.0	8	B	44	41	85	1.5	9	A	46	42	88	1.5	9	A	7.04
71	4PS16CV075	PRAMUKH K P		31	20	51	4.0	7	C	35	33	68	4.0	8	B	25	28	53	4.0	7	C	37	23	60	3.0	8	B	30	20	50	4.0	7	C	31	31	62	4.0	8	B	45	30	75	1.5	9	A	49	33	82	1.5	9	A	7.65
72	4PS16CV076	PRASHANTH B M		25	27	52	4.0	7	C	33	37	70	4.0	8	B	25	23	48	4.0	5	D	34	20	54	3.0	7	C	29	34	63	4.0	8	B	38	0	0	0.0	0		45	45	90	1.5	10	S	43	34	77	1.5	9	A	7.34
73	4PS16CV077	PRASHANTH S		48	47	95	4.0	10	S	42	41	83	4.0	9	A	30	42	72	4.0	8	B	41	30	71	3.0	8	B	38	27	65	4.0	8	B	41	39	80	4.0	9	A	44	35	79	1.5	9	A	49	40	89	1.5	9	A	8.73
74	4PS16CV078	PRAVEEN		27	7	34	0.0	0	F	33	20	53	4.0	7	C	25	2	27	0.0	0	F	28	13	41	0.0	0	F	25	20	45	4.0	4	E	30	22	52	4.0	7	C	43	35	78	1.5	9	A	43	25	68	1.5	8	B	3.75
75	4PS16CV080	PRUTHVI R		48	41	89	4.0	9	A	44	35	79	4.0	9	A	34	35	69	4.0	8	B	44	32	76	3.0	9	A	44	24	68	4.0	8	B	43	43	86	4.0	9	A	48	43	91	1.5	10	S	47	44	91	1.5	10	S	8.81
76	4PS16CV082	R LALTLANKIMA		35	35	70	4.0	8	B	39	38	77	4.0	9	A	35	46	81	4.0	9	A	38	25	63	3.0	8	B	34	22	56	4.0	7	C	40	29	69	4.0	8	B	46	46	92	1.5	10	S	48	45	93	1.5	10	S	8.38
77	4PS16CV083	RAJASHEKHARA MURTHY		42	40	82	4.0	9	A	39	37	76	4.0	9	A	32	32	64	4.0	8	B	35	33	68	3.0	8	B	43	35	78	4.0	9	A	39	31	70	4.0	8	B	45	45	90	1.5	10	S	46	33	79	1.5	9	A	8.63
78	4PS16CV084	RAJESHWARI		39	26	65	4.0	8	B	42	26	68	4.0	8	B	30	34	64	4.0	8	B	38	26	64	3.0	8	B	40	22	62	4.0	8	B	35	31	66	4.0	8	B	46	30	76	1.5	9	A	48	34	82	1.5	9	A	8.12
79	4PS16CV087	RAKSHITHA R		34	30	64	4.0	8	B	37	34	71	4.0	8	B	39	35	74	4.0	8	B	45	20	65	3.0	8	B	29	31	60	4.0	8	B	34	35	69	4.0	8	B	46	40	86	1.5	9	A	45	42	87	1.5	9	A	8.12
80	4PS16CV088	RAMYA N		42	39	81	4.0	9	A	43	40	83	4.0	9	A	41	42	83	4.0	9	A	41	39	80	3.0	9	A	41	32	73	4.0	8	B	47	38	85	4.0	9	A	49	39	88	1.5	9	A	48	43	91	1.5	10	S	8.90
81	4PS16CV089	RANJINI M P		43	42	85	4.0	9	A	45	43	88	4.0	9	A	46	43	89	4.0	9	A	46	37	83	3.0	9	A	47	35	82	4.0	9	A	46	44	90	4.0	10	S	45	44	89	1.5	9	A	46	44	90	1.5	10	S	9.21
82	4PS16CV090	RASHMI C V		39	35	74	4.0	8	B	45	35	80	4.0	9	A	30	24	54	4.0	7	C	41	31	72	3.0	8	B	37	22	59	4.0	7	C	36	35	71	4.0	8	B	48	30	78	1.5	9	A	47	42	89	1.5	9	A	7.96
83	4PS16CV091	RAVISHANKAR K		48	46	94	4.0	10	S	46	37	83	4.0	9	A	48	38	86	4.0	9	A	45	30	75	3.0	9	A	45	7	52	0.0	0	F	44	41	85	4.0	9	A	45	30	75	1.5	9	A	48	42	90	1.5	10	S	7.83

P15MA31 : - Engineering Mathematics - III  
 P15CV32 : - Building Materials ,Construction  
 P15CV33 : - Strength of Materials  
 P15CV34 : - Applied Engineering Geology  
 P15CV35 : - Fluid Mechanics

Percentage Equivalence of Grade Points (10 - Point Scale)

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained  
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission  
 W - Withdrawn from the Course      N - Not Eligible w.r.t either CIE / Attendance  
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission  
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail  
 \* Mandatory Learning Course (\*PP : Passed ; \*NP : Not Passed )

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
Grade		S	A	B	C	D	E	F	
Grade Points		10	09	08	07	05	04	00	
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40	
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45	

  
 Dr. K. Narasimha Chary  
 Controller of Examinations  
 P.E.S. College of Engineering,  
 Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

## Provisional Results of Third Semester BE Semester End Examination for the Academic year 2017-18

08-01-2018

### CIVIL ENGINEERING

SL.No.	USN	NAME	143	P15MA31				P15CV32				P15CV33				P15CV34				P15CV35				P15CV36				P15CVL37				P15CVL38				C S T CR GP GR				SGPA	CLASS																
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR																		
84	4PS16CV092	ROHAN DINESH		32	32	64	4.0	8	B	32	41	73	4.0	8	B	34	31	65	4.0	8	B	34	27	61	3.0	8	B	32	26	58	4.0	7	C	45	33	78	4.0	9	A	40	39	79	4.5	9	A	43	36	79	4.5	9	A					8.12	
85	4PS16CV093	ROHANRAJ G		27	26	53	4.0	7	C	40	37	77	4.0	9	A	31	29	60	4.0	8	B	40	25	65	3.0	8	B	29	28	57	4.0	7	C	36	34	70	4.0	8	B	48	35	83	4.5	9	A	44	40	84	4.5	9	A					7.96	
86	4PS16CV094	ROHITH G		25	20	45	4.0	4	E	31	25	56	4.0	7	C	25	23	48	4.0	5	D	26	27	53	3.0	7	C	25	25	50	4.0	7	C	25	27	52	4.0	7	C	42	20	62	4.5	8	B	44	40	84	4.5	9	A					6.40	
87	4PS16CV095	SAGAR P M		25	24	49	4.0	5	D	30	28	58	4.0	7	C	25	25	50	4.0	7	C	25	21	46	3.0	5	D	31	11	42	0.0	0	F	29	31	60	4.0	8	B	25	20	45	4.5	4	E	46	25	71	4.5	8	B					5.42	
88	4PS16CV096	SAHITHYA D C		44	37	81	4.0	9	A	46	44	90	4.0	10	S	40	42	82	4.0	9	A	44	30	74	3.0	8	B	37	39	76	4.0	9	A	47	41	88	4.0	9	A	47	33	80	4.5	9	A					9.04							
89	4PS16CV097	SAIRA		41	34	75	4.0	9	A	49	44	93	4.0	10	S	32	33	65	4.0	8	B	43	30	73	3.0	8	B	46	34	80	4.0	9	A	42	35	77	4.0	9	A	47	32	79	4.5	9	A	50	45	95	4.5	10	S					8.94	
90	4PS16CV100	SANTHOSH KUMAR T N		36	33	69	4.0	8	B	38	41	79	4.0	9	A	34	38	72	4.0	8	B	39	27	66	3.0	8	B	30	40	70	4.0	8	B	34	30	64	4.0	8	B	45	40	85	4.5	9	A					8.27							
91	4PS16CV101	SANTOSH		30	22	52	4.0	7	C	34	22	56	4.0	7	C	32	31	63	4.0	8	B	25	23	48	3.0	5	D	27	20	47	4.0	5	D	26	23	49	4.0	5	D	40	25	65	4.5	8	B	44	15	59	0.0	0	F					5.96	
92	4PS16CV102	SHALINI C		48	41	89	4.0	9	A	42	36	78	4.0	9	A	34	34	68	4.0	8	B	44	24	68	3.0	8	B	40	37	77	4.0	9	A	35	27	62	4.0	8	B	45	40	85	4.5	9	A	46	40	86	4.5	9	A					8.58	
93	4PS16CV103	SHASHANK S		39	31	70	4.0	8	B	40	45	85	4.0	9	A	34	31	65	4.0	8	B	44	37	81	3.0	9	A	40	30	70	4.0	8	B	44	30	74	4.0	8	B	45	40	85	4.5	9	A	43	37	80	4.5	9	A					8.38	
94	4PS16CV104	M SHUBHA		33	24	57	4.0	7	C	33	36	69	4.0	8	B	25	28	53	4.0	7	C	39	23	62	3.0	8	B	35	20	55	4.0	7	C	33	30	63	4.0	8	B	46	25	71	4.5	8	B	46	35	81	4.5	9	A					7.60	
95	4PS16CV105	SINDHU G S		43	46	89	4.0	9	A	44	45	89	4.0	9	A	39	45	84	4.0	9	A	42	29	71	3.0	8	B	44	34	78	4.0	9	A	38	44	82	4.0	9	A	47	36	83	4.5	9	A	46	43	89	4.5	9	A					8.88	
96	4PS16CV106	SINDHU N		39	27	66	4.0	8	B	40	35	75	4.0	9	A	31	35	66	4.0	8	B	41	20	61	3.0	8	B	37	21	58	4.0	7	C	42	25	67	4.0	8	B	47	34	81	4.5	9	A	46	42	88	4.5	9	A					8.12	
97	4PS16CV107	SOMANATH K		32	20	52	4.0	7	C	30	26	56	4.0	7	C	19	11	11	19	0.0	0	N	30	25	55	3.0	7	C	34	14	48	0.0	0	F	26	22	48	4.0	5	D	44	20	64	4.5	8	B	42	34	76	4.5	9	A					4.71
98	4PS16CV108	B G SOWBHAGYA LAKSHM		33	37	70	4.0	8	B	45	37	82	4.0	9	A	26	35	61	4.0	8	B	41	26	67	3.0	8	B	31	28	59	4.0	7	C	47	34	81	4.0	9	A	47	41	88	4.5	9	A					8.27							
99	4PS16CV109	SOWJANYA S V		44	39	83	4.0	9	A	40	32	72	4.0	8	B	30	22	52	4.0	7	C	32	20	52	3.0	7	C	25	33	58	4.0	7	C	35	29	64	4.0	8	B	47	41	88	4.5	9	A	47	38	85	4.5	9	A					7.85	
100	4PS16CV110	SUHAS N		40	37	77	4.0	9	A	43	39	82	4.0	9	A	39	32	71	4.0	8	B	40	27	67	3.0	8	B	34	31	65	4.0	8	B	39	42	81	4.0	9	A	47	45	92	4.5	10	S	46	43	89	4.5	9	A					8.63	
101	4PS16CV111	SUJAN S		34	30	64	4.0	8	B	29	29	58	4.0	7	C	30	3	33	0.0	0	F	25	22	47	3.0	5	D	29	6	35	0.0	0	F	26	23	49	4.0	5	D	42	25	67	4.5	8	B	44	37	81	4.5	9	A					4.63	
102	4PS16CV113	TEJAS G S		26	36	62	4.0	8	B	37	36	73	4.0	8	B	26	32	58	4.0	7	C	25	11	25	0.0	0	N	32	20	52	4.0	7	C	36	24	60	4.0	8	B	40	35	75	4.5	9	A	41	40	81	4.5	9	A					6.88	
103	4PS16CV114	TEJAS M C		44	49	93	4.0	10	S	44	38	82	4.0	9	A	35	33	68	4.0	8	B	40	30	70	3.0	8	B	34	38	72	4.0	8	B	36	38	74	4.0	8	B	46	25	71	4.5	8	B	46	34	80	4.5	9	A					8.52	
104	4PS16CV115	TEJASWINI M V		33	25	58	4.0	7	C	42	42	84	4.0	9	A	36	33	69	4.0	8	B	43	28	71	3.0	8	B	39	20	59	4.0	7	C	41	40	81	4.0	9	A	47	25	72	4.5	8	B	46	44	90	4.5	10	S					8.12	

P15MA31 : - Engineering Mathematics - III

P15CV32 : - Building Materials ,Construction

P15CV33 : - Strength of Materials

P15CV34 : - Applied Engineering Geology

P15CV35 : - Fluid Mechanics

P15CV36 : - Basic Surveying

P15CVL37 : - Basic Surveying Practice

P15CVL38 : - Basic Material Testing Lab

Percentage Equivalence of Grade Points (10 - Point Scale)

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

\* Mandatory Learning Course (\*PP : Passed ; \*NP : Not Passed )

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Level	Out - standing	Excellent	Very Good
-------	----------------	-----------	-----------

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

## Provisional Results of Third Semester BE Semester End Examination for the Academic year 2017-18

08-01-2018

### CIVIL ENGINEERING

SL.No.	USN	NAME	143	P15MA31				P15CV32				P15CV33				P15CV34				P15CV35				P15CV36				P15CVL37				P15CVL38				C S T CR GP GR				SGPA	CLASS															
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR																	
105	4PS16CV116	TEJASWINI R		41	37	78	4.0	9	A	45	43	88	4.0	9	A	42	47	89	4.0	9	A	43	31	74	3.0	8	B	47	30	77	4.0	9	A	47	39	86	4.0	9	A	47	36	83	4.5	9	A	46	43	89	4.5	9	A					8.88
106	4PS16CV118	THEJESH K N		41	49	90	4.0	10	S	47	34	81	4.0	9	A	44	38	82	4.0	9	A	42	30	72	3.0	8	B	47	30	77	4.0	9	A	39	41	80	4.0	9	A	46	45	91	4.5	10	S	44	42	86	4.5	9	A					9.10
107	4PS16CV119	UDAYAKUMAR		37	29	66	4.0	8	B	31	30	61	4.0	8	B	25	21	46	4.0	5	D	28	30	58	3.0	7	C	25	24	49	4.0	5	D	29	34	63	4.0	8	B	41	20	61	4.5	8	B	42	25	67	4.5	8	B					6.96
108	4PS16CV120	ULLAS M		48	42	90	4.0	10	S	44	36	80	4.0	9	A	46	34	80	4.0	9	A	42	29	71	3.0	8	B	44	34	78	4.0	9	A	44	36	80	4.0	9	A	48	44	92	4.5	10	S	49	42	91	4.5	10	S					9.15
109	4PS16CV121	VANALATHUPUIA		32	34	66	4.0	8	B	43	42	85	4.0	9	A	26	42	68	4.0	8	B	36	29	65	3.0	8	B	37	43	80	4.0	9	A	36	33	69	4.0	8	B	40	15	55	0.0	0	F	40	25	65	4.5	8	B					7.85
110	4PS16CV122	VARUN L B		25	20	45	4.0	4	E	28	26	54	4.0	7	C	28	22	50	4.0	7	C	25	111	25	0.0	0	N	31	10	41	0.0	0	F	33	20	53	4.0	7	C	40	18	58	0.0	0	F	35	25	60	4.5	8	B					4.31
111	4PS16CV123	VIGNESH R		41	23	64	4.0	8	B	39	31	70	4.0	8	B	25	23	48	4.0	5	D	27	20	47	3.0	5	D	27	28	55	4.0	7	C	35	30	65	4.0	8	B	46	40	86	4.5	9	A					7.15						
112	4PS16CV124	VILAS R		28	28	56	4.0	7	C	32	38	70	4.0	8	B	25	21	46	4.0	5	D	25	26	51	3.0	7	C	25	29	54	4.0	7	C	26	30	56	4.0	7	C	44	25	69	4.5	9	A					7.02						
113	4PS16CV125	VINAY KUMAR A L		44	40	84	4.0	9	A	37	43	80	4.0	9	A	38	38	76	4.0	9	A	32	33	65	3.0	8	B	37	31	68	4.0	8	B	38	38	76	4.0	9	A	40	25	65	4.5	8	B	46	42	88	4.5	9	A					8.67
114	4PS16CV126	VISHAL DEV D		25	15	40	0.0	0	F	34	111	34	0.0	0	G	17	111	17	0.0	0	N	27	26	53	3.0	7	C	27	111	27	0.0	0	G	31	111	31	0.0	0	N	39	20	59	4.5	7	C	42	28	70	4.5	8	B					1.67
115	4PS16CV127	YAMUNA M L		46	39	85	4.0	9	A	41	43	84	4.0	9	A	33	39	72	4.0	8	B	42	25	67	3.0	8	B	40	41	81	4.0	9	A	27	42	69	4.0	8	B	47	45	92	4.5	10	S	47	45	92	4.5	10	S					8.69
116	4PS16CV301	RAHUL V		48	35	83	4.0	9	A	43	39	82	4.0	9	A	35	48	83	4.0	9	A	38	26	64	3.0	8	B	38	20	58	4.0	7	C	43	39	82	4.0	9	A	46	46	92	4.5	10	S	111	46	0	0	0	N					8.12
117	4PS17CV400	AMAR		38	31	69	4.0	8	B	43	45	88	4.0	9	A	35	40	75	4.0	9	A	36	35	71	3.0	8	B	37	24	61	4.0	8	B	45	39	84	4.0	9	A	48	42	90	4.5	10	S	43	40	83	4.5	9	A					8.63
118	4PS17CV401	DEVARAJU P S		35	21	56	4.0	7	C	47	43	90	4.0	10	S	26	33	59	4.0	7	C	41	31	72	3.0	8	B	39	20	59	4.0	7	C	44	38	82	4.0	9	A	48	44	93	4.5	10	S	48	44	92	4.5	10	S					8.23
119	4PS17CV402	GEETHANJALI D K		36	29	65	4.0	8	B	43	42	85	4.0	9	A	39	40	79	4.0	9	A	45	33	78	3.0	9	A	38	27	65	4.0	8	B	44	37	81	4.0	9	A	41	45	86	4.5	9	A	44	40	84	4.5	9	A					8.69
120	4PS17CV403	GNYANESHKUMAR M S		29	32	61	4.0	8	B	48	42	90	4.0	10	S	37	35	72	4.0	8	B	38	33	71	3.0	8	B	33	25	58	4.0	7	C	45	41	86	4.0	9	A	48	44	92	4.5	10	S	43	40	83	4.5	9	A					8.48
121	4PS17CV404	GOVINDARAJU B V		30	30	60	4.0	8	B	43	42	85	4.0	9	A	33	31	64	4.0	8	B	42	31	73	3.0	8	B	30	28	58	4.0	7	C	42	40	82	4.0	9	A	48	46	94	4.5	10	S	45	43	88	4.5	9	A					8.33
122	4PS17CV405	KAVYASHREE N		29	26	55	4.0	7	C	47	49	96	4.0	10	S	41	44	85	4.0	9	A	46	36	82	3.0	9	A	45	29	74	4.0	8	B	41	42	83	4.0	9	A	49	25	74	4.5	8	B	48	41	89	4.5	9	A					8.63
123	4PS17CV406	KUSUMA K		36	32	68	4.0	8	B	43	36	79	4.0	9	A	44	37	81	4.0	9	A	34	28	62	3.0	8	B	36	27	63	4.0	8	B	43	40	83	4.0	9	A	48	32	80	4.5	9	A					8.58						
124	4PS17CV407	MAHAMADMUJAKEER		29	28	57	4.0	7	C	46	45	91	4.0	10	S	25	30	55	4.0	7	C	40	30	70	3.0	8	B	43	20	63	4.0	8	B	41	40	81	4.0	9	A	43	41	84	4.5	9	A					8.27						
125	4PS17CV408	MANOHA R Y M		35	33	68	4.0	8	B	47	41	88	4.0	9	A	25	34	59	4.0	7	C	41	30	71	3.0	8	B	42	25	67	4.0	8	B	47	40	87	4.0	9	A	48	46	94	4.5	10	S	47	43	90	4.5	10	S					8.38

P15MA31 : - Engineering Mathematics - III

P15CV32 : - Building Materials ,Construction

P15CV33 : - Strength of Materials

P15CV34 : - Applied Engineering Geology

P15CV35 : - Fluid Mechanics

P15CV36 : - Basic Surveying

P15CVL37 : - Basic Surveying Practice

P15CVL38 : - Basic Material Testing Lab

Percentage Equivalence of Grade Points (10 - Point Scale)

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

\* Mandatory Learning Course (\*PP : Passed ; \*NP : Not Passed )

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Level	Out - standing	Excellent	Very Good	Good	A
-------	----------------	-----------	-----------	------	---

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

## Provisional Results of Third Semester BE Semester End Examination for the Academic year 2017-18

08-01-2018

### CIVIL ENGINEERING

SL.No.	USN	NAME	143	P15MA31				P15CV32				P15CV33				P15CV34				P15CV35				P15CV36				P15CVL37				P15CVL38				C S T CR GP GR				SGPA	CLASS																
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR																		
126	4PS17CV409	MANOJ V		26	20	46	4.0	5	D	42	41	83	4.0	9	A	35	11	46	0.0	0	F	30	34	64	3.0	8	B	28	25	53	4.0	7	C	44	39	83	4.0	9	A	48	20	68	1.5	8	B	43	35	78	1.5	9	A						6.52
127	4PS17CV410	MANOKUMARA C V		34	30	64	4.0	8	B	45	40	85	4.0	9	A	33	38	71	4.0	8	B	42	33	75	3.0	9	A	40	28	68	4.0	8	B	45	40	85	4.0	9	A	43	41	84	1.5	9	A	48	45	93	1.5	10	S						8.60
128	4PS17CV411	MENAKA TEKAPPA NAIK		39	33	72	4.0	8	B	48	45	93	4.0	10	S	33	41	74	4.0	8	B	42	28	70	3.0	8	B	48	25	73	4.0	8	B	48	37	85	4.0	9	A	49	45	94	1.5	10	S	48	45	93	1.5	10	S						8.69
129	4PS17CV412	NANDINI B		0	111	0	0.0	0	N	0	111	0	0.0	0	N	0	111	0	0.0	0	N	0	111	0	0.0	0	N	0	111	0	0.0	0	N	111	111	0	0.0	0	N	111	111	0	0.0	0	N						0						
130	4PS17CV413	NAVYASHREE		36	21	57	4.0	7	C	44	34	78	4.0	9	A	37	13	50	0.0	0	F	32	27	59	3.0	7	C	39	23	62	4.0	8	B	43	34	77	4.0	9	A	41	45	86	1.5	9	A	44	34	78	1.5	9	A						6.92
131	4PS17CV414	NIKHIL M YESU		26	6	32	0.0	0	F	43	29	72	4.0	8	B	25	4	29	0.0	0	F	25	24	49	3.0	5	D	27	20	47	4.0	5	D	41	38	79	4.0	9	A	40	35	75	1.5	9	A	35	13	48	0.0	0	F						4.48
132	4PS17CV415	NISHANTH C J		38	37	75	4.0	9	A	47	45	92	4.0	10	S	44	31	75	4.0	9	A	43	34	77	3.0	9	A	40	38	78	4.0	9	A	47	35	82	4.0	9	A	45	46	91	1.5	10	S	44	37	81	1.5	9	A						9.21
133	4PS17CV416	PRAJWAL D		25	23	48	4.0	5	D	39	25	64	4.0	8	B	34	39	73	4.0	8	B	34	25	59	3.0	7	C	25	23	48	4.0	5	D	37	41	78	4.0	9	A	46	42	88	1.5	9	A	44	36	80	1.5	9	A						7.23
134	4PS17CV417	PRAJWAL K		28	20	48	4.0	5	D	41	29	70	4.0	8	B	25	8	33	0.0	0	F	25	23	48	3.0	5	D	28	14	42	0.0	0	F	39	34	73	4.0	8	B	49	40	89	1.5	9	A	46	39	85	1.5	9	A						4.85
135	4PS17CV418	SANDEEP C N		27	26	53	4.0	7	C	38	42	80	4.0	9	A	33	34	67	4.0	8	B	33	27	60	3.0	8	B	25	36	61	4.0	8	B	39	44	83	4.0	9	A	46	38	84	1.5	9	A	43	33	76	1.5	9	A						8.27
136	4PS17CV419	SHARATH R		25	33	58	4.0	7	C	46	40	86	4.0	9	A	33	38	71	4.0	8	B	42	32	74	3.0	8	B	30	28	58	4.0	7	C	44	38	82	4.0	9	A	46	40	86	1.5	9	A	46	45	91	1.5	10	S						8.17
137	4PS17CV420	SINCHANA H		30	23	53	4.0	7	C	43	39	82	4.0	9	A	25	28	53	4.0	7	C	38	32	70	3.0	8	B	41	22	63	4.0	8	B	42	44	86	4.0	9	A	50	30	80	1.5	9	A	45	43	88	1.5	9	A						8.12
138	4PS17CV421	SUCHARITHA D L		38	26	64	4.0	8	B	38	36	74	4.0	8	B	25	20	45	4.0	4	E	35	20	55	3.0	7	C	41	22	63	4.0	8	B	39	37	76	4.0	9	A	48	44	92	1.5	10	S	47	40	87	1.5	9	A						7.60
139	4PS17CV422	SUNIL RATHOD		32	26	58	4.0	7	C	37	33	70	4.0	8	B	29	30	59	4.0	7	C	26	29	55	3.0	7	C	19	111	19	0.0	0	N	38	40	78	4.0	9	A	45	43	88	1.5	9	A	44	40	84	1.5	9	A						6.62
140	4PS17CV423	THEJASWINI R K		36	34	70	4.0	8	B	44	43	87	4.0	9	A	38	27	65	4.0	8	B	31	33	64	3.0	8	B	45	26	71	4.0	8	B	46	41	87	4.0	9	A	41	45	86	1.5	9	A	44	40	84	1.5	9	A						8.42
141	4PS17CV424	UMAMAHESHWARI G		44	32	76	4.0	9	A	45	46	91	4.0	10	S	41	28	69	4.0	8	B	38	32	70	3.0	8	B	42	30	72	4.0	8	B	48	44	92	4.0	10	S	48	48	96	1.5	10	S	47	47	94	1.5	10	S						9.00
142	4PS17CV425	VARUNPRASAD M P		38	35	73	4.0	8	B	48	43	91	4.0	10	S	36	46	82	4.0	9	A	42	36	78	3.0	9	A	47	48	95	4.0	10	S	47	48	95	4.0	10	S	48	47	95	1.5	10	S	47	45	92	1.5	10	S						9.42

P15MA31 : - Engineering Mathematics - III

P15CV32 : - Building Materials ,Construction

P15CV33 : - Strength of Materials

P15CV34 : - Applied Engineering Geology

P15CV35 : - Fluid Mechanics

P15CV36 : - Basic Surveying

P15CVL37 : - Basic Surveying Practice

P15CVL38 : - Basic Material Testing Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course      N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

\* Mandatory Learning Course (\*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
Grade	S	A	B	C	D	E	F
Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40 Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45 Below 45

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

Dr. K. Narasimha Chary  
Controller of Examinations  
P.E.S. College of Engineering,  
Mandy