

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belgaum)

Provisional Results of Fifth Semester B.E Semester End Examination for the Academic year 2016-17

06-01-2017

## CIVIL ENGINEERING

P08CV53

C S T CR GP GR C S T CR GP GR C S T CR GP GR C S T CR GP GR C S T CR GP GR C S T CR GP GR C S T CR GP GR

SL.No. USN NAME 2 C S T CR GP GR C S T CR GP GR C S T CR GP GR C S T CR GP GR C S T CR GP GR C S T CR GP GR SGPA

1 4PS12CV008 AMRUTHA B V 30 25 55 4.0 5 D 5.00

P08CV53 : - Analysis of Structures - II

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained  
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission  
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance  
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission  
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail  
 \* Mandatory Learning Course ( \*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65								
7.75	70 (Distinction)								
8.25	75								



Dr. K. Narasimha Chary  
 Controller of Examinations  
 P.E.S. College of Engineering,  
 Mandva

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.



# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belgaum)

Provisional Results of Fifth Semester B.E Semester End Examination for the Academic year 2016-17

06-01-2017

## CIVIL ENGINEERING

SL.No.	USN	NAME	151	P13CV51			P13CV52			P13CV53			P13CV54			P13CV55			P13CV56			P13CVL57			P13CVL58			C S T CR GP GR			SGPA																					
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR												
1	4PS13CV013	ANVITH K M																																																		
2	4PS13CV036	DEEPAK H K								21	111	21	0.0	0	G				27	111	27	0.0	0	G																												
3	4PS13CV058	SUJAL M S		34	24	58	3.0	7	C	25	16	41	0.0	0	F	34	24	58	4.0	7	C	46	25	71	4.0	8	B	22	15	37	0.0	0	F	48	20	68	4.0	8	B	47	23	70	1.5	8	B	46	45	91	1.5	10	S	
4	4PS13CV088	RASHID HUSSAIN								37	22	59	4.0	5	D													43	33	76	1.5	8	B	25	30	55	1.5	5	D													
5	4PS13CV093	SACHIN KUMAR N		37	20	57	3.0	7	C	26	24	50	4.0	7	C	34	30	64	4.0	8	B	47	20	67	4.0	8	B	21	23	44	4.0	4	E	40	15	55	0.0	0	F	47	34	81	1.5	9	A	43	45	88	1.5	9	A	
6	4PS13CV128	CHETHAN M								21	11	32	0.0	0	F																																					
7	4PS14CV001	ABHIRAM S A		34	38	72	3.0	8	B	32	21	53	4.0	7	C	39	33	72	4.0	8	B	46	31	77	4.0	9	A	35	22	57	4.0	7	C	27	21	48	4.0	5	D	21	30	51	1.5	7	C	41	39	80	1.5	9	A	
8	4PS14CV002	ABHISHEK M		37	41	78	3.0	9	A	36	30	66	4.0	8	B	46	39	85	4.0	9	A	47	37	84	4.0	9	A	46	26	72	4.0	8	B	32	23	55	4.0	7	C	48	41	89	1.5	9	A	48	45	93	1.5	10	S	
9	4PS14CV003	ABRAR S A		47	39	86	3.0	9	A	40	29	69	4.0	8	B	28	35	63	4.0	8	B	46	33	79	4.0	9	A	33	29	62	4.0	8	B	42	20	62	4.0	8	B	47	38	85	1.5	9	A	47	47	94	1.5	10	S	
10	4PS14CV004	AISHWARYA S		43	39	82	3.0	9	A	38	25	63	4.0	8	B	49	38	87	4.0	9	A	48	39	87	4.0	9	A	35	38	73	4.0	8	B	33	31	64	4.0	8	B	49	38	87	1.5	9	A	45	46	91	1.5	10	S	
11	4PS14CV005	AKHILESH K B		40	31	71	3.0	8	B	35	34	69	4.0	8	B	44	42	86	4.0	9	A	47	33	80	4.0	9	A	34	31	65	4.0	8	B	30	31	61	4.0	8	B	47	38	85	1.5	9	A	49	45	94	1.5	10	S	
12	4PS14CV006	AKHILESH M		47	39	86	3.0	9	A	43	42	85	4.0	9	A	47	36	83	4.0	9	A	48	39	87	4.0	9	A	39	29	68	4.0	8	B	47	29	76	4.0	9	A	47	34	81	1.5	9	A	45	47	92	1.5	10	S	
13	4PS14CV007	AMAN SAH		43	41	84	3.0	9	A	44	42	86	4.0	9	A	47	49	96	4.0	10	S	48	36	84	4.0	9	A	44	41	85	4.0	9	A	46	38	84	4.0	9	A	48	42	90	1.5	10	S	48	43	91	1.5	10	S	
14	4PS14CV008	AMITH M S		32	31	63	3.0	8	B	31	31	62	4.0	8	B	40	31	71	4.0	8	B	46	26	72	4.0	8	B	37	20	57	4.0	7	C	29	27	56	4.0	7	C	33	35	68	1.5	8	B	48	45	93	1.5	10	S	
15	4PS14CV009	AMRUTH SAGAR A		48	33	81	3.0	9	A	45	38	83	4.0	9	A	37	42	79	4.0	9	A	46	30	76	4.0	9	A	42	35	77	4.0	9	A	42	28	70	4.0	8	B	48	41	89	1.5	9	A	47	42	89	1.5	9	A	
16	4PS14CV010	ANIL		26	33	59	3.0	7	C	25	29	54	4.0	7	C	32	25	57	4.0	7	C	45	30	75	4.0	9	A	31	25	56	4.0	7	C	35	29	64	4.0	8	B	32	38	70	1.5	8	B	47	44	91	1.5	10	S	
17	4PS14CV011	ANUSHA M L		50	45	95	3.0	10	S	48	43	91	4.0	10	S	49	47	96	4.0	10	S	48	36	84	4.0	9	A	50	47	97	4.0	10	S	49	37	86	4.0	9	A	49	40	89	1.5	9	A	48	48	96	1.5	10	S	
18	4PS14CV013	BASAVARAJ C DHOLAPP.		43	34	77	3.0	9	A	41	37	78	4.0	9	A	37	29	66	4.0	8	B	47	42	89	4.0	9	A	26	25	51	4.0	7	C	42	23	65	4.0	8	B	47	40	87	1.5	9	A	48	46	94	1.5	10	S	
19	4PS14CV014	BHANUMATHI K		43	39	82	3.0	9	A	41	34	75	4.0	9	A	46	36	82	4.0	9	A	48	37	85	4.0	9	A	48	40	88	4.0	9	A	46	23	69	4.0	8	B	49	42	91	1.5	10	S	49	44	93	1.5	10	S	
20	4PS14CV015	BHARATH A		39	28	67	3.0	8	B	38	34	72	4.0	8	B	28	21	49	4.0	5	D	47	29	76	4.0	9	A	33	26	59	4.0	7	C	41	23	64	4.0	8	B	48	41	89	1.5	9	A	48	42	90	1.5	10	S	

P13CV51 : - Water Supply Engineering

P13CV52 : - Highway Engineering

P13CV53 : - Analysis of Structures - II

P13CV54 : - Geotechnical Engineering - I

P13CV55 : - Design of RCC Structures

P13CV56 : - Hydrology and Water Resources

P13CVL57 : - Concrete Material Testing Lab

P13CVL58 : - Computer Aided Civil Engineering Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR- Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

\* Mandatory Learning Course (\*PP : Passed ; \*NP : Not Passed )

### Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65								
7.75	70 (Distinction)								
8.25	75								



Dr. K. Narasimha Chary  
Controller of Examinations  
P.E.S. College of Engineering,  
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

















# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belgaum)

Provisional Results of Fifth Semester B.E Semester End Examination for the Academic year 2016-17

06-01-2017

## CIVIL ENGINEERING

SL.No.	USN	NAME	P13CV51						P13CV52						P13CV53						P13CV54						P13CV55						P13CV56						P13CVL57						P13CVL58						C S T CR GP GR						SGPA																																										
			C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		C	S	T	CR	GP	GR																																				
84	4PS14CV084	R VANLALRAWNI	42	35	77	3.0	9	A	38	38	76	4.0	9	A	38	47	85	4.0	9	A	48	30	78	4.0	9	A	31	25	56	4.0	7	C	41	27	68	4.0	8	B	48	44	92	1.5	10	S	48	45	93	1.5	10	S																																																	8.65

P13CV51 : - Water Supply Engineering

P13CV52 : - Highway Engineering

P13CV53 : - Analysis of Structures - II

P13CV54 : - Geotechnical Engineering - I

P13CV55 : - Design of RCC Structures

P13CV56 : - Hydrology and Water Resources

P13CVL57 : - Concrete Material Testing Lab

P13CVL58 : - Computer Aided Civil Engineering Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

\* Mandatory Learning Course (\*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65								
7.75	70 (Distinction)								
8.25	75								

*K. Narasimha Chary*

Dr. K. Narasimha Chary  
Controller of Examinations  
P.E.S. College of Engineering,  
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.













# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belgaum)

Provisional Results of Fifth Semester B.E Semester End Examination for the Academic year 2016-17

06-01-2017

## CIVIL ENGINEERING

SL.No.	USN	NAME	151	P13CV51			P13CV52			P13CV53			P13CV54			P13CV55			P13CV56			P13CVL57			P13CVL58			C S T CR GP GR			SGPA																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR															
147	4PS15CV424	SRIDHARKUMAR H S		42	26	68	3.0	8	B	36	29	65	4.0	8	B	38	41	79	4.0	9	A	46	36	82	4.0	9	A	38	33	71	4.0	8	B	43	21	64	4.0	8	B	40	40	80	1.5	9	A	48	40	88	1.5	9	A				8.42
148	4PS15CV425	SURESHKUMAR K M		42	41	83	3.0	9	A	44	28	72	4.0	8	B	36	29	65	4.0	8	B	46	30	76	4.0	9	A	38	33	71	4.0	8	B	35	28	63	4.0	8	B	49	47	96	1.5	10	S	48	49	97	1.5	10	S				8.50
149	4PS15CV426	VINAY KUMAR M B		35	39	74	3.0	8	B	29	24	53	4.0	7	C	35	29	64	4.0	8	B	47	26	73	4.0	8	B	33	26	59	4.0	7	C	23	25	48	4.0	5	D	48	42	90	1.5	10	S	44	47	91	1.5	10	S				7.46
150	4PS15CV427	VINODRAJ B S		45	31	76	3.0	9	A	40	40	80	4.0	9	A	48	45	93	4.0	10	S	46	47	93	4.0	10	S	43	38	81	4.0	9	A	43	37	80	4.0	9	A	47	43	90	1.5	10	S	47	46	93	1.5	10	S				9.42

P13CV51 : - Water Supply Engineering

P13CV52 : - Highway Engineering

P13CV53 : - Analysis of Structures - II

P13CV54 : - Geotechnical Engineering - I

P13CV55 : - Design of RCC Structures

P13CV56 : - Hydrology and Water Resources

P13CVL57 : - Concrete Material Testing Lab

P13CVL58 : - Computer Aided Civil Engineering Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR- Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

\* Mandatory Learning Course ( \*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65								
7.75	70 (Distinction)								
8.25	75								



Dr. K. Narasimha Chary  
Controller of Examinations  
P.E.S. College of Engineering,  
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

