

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2017-18

19-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	147	P15CV61			P15CV62			P15CV63			P15CV64			P15CV651			P15CV652			P15CV661			P15CV662			P15HU610			SGPA	CLASS																					
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR												
1	4PS14CV046	KAVYA.A		26	111	26	0.0	0	G	9	111	9	0.0	0	N	7	111	7	0.0	0	N	27	111	27	0.0	0	G				29	111	29	0.0	0	G				4	111	4	0.0	0	N	26	111	26	0.0	0	G	0.37	FL
2	4PS14CV062	MONIKA J		33	21	54	0.0	7	C	44	28	72	0.0	8	B	39	10	49	0.0	0	F	33	20	53	4.0	7	C				40	28	68	3.0	8	B				45	34	79	3.0	9	A	26	20	46	1.0	5	D	6.76	FL
3	4PS14CV117	SUMEET		31	21	52	0.0	7	C	33	12	45	0.0	0	F	25	4	29	0.0	0	F	36	9	45	0.0	0	F				34	6	40	0.0	0	F				33	23	56	3.0	7	C	26	10	36	0.0	0	F	3.07	FL
4	4PS15CV001	ABHISHEK M		41	31	72	0.0	8	B	27	22	49	0.0	5	D	25	25	50	4.0	7	C	29	29	58	4.0	7	C				31	40	71	3.0	8	B				30	33	63	3.0	8	B	32	7	39	0.0	0	F	7.20	FL
5	4PS15CV002	ADARSH KUMAR		49	44	93	0.0	10	S	46	44	90	0.0	10	S	46	37	83	4.0	9	A	43	39	82	4.0	9	A				43	39	82	3.0	9	A	39	31	70	3.0	8	B				25	30	55	1.0	7	C	9.26	FCD
6	4PS15CV004	AKSHAY N GOWDA		50	44	94	0.0	10	S	49	47	96	0.0	10	S	45	40	85	4.0	9	A	49	38	87	4.0	9	A	48	49	97	3.0	10	S				48	47	95	3.0	10	S	28	21	49	1.0	5	D	9.52	FCD			
7	4PS15CV005	ANEKALLU ASHOKA		46	35	81	0.0	9	A	47	38	85	0.0	9	A	43	30	73	4.0	8	B	42	31	73	4.0	8	B				49	42	91	3.0	10	S	38	31	69	3.0	8	B				25	23	48	1.0	5	D	8.70	FCD
8	4PS15CV006	ANISH A KOTHARI		36	23	59	0.0	7	C	40	30	70	0.0	8	B	40	31	71	4.0	8	B	31	36	67	4.0	8	B				40	37	77	3.0	9	A				40	34	74	3.0	8	B	30	30	60	1.0	8	B	8.20	FCD
9	4PS15CV007	ARSHITHA K		37	35	72	0.0	8	B	46	36	82	0.0	9	A	32	24	56	4.0	7	C	36	38	74	4.0	8	B				44	34	78	3.0	9	A				44	48	92	3.0	10	S	30	22	52	1.0	7	C	8.59	FCD
10	4PS15CV008	ARUN KUMAR M G		35	28	63	0.0	8	B	46	31	77	0.0	9	A	36	20	56	4.0	7	C	34	21	55	4.0	7	C				44	36	80	3.0	9	A				36	41	77	3.0	9	A	25	20	45	1.0	4	E	8.17	FCD
11	4PS15CV009	BASAVANNA M		43	38	81	0.0	9	A	41	36	77	0.0	9	A	29	33	62	4.0	8	B	43	32	75	4.0	9	A				44	35	79	3.0	9	A				39	36	75	3.0	9	A	28	20	48	1.0	5	D	8.80	FCD
12	4PS15CV010	BI BI SARA		37	26	63	0.0	8	B	44	33	77	0.0	9	A	33	20	53	4.0	7	C	36	30	66	4.0	8	B				40	34	74	3.0	8	B				39	40	79	3.0	9	A	32	20	52	1.0	7	C	8.26	FCD
13	4PS15CV012	CHAITHRA S		46	44	90	0.0	10	S	42	42	84	0.0	9	A	40	29	69	4.0	8	B	42	31	73	4.0	8	B				45	39	84	3.0	9	A				46	47	93	3.0	10	S	26	13	39	0.0	0	F	8.78	FL
14	4PS15CV013	CHALAPATHI K S		48	39	87	0.0	9	A	42	39	81	0.0	9	A	35	30	65	4.0	8	B	43	38	81	4.0	9	A				46	36	82	3.0	9	A				41	42	83	3.0	9	A	29	23	52	1.0	7	C	8.93	FCD
15	4PS15CV014	CHANDRASHEKHARA M		43	33	76	0.0	9	A	41	37	78	0.0	9	A	43	25	68	4.0	8	B	34	30	64	4.0	8	B				43	37	80	3.0	9	A				42	42	84	3.0	9	A	32	25	57	1.0	7	C	8.72	FCD
16	4PS15CV015	CHANDRASHEKHAR S K		49	39	88	0.0	9	A	41	29	70	0.0	8	B	33	23	56	4.0	7	C	41	35	76	4.0	9	A				42	37	79	3.0	9	A				43	39	82	3.0	9	A	25	20	45	1.0	4	E	8.46	FCD
17	4PS15CV016	CHANDRASHEKHARA S K		37	31	68	0.0	8	B	47	36	83	0.0	9	A	41	24	65	4.0	8	B	39	38	77	4.0	9	A				47	41	88	3.0	9	A				39	44	83	3.0	9	A	28	25	53	1.0	7	C	8.72	FCD
18	4PS15CV017	CHAYADEVI B N		47	41	88	0.0	9	A	49	42	91	0.0	10	S	48	29	77	4.0	9	A	46	37	83	4.0	9	A				48	43	91	3.0	10	S	39	33	72	3.0	8	B				28	29	57	1.0	7	C	9.22	FCD
19	4PS15CV018	DEVIKA B A		49	41	90	0.0	10	S	43	36	79	0.0	9	A	37	33	70	4.0	8	B	45	41	86	4.0	9	A				44	41	85	3.0	9	A				47	47	94	3.0	10	S	35	27	62	1.0	8	B	9.22	FCD
20	4PS15CV019	DILEEP KUMAR C B		48	42	90	0.0	10	S	49	43	92	0.0	10	S	46	40	86	4.0	9	A	41	43	84	4.0	9	A				49	46	95	3.0	10	S				45	46	91	3.0	10	S	32	21	53	1.0	7	C	9.59	FCD

P15CV61 : - Waste Water Treatment

P15CV62 : - Applied Geotechnical Engineering

P15CV63 : - Irrigation Engineering

P15CV64 : - Transportation Engineering

P15CV651 : - Highway Material Construction and Evaluation

P15CV652 : - Municipal Solid Waste Management

P15CV661 : - Matrix Method of Structural Analysis

P15CV662 : - Design of Masonry Structures

P15HU610 : - Aptitude and Reasoning Development - Expert (ARDE)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40
7.25	65	Raw Score	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45
7.75	70 (Distinction)								
8.25	75								

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)



Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2017-18

19-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	147	P15CV61			P15CV62			P15CV63			P15CV64			P15CV651			P15CV652			P15CV661			P15CV662			P15HU610			SGPA	CLASS																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR															
21	4PS15CV020	DIVYASHREE C S		46	43	89	4.0	9	A	42	38	80	4.0	9	A	34	36	70	4.0	8	B				35	41	76	3.0	9	A				44	45	89	3.0	9	A	25	26	51	1.0	7	C	8.93	FCD									
22	4PS15CV022	HARSHITH GOWDA D		50	42	92	4.0	10	S	49	47	96	4.0	10	S	48	32	80	4.0	9	A				48	40	88	3.0	9	A				37	28	65	3.0	8	B				26	33	59	1.0	7	C	9.41	FCD						
23	4PS15CV023	HARSHITH KUMAR H C		46	45	91	4.0	10	S	48	46	94	4.0	10	S	47	41	88	4.0	9	A				44	41	85	4.0	9	A				47	46	93	3.0	10	S	41	32	73	3.0	8	B				26	20	46	1.0	5	D	9.30	FCD
24	4PS15CV024	HARSHITHA H K		33	22	55	4.0	7	C	37	23	60	4.0	8	B	38	12	50	0.0	0	F	30	27	57	4.0	7	C				41	34	75	3.0	9	A				32	36	68	3.0	8	B				32	20	52	1.0	7	C	6.83	FL
25	4PS15CV025	HARSHITHA M		41	37	78	4.0	9	A	32	29	61	4.0	8	B	33	20	53	4.0	7	C	35	28	63	4.0	8	B				34	43	77	3.0	9	A	27	23	50	3.0	7	C				27	23	50	1.0	7	C	8.20	FCD			
26	4PS15CV027	J DARSHAN		41	35	76	4.0	9	A	44	42	86	4.0	9	A	46	12	58	0.0	0	F	38	35	73	4.0	8	B				47	41	88	3.0	9	A				41	45	86	3.0	9	A				26	25	51	1.0	7	C	7.54	FL
27	4PS15CV028	JEEVAN D M		46	45	91	4.0	10	S	46	42	88	4.0	9	A	44	38	82	4.0	9	A	43	36	79	4.0	9	A				46	44	90	3.0	10	S	40	50	90	3.0	10	S				28	26	54	1.0	7	C	9.44	FCD			
28	4PS15CV031	K LAVVKIMA		43	32	75	4.0	9	A	28	27	55	4.0	7	C	30	21	51	4.0	7	C	35	31	66	4.0	8	B	42	29	71	3.0	8	B				28	22	50	3.0	7	C				30	20	50	1.0	7	C	7.89	FCD			
29	4PS15CV032	KANCHANA B V		48	38	86	4.0	9	A	47	41	88	4.0	9	A	42	32	74	4.0	8	B	45	41	86	4.0	9	A				47	45	92	3.0	10	S				47	46	93	3.0	10	S	29	22	51	1.0	7	C	9.15	FCD			
30	4PS15CV033	KARTHIK A R		50	45	95	4.0	10	S	49	47	96	4.0	10	S	48	46	94	4.0	10	S	46	46	92	4.0	10	S				48	42	90	3.0	10	S	49	47	96	3.0	10	S				25	20	45	1.0	4	E	9.78	FCD			
31	4PS15CV034	KARTHIK H R		41	40	81	4.0	9	A	46	34	80	4.0	9	A	39	23	62	4.0	8	B	43	30	73	4.0	8	B				44	31	75	3.0	9	A				33	32	65	3.0	8	B				30	20	50	1.0	7	C	8.61	FCD
32	4PS15CV035	KARTHIK N		48	42	90	4.0	10	S	47	43	90	4.0	10	S	47	31	78	4.0	9	A	40	39	79	4.0	9	A				49	38	87	3.0	9	A	42	30	72	3.0	8	B				27	23	50	1.0	7	C	9.20	FCD			
33	4PS15CV036	KAVYA C		48	38	86	4.0	9	A	37	34	71	4.0	8	B	30	23	53	4.0	7	C	36	33	69	4.0	8	B				41	39	80	3.0	9	A				45	43	88	3.0	9	A				31	25	56	1.0	7	C	8.43	FCD
34	4PS15CV037	KAVYA M		45	43	88	4.0	9	A	48	43	91	4.0	10	S	47	33	80	4.0	9	A	46	32	78	4.0	9	A				48	42	90	3.0	10	S	41	22	63	3.0	8	B				32	21	53	1.0	7	C	9.17	FCD			
35	4PS15CV038	KIRAN D		35	34	69	4.0	8	B	33	28	61	4.0	8	B	33	32	65	4.0	8	B	34	30	64	4.0	8	B				34	30	64	3.0	8	B				29	37	66	3.0	8	B				28	20	48	1.0	5	D	8.07	FCD
36	4PS15CV039	KIRAN G B		0	111	0	0.0	0	N	0	111	0	0.0	0	N	0	111	0	0.0	0	N	0	111	0	0.0	0	N				0	111	0	0.0	0	N				13	111	13	0.0	0	N	30	111	30	0.0	0	G	0.37	FL			
37	4PS15CV040	KOUSHIK GOWDA B G		39	38	77	4.0	9	A	35	30	65	4.0	8	B	27	33	60	4.0	8	B	30	32	62	4.0	8	B				36	38	74	3.0	8	B				30	35	65	3.0	8	B				30	21	51	1.0	7	C	8.35	FCD
38	4PS15CV041	KOWSHIK B S		45	39	84	4.0	9	A	30	30	60	4.0	8	B	28	29	57	4.0	7	C	34	35	69	4.0	8	B				43	39	82	3.0	9	A				34	40	74	3.0	8	B				25	20	45	1.0	4	E	8.20	FCD
39	4PS15CV042	LAKHAN SWAMY GOWDA E		33	28	61	4.0	8	B	27	31	58	4.0	7	C	25	21	46	4.0	5	D	28	33	61	4.0	8	B				41	32	73	3.0	8	B				32	34	66	3.0	8	B				29	28	57	1.0	7	C	7.61	FC
40	4PS15CV043	MADHU B		47	32	79	4.0	9	A	47	29	76	4.0	9	A	44	34	78	4.0	9	A	48	40	88	4.0	9	A				48	41	89	3.0	9	A				44	47	91	3.0	10	S				28	32	60	1.0	8	B	9.17	FCD
41	4PS15CV044	MADHUSHREE D B		36	29	65	4.0	8	B	47	40	87	4.0	9	A	40	22	62	4.0	8	B	44	35	79	4.0	9	A				43	32	75	3.0	9	A	44	24	68	3.0	8	B				25	23	48	1.0	5	D	8.54	FCD			

P15CV61 : - Waste Water Treatment
 P15CV62 : - Applied Geotechnical Engineering
 P15CV63 : - Irrigation Engineering
 P15CV64 : - Transportation Engineering
 P15CV651 : - Highway Material Construction and Evaluation

P15CV652 : - Municipal Solid Waste Management
 P15CV661 : - Matrix Method of Structural Analysis
 P15CV662 : - Design of Masonry Structures
 P15HU610 : - Aptitude and Reasoning Development - Expert (ARDE)

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
 * Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40
7.25	65	Raw Score	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45
7.75	70 (Distinction)								
8.25	75								



Dr. K. Narasimha Chary
 Controller of Examinations
 P.E.S. College of Engineering,
 Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2017-18

19-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	147	P15CV61			P15CV62			P15CV63			P15CV64			P15CV651			P15CV652			P15CV661			P15CV662			P15HU610			SGPA	CLASS																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR															
42	4PS15CV045	MAHIMA H S		39	33	72	4.0	8	B	43	41	84	4.0	9	A	48	29	77	4.0	9	A				47	42	89	3.0	9	A				44	44	88	3.0	9	A	25	20	45	1.0	4	E	8.81	FCD									
43	4PS15CV047	MANJU M		35	30	65	4.0	8	B	37	29	66	4.0	8	B	28	20	48	4.0	5	D	36	36	72	4.0	8	B				44	35	79	3.0	9	A				34	31	65	3.0	8	B	29	20	49	1.0	5	D	7.74	FC			
44	4PS15CV050	MANOJ K C		48	39	87	4.0	9	A	46	46	92	4.0	10	S	41	25	66	4.0	8	B	43	42	85	4.0	9	A				46	44	90	3.0	10	S	41	31	72	3.0	8	B				25	29	54	1.0	7	C	9.07	FCD			
45	4PS15CV051	MIRZA ASEEM BAIG		42	38	80	4.0	9	A	44	35	79	4.0	9	A	41	22	63	4.0	8	B	42	31	73	4.0	8	B				44	38	82	3.0	9	A	39	30	69	3.0	8	B				29	20	49	1.0	5	D	8.48	FCD			
46	4PS15CV052	MOHAMMED EITHESHAM		48	36	84	4.0	9	A	44	37	81	4.0	9	A	37	30	67	4.0	8	B	40	36	76	4.0	9	A				44	42	86	3.0	9	A				39	43	82	3.0	9	A	25	21	46	1.0	5	D	8.74	FCD			
47	4PS15CV053	MOHAN G		37	42	79	4.0	9	A	45	34	79	4.0	9	A	34	20	54	4.0	7	C	36	20	56	4.0	7	C				41	37	78	3.0	9	A				35	42	77	3.0	9	A	28	24	52	1.0	7	C	8.43	FCD			
48	4PS15CV054	MONISHA M N		35	37	72	4.0	8	B	47	39	86	4.0	9	A	38	21	59	4.0	7	C	38	43	81	4.0	9	A				45	37	82	3.0	9	A				46	46	92	3.0	10	S	26	20	46	1.0	5	D	8.61	FCD			
49	4PS15CV055	NAGESH		35	34	69	4.0	8	B	32	29	61	4.0	8	B	27	22	49	4.0	5	D	38	32	70	4.0	8	B				39	33	72	3.0	8	B				34	35	69	3.0	8	B	28	20	48	1.0	5	D	7.63	FC			
50	4PS15CV056	NANDANKUMAR M R		46	36	82	4.0	9	A	48	40	88	4.0	9	A	34	25	59	4.0	7	C	40	35	75	4.0	9	A				46	28	74	3.0	8	B				44	42	86	3.0	9	A	28	24	52	1.0	7	C	8.67	FCD			
51	4PS15CV057	NANJUNDA SWAMY		45	47	92	4.0	10	S	48	43	91	4.0	10	S	39	29	68	4.0	8	B	45	38	83	4.0	9	A				45	35	80	3.0	9	A	48	49	97	3.0	10	S				25	23	48	1.0	5	D	9.20	FCD			
52	4PS15CV058	NETHRAVATHI M		46	35	81	4.0	9	A	41	47	88	4.0	9	A	40	28	68	4.0	8	B	44	45	89	4.0	9	A				45	39	84	3.0	9	A	42	37	79	3.0	9	A				29	20	49	1.0	5	D	8.80	FCD			
53	4PS15CV059	NITHIN A		25	20	45	4.0	4	E	33	20	53	4.0	7	C	27	20	47	4.0	5	D	30	20	50	4.0	7	C				38	37	75	3.0	9	A				27	29	56	3.0	7	C	30	27	57	1.0	7	C	6.31	FL			
54	4PS15CV060	NITISH A G		30	29	59	4.0	7	C	41	27	68	4.0	8	B	26	22	48	4.0	5	D	33	35	68	4.0	8	B				42	39	81	3.0	9	A				31	32	63	3.0	8	B	33	20	53	1.0	7	C	7.67	FC			
55	4PS15CV061	P CHIRANTH		35	26	61	4.0	8	B	34	25	59	4.0	7	C	25	14	39	0.0	0	F	34	32	66	4.0	8	B				36	30	66	3.0	8	B				30	29	59	3.0	7	C	25	21	46	1.0	5	D	6.63	FL			
56	4PS15CV063	PAWAN H S		36	39	75	4.0	9	A	39	30	69	4.0	8	B	43	22	65	4.0	8	B	39	31	70	4.0	8	B				37	29	66	3.0	8	B				35	31	66	3.0	8	B	29	31	60	1.0	8	B	8.39	FCD			
57	4PS15CV064	POOJA H P		48	39	87	4.0	9	A	37	39	76	4.0	9	A	33	27	60	4.0	8	B	44	32	76	4.0	9	A				38	36	74	3.0	8	B				45	39	84	3.0	9	A	26	20	46	1.0	5	D	8.69	FCD			
58	4PS15CV065	POORNIMA D		50	44	94	4.0	10	S	46	47	93	4.0	10	S	44	29	73	4.0	8	B	46	48	94	4.0	10	S				48	46	94	3.0	10	S	43	24	67	3.0	8	B				30	22	52	1.0	7	C	9.37	FCD			
59	4PS15CV066	PRADHAN K P		36	28	64	4.0	8	B	41	26	67	4.0	8	B	39	25	64	4.0	8	B	39	37	76	4.0	9	A				45	31	76	3.0	9	A				32	26	58	3.0	7	C	25	36	61	1.0	8	B	8.39	FCD			
60	4PS15CV067	PRAJWAL D M		48	32	80	4.0	9	A	39	31	70	4.0	8	B	39	20	59	4.0	7	C	45	35	80	4.0	9	A				42	40	82	3.0	9	A				39	43	82	3.0	9	A	28	26	54	1.0	7	C	8.57	FCD			
61	4PS15CV068	PRAJWAL H N		25	24	49	4.0	5	D	33	23	56	4.0	7	C	26	11	26	0.0	0	N	28	24	52	4.0	7	C				38	36	74	3.0	8	B				30	31	61	3.0	8	B	26	20	46	1.0	5	D	5.65	FL			
62	4PS15CV069	PRAMOD G K		38	28	66	4.0	8	B	25	29	54	4.0	7	C	25	20	45	4.0	4	E	29	29	58	4.0	7	C	33	33	66	3.0	8	B										29	22	51	3.0	7	C	26	24	50	1.0	7	C	7.09	FC

P15CV61 : - Waste Water Treatment

P15CV62 : - Applied Geotechnical Engineering

P15CV63 : - Irrigation Engineering

P15CV64 : - Transportation Engineering

P15CV651 : - Highway Material Construction and Evaluation

P15CV652 : - Municipal Solid Waste Management

P15CV661 : - Matrix Method of Structural Analysis

P15CV662 : - Design of Masonry Structures

P15HU610 : - Aptitude and Reasoning Development - Expert (ARDE)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40
7.25	65	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)								
8.25	75								

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR - Grade , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)



Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2017-18

19-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	147	P15CV61			P15CV62			P15CV63			P15CV64			P15CV651			P15CV652			P15CV661			P15CV662			P15HU610			SGPA	CLASS																					
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR												
63	4PS15CV070	PRATHVINI B M		33	32	65	4.0	8	B	42	26	68	4.0	8	B	42	13	55	0.0	0	F	42	26	68	4.0	8	B				41	35	76	3.0	9	A				42	40	82	3.0	9	A	33	24	57	1.0	7	C	7.19	FL
64	4PS15CV071	PRAVEEN K N		43	111	43	0.0	0	G	41	111	41	0.0	0	G	30	111	30	0.0	0	G	40	111	40	0.0	0	G				41	111	41	0.0	0	G				40	111	40	0.0	0	G	25	111	25	0.0	0	G	1.37	FL
65	4PS15CV072	PRIYADARSHINI K Y		48	32	80	4.0	9	A	42	38	80	4.0	9	A	35	24	59	4.0	7	C	39	36	75	4.0	9	A	47	38	85	3.0	9	A				47	41	88	3.0	9	A	30	23	53	1.0	7	C	8.72	FCD			
66	4PS15CV073	PRIYANKA D K		45	37	82	4.0	9	A	44	30	74	4.0	8	B	35	31	66	4.0	8	B	36	21	57	4.0	7	C				41	41	82	3.0	9	A				46	33	79	3.0	9	A	27	11	38	0.0	0	F	8.17	FL
67	4PS15CV074	PRIYANKA M N		41	42	83	4.0	9	A	47	35	82	4.0	9	A	34	26	60	4.0	8	B	42	35	77	4.0	9	A				48	32	80	3.0	9	A				45	44	89	3.0	9	A	28	20	48	1.0	5	D	8.80	FCD
68	4PS15CV075	PUNEETH C R		49	42	91	4.0	10	S	37	34	71	4.0	8	B	36	28	64	4.0	8	B	48	48	96	4.0	10	S				47	45	92	3.0	10	S				47	45	92	3.0	10	S	28	22	50	1.0	7	C	9.19	FCD
69	4PS15CV076	PUNITHKUMAR K P		41	43	84	4.0	9	A	48	41	89	4.0	9	A	37	24	61	4.0	8	B	44	36	80	4.0	9	A				47	39	86	3.0	9	A				46	44	90	3.0	10	S	28	20	48	1.0	5	D	8.91	FCD
70	4PS15CV077	RAGHU S		28	31	59	4.0	7	C	33	28	61	4.0	8	B	38	20	58	4.0	7	C	35	26	61	4.0	8	B				36	32	68	3.0	8	B				37	41	78	3.0	9	A	31	20	51	1.0	7	C	7.96	FCD
71	4PS15CV078	RAHUL A R		42	36	78	4.0	9	A	44	40	84	4.0	9	A	43	23	66	4.0	8	B	41	39	80	4.0	9	A				44	36	80	3.0	9	A				45	41	86	3.0	9	A	28	26	54	1.0	7	C	8.81	FCD
72	4PS15CV079	RAJESH I V		29	111	29	0.0	0	G	36	30	66	4.0	8	B	25	20	45	4.0	4	E	32	28	60	4.0	8	B				38	35	73	3.0	8	B				39	39	78	3.0	9	A	25	27	52	1.0	7	C	6.43	FL
73	4PS15CV080	RAJU P R		38	39	77	4.0	9	A	43	32	75	4.0	9	A	39	31	70	4.0	8	B	42	33	75	4.0	9	A				45	35	80	3.0	9	A				38	38	76	3.0	9	A	30	29	59	1.0	7	C	8.81	FCD
74	4PS15CV081	RAKESH K S		43	33	76	4.0	9	A	27	33	60	4.0	8	B	29	14	43	0.0	0	F	27	29	56	4.0	7	C				40	36	76	3.0	9	A				39	37	76	3.0	9	A	26	21	47	1.0	5	D	7.11	FL
75	4PS15CV082	RAKESHGOWDA K S		36	28	64	4.0	8	B	25	24	49	4.0	5	D	25	13	38	0.0	0	F	27	20	47	4.0	5	D				40	36	76	3.0	9	A				32	31	63	3.0	8	B	27	22	49	1.0	5	D	6.06	FL
76	4PS15CV083	RAKSHITHGOWDA K M		37	36	73	4.0	8	B	47	28	75	4.0	9	A	36	16	52	0.0	0	F	40	34	74	4.0	8	B				49	31	80	3.0	9	A				42	43	85	3.0	9	A	28	20	48	1.0	5	D	7.31	FL
77	4PS15CV084	RICHARD VANLALREMA		41	41	82	4.0	9	A	45	33	78	4.0	9	A	39	30	69	4.0	8	B	42	37	79	4.0	9	A	48	38	86	3.0	9	A				38	33	71	3.0	8	B				28	21	49	1.0	5	D	8.63	FCD
78	4PS15CV085	ROHIT CHAWAN		36	32	68	4.0	8	B	30	26	56	4.0	7	C	25	20	45	4.0	4	E	34	25	59	4.0	7	C				42	34	76	3.0	9	A				33	36	69	3.0	8	B	25	20	45	1.0	4	E	7.26	FC
79	4PS15CV086	ROHITH KUMAR J		43	43	86	4.0	9	A	45	36	81	4.0	9	A	49	25	74	4.0	8	B	48	37	85	4.0	9	A	47	32	79	3.0	9	A				42	45	87	3.0	9	A	25	12	37	0.0	0	F	8.67	FL			
80	4PS15CV087	SACHIDANANDA B		25	22	47	4.0	5	D	25	24	49	4.0	5	D	32	10	42	0.0	0	F	29	26	55	4.0	7	C				42	34	76	3.0	9	A				35	29	64	3.0	8	B	26	32	58	1.0	7	C	5.98	FL
81	4PS15CV088	SAGAR HULLUR		32	30	62	4.0	8	B	40	33	73	4.0	8	B	35	25	60	4.0	8	B	34	32	66	4.0	8	B				41	38	79	3.0	9	A				27	35	62	3.0	8	B	28	29	57	1.0	7	C	8.26	FCD
82	4PS15CV089	SAHANA K S		28	31	59	4.0	7	C	30	31	61	4.0	8	B	25	25	50	4.0	7	C	36	27	63	4.0	8	B				34	29	63	3.0	8	B				37	40	77	3.0	9	A	28	22	50	1.0	7	C	7.96	FCD
83	4PS15CV090	SANDHYA S		33	33	66	4.0	8	B	46	44	90	4.0	10	S	36	21	57	4.0	7	C	39	38	77	4.0	9	A				42	33	75	3.0	9	A				41	43	84	3.0	9	A	31	22	53	1.0	7	C	8.72	FCD

P15CV61 : - Waste Water Treatment

P15CV62 : - Applied Geotechnical Engineering

P15CV63 : - Irrigation Engineering

P15CV64 : - Transportation Engineering

P15CV651 : - Highway Material Construction and Evaluation

P15CV652 : - Municipal Solid Waste Management

P15CV661 : - Matrix Method of Structural Analysis

P15CV662 : - Design of Masonry Structures

P15HU610 : - Aptitude and Reasoning Development - Expert (ARDE)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40
7.25	65	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)								
8.25	75								

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)



Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2017-18

19-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	147	P15CV61			P15CV62			P15CV63			P15CV64			P15CV651			P15CV652			P15CV661			P15CV662			P15HU610			SGPA	CLASS																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR															
84	4PS15CV091	SANTHOSH G		31	36	67	4.0	8	B	30	32	62	4.0	8	B	40	20	60	4.0	8	B				42	33	75	3.0	9	A				41	37	78	3.0	9	A	26	22	48	1.0	5	D	8.35	FCD									
85	4PS15CV092	SANTHOSHKUMAR C V		49	41	90	4.0	10	S	47	45	92	4.0	10	S	42	32	74	4.0	8	B				48	44	92	4.0	10	S				49	43	92	3.0	10	S				44	46	90	3.0	10	S	30	26	56	1.0	7	C	9.59	FCD
86	4PS15CV093	SANTHOSHA D B		25	32	57	4.0	7	C	44	30	74	4.0	8	B	31	15	46	0.0	0	F	33	23	56	4.0	7	C				36	23	59	3.0	7	C				30	38	68	3.0	8	B	28	28	56	1.0	7	C	6.56	FL			
87	4PS15CV094	SAURABH KUMAR		47	34	81	4.0	9	A	31	38	69	4.0	8	B	32	24	56	4.0	7	C	36	32	68	4.0	8	B	47	35	82	3.0	9	A				29	20	49	3.0	5	D				29	32	61	1.0	8	B	7.96	FCD			
88	4PS15CV095	SHAILAJA T		47	39	86	4.0	9	A	46	40	86	4.0	9	A	41	33	74	4.0	8	B	40	44	84	4.0	9	A				47	47	94	3.0	10	S	43	27	70	3.0	8	B				26	21	47	1.0	5	D	8.80	FCD			
89	4PS15CV096	SHANTHARAJU		33	32	65	4.0	8	B	37	38	75	4.0	9	A	28	32	60	4.0	8	B	39	40	79	4.0	9	A				45	36	81	3.0	9	A				38	39	77	3.0	9	A	28	24	52	1.0	7	C	8.67	FCD			
90	4PS15CV098	SHASHANK K S		42	28	70	4.0	8	B	39	30	69	4.0	8	B	31	28	59	4.0	7	C	41	34	75	4.0	9	A	47	35	82	3.0	9	A				40	33	73	3.0	8	B	28	27	55	1.0	7	C	8.20	FCD						
91	4PS15CV099	SHIVASHANKAR D		48	34	82	4.0	9	A	40	38	78	4.0	9	A	39	40	79	4.0	9	A	42	44	86	4.0	9	A	49	41	90	3.0	10	S				46	41	87	3.0	9	A	30	24	54	1.0	7	C	9.13	FCD						
92	4PS15CV100	SHRATI		26	23	49	4.0	5	D	30	21	51	4.0	7	C	28	15	43	0.0	0	F	29	20	49	4.0	5	D				28	23	51	3.0	7	C				32	23	55	3.0	7	C	28	20	48	1.0	5	D	5.63	FL			
93	4PS15CV103	SHREYAS H R		44	41	85	4.0	9	A	43	44	87	4.0	9	A	42	31	73	4.0	8	B	37	32	69	4.0	8	B				46	36	82	3.0	9	A				41	42	83	3.0	9	A	29	30	59	1.0	7	C	8.72	FCD			
94	4PS15CV104	SHRIDHAR S		48	35	83	4.0	9	A	47	42	89	4.0	9	A	43	42	85	4.0	9	A	47	44	91	4.0	10	S				46	46	92	3.0	10	S	47	47	94	3.0	10	S				28	20	48	1.0	5	D	9.37	FCD			
95	4PS15CV105	SHRUTHI R		39	24	63	4.0	8	B	35	32	67	4.0	8	B	36	29	65	4.0	8	B	41	35	76	4.0	9	A				37	30	67	3.0	8	B				42	37	79	3.0	9	A	33	22	55	1.0	7	C	8.46	FCD			
96	4PS15CV106	SHUBHA MALLANAGOUDA		43	23	66	4.0	8	B	35	27	62	4.0	8	B	27	23	50	4.0	7	C	41	32	73	4.0	8	B				35	35	70	3.0	8	B				44	27	71	3.0	8	B	30	22	52	1.0	7	C	8.06	FCD			
97	4PS15CV107	SHWETHA S		38	34	72	4.0	8	B	46	39	85	4.0	9	A	38	22	60	4.0	8	B	36	37	73	4.0	8	B				36	35	71	3.0	8	B				40	33	73	3.0	8	B	26	11	37	0.0	0	F	8.04	FL			
98	4PS15CV108	SIDDANAGOUDA M PATIL		43	32	75	4.0	9	A	44	37	81	4.0	9	A	28	26	54	4.0	7	C	44	31	75	4.0	9	A				43	39	82	3.0	9	A				43	43	86	3.0	9	A	28	20	48	1.0	5	D	8.65	FCD			
99	4PS15CV109	SINDHU B		47	34	81	4.0	9	A	43	32	75	4.0	9	A	38	28	66	4.0	8	B	41	34	75	4.0	9	A				43	35	78	3.0	9	A	38	28	66	3.0	8	B				28	30	58	1.0	7	C	8.76	FCD			
100	4PS15CV110	SNEHA K		47	38	85	4.0	9	A	48	43	91	4.0	10	S	46	32	78	4.0	9	A	44	44	88	4.0	9	A				44	39	83	3.0	9	A	37	29	66	3.0	8	B				32	25	57	1.0	7	C	9.06	FCD			
101	4PS15CV111	SONIKA Y H		46	38	84	4.0	9	A	42	36	78	4.0	9	A	33	24	57	4.0	7	C	40	34	74	4.0	8	B				47	41	88	3.0	9	A				41	43	84	3.0	9	A	28	20	48	1.0	5	D	8.50	FCD			
102	4PS15CV112	SOWJANYA M T		46	37	83	4.0	9	A	39	36	75	4.0	9	A	41	39	80	4.0	9	A	41	41	82	4.0	9	A				46	31	77	3.0	9	A				43	43	86	3.0	9	A	25	20	45	1.0	4	E	8.91	FCD			
103	4PS15CV113	SPANDANA S		49	36	85	4.0	9	A	50	40	90	4.0	10	S	46	38	84	4.0	9	A	44	48	92	4.0	10	S	49	44	93	3.0	10	S				48	45	93	3.0	10	S	28	20	48	1.0	5	D	9.46	FCD						
104	4PS15CV114	SRINIVAS H S		35	20	55	4.0	7	C	29	24	53	4.0	7	C	25	20	45	4.0	4	E	25	24	49	4.0	5	D				33	30	63	3.0	8	B				30	111	30	0.0	0	N	28	20	48	1.0	5	D	5.91	FL			

P15CV61 : - Waste Water Treatment
 P15CV62 : - Applied Geotechnical Engineering
 P15CV63 : - Irrigation Engineering
 P15CV64 : - Transportation Engineering
 P15CV651 : - Highway Material Construction and Evaluation

P15CV652 : - Municipal Solid Waste Management
 P15CV661 : - Matrix Method of Structural Analysis
 P15CV662 : - Design of Masonry Structures
 P15HU610 : - Aptitude and Reasoning Development - Expert (ARDE)

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
 * Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40
7.25	65	Raw Score	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45
7.75	70 (Distinction)								
8.25	75								

Dr. K. Narasimha Chary
 Controller of Examinations
 P.E.S. College of Engineering,
 Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2017-18

19-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	147	P15CV61			P15CV62			P15CV63			P15CV64			P15CV651			P15CV652			P15CV661			P15CV662			P15HU610			SGPA	CLASS																					
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR												
105	4PS15CV115	SUMAN J K		41	43	84	4.0	9	A	42	34	76	4.0	9	A	39	26	65	4.0	8	B	39	37	76	4.0	9	A				45	40	85	3.0	9	A				45	43	88	3.0	9	A	28	26	54	1.0	7	C	8.93	FCD
106	4PS15CV116	SUMANTH KUMAR G S		42	32	74	4.0	8	B	43	38	81	4.0	9	A	40	24	64	4.0	8	B	44	31	75	4.0	9	A				46	33	79	3.0	9	A	45	23	68	3.0	8	B				29	31	60	1.0	8	B	8.65	FCD
107	4PS15CV117	SUMANTH S R		45	33	78	4.0	9	A	33	32	65	4.0	8	B	30	31	61	4.0	8	B	36	36	72	4.0	8	B				37	41	78	3.0	9	A				40	42	82	3.0	9	A	27	23	50	1.0	7	C	8.57	FCD
108	4PS15CV118	SUSHMITHA GOWDA R		47	36	83	4.0	9	A	45	36	81	4.0	9	A	44	27	71	4.0	8	B	40	42	82	4.0	9	A				45	43	88	3.0	9	A				48	45	93	3.0	10	S	30	31	61	1.0	8	B	9.02	FCD
109	4PS15CV119	SYEDA RUKHSAN KAUNA		39	27	66	4.0	8	B	36	36	72	4.0	8	B	26	20	46	4.0	5	D	42	30	72	4.0	8	B				34	32	66	3.0	8	B				42	37	79	3.0	9	A	26	23	49	1.0	5	D	7.85	FCD
110	4PS15CV120	TEJASHREE M K		47	34	81	4.0	9	A	41	37	78	4.0	9	A	40	40	80	4.0	9	A	43	39	82	4.0	9	A				45	39	84	3.0	9	A	40	44	84	3.0	9	A				25	21	46	1.0	5	D	8.94	FCD
111	4PS15CV121	TEJASWINI B		47	37	84	4.0	9	A	43	36	79	4.0	9	A	35	34	69	4.0	8	B	42	35	77	4.0	9	A				42	38	80	3.0	9	A				42	47	89	3.0	9	A	29	23	52	1.0	7	C	8.93	FCD
112	4PS15CV123	THEJAS M P		45	35	80	4.0	9	A	46	34	80	4.0	9	A	36	35	71	4.0	8	B	45	34	79	4.0	9	A	49	43	92	3.0	10	S				43	46	89	3.0	9	A	29	29	58	1.0	7	C	9.04	FCD			
113	4PS15CV124	THWJASWI B G		37	16	53	0.0	0	F	26	25	51	4.0	7	C	26	20	46	4.0	5	D	29	111	29	0.0	0	G				29	111	29	0.0	0	G				30	111	30	0.0	0	N	28	20	48	1.0	5	D	2.83	FL
114	4PS15CV125	VANDANA N		46	42	88	4.0	9	A	47	41	88	4.0	9	A	35	28	63	4.0	8	B	42	33	75	4.0	9	A	43	38	81	3.0	9	A				42	44	86	3.0	9	A	26	26	52	1.0	7	C	8.93	FCD			
115	4PS15CV126	VARSHITHA SURESH		39	39	78	4.0	9	A	45	39	84	4.0	9	A	36	25	61	4.0	8	B	32	34	66	4.0	8	B				42	37	79	3.0	9	A				35	35	70	3.0	8	B	28	20	48	1.0	5	D	8.59	FCD
116	4PS15CV128	VARUN S CHAVAN		47	42	89	4.0	9	A	46	40	86	4.0	9	A	40	26	66	4.0	8	B	43	34	77	4.0	9	A	46	48	94	3.0	10	S				42	43	85	3.0	9	A	26	25	51	1.0	7	C	8.98	FCD			
117	4PS15CV129	VINAY		37	38	75	4.0	9	A	42	39	81	4.0	9	A	44	40	84	4.0	9	A	42	36	78	4.0	9	A				44	39	83	3.0	9	A				44	46	90	3.0	10	S	26	25	51	1.0	7	C	9.13	FCD
118	4PS15CV130	VISHANKPRABHUGOWDA I		45	44	89	4.0	9	A	43	34	77	4.0	9	A	40	28	68	4.0	8	B	45	40	85	4.0	9	A				48	42	90	3.0	10	S				46	46	92	3.0	10	S	28	22	50	1.0	7	C	9.09	FCD
119	4PS15CV131	VISHWAS K N		36	22	58	4.0	7	C	31	20	51	4.0	7	C	25	13	38	0.0	0	F	29	20	49	4.0	5	D				40	29	69	3.0	8	B				42	31	73	3.0	8	B	25	11	36	0.0	0	F	5.52	FL
120	4PS15CV132	VISHWAS R		43	39	82	4.0	9	A	36	29	65	4.0	8	B	37	30	67	4.0	8	B	37	32	69	4.0	8	B				47	38	85	3.0	9	A				40	40	80	3.0	9	A	25	26	51	1.0	7	C	8.07	FL
121	4PS15CV133	ZAID ALI		37	39	76	4.0	9	A	33	28	61	4.0	8	B	34	20	54	4.0	7	C	32	39	71	4.0	8	B				44	39	83	3.0	9	A				44	44	88	3.0	9	A	25	24	49	1.0	5	D	8.30	FCD
122	4PS15CV134	DIVYASHREE H K		42	41	83	4.0	9	A	46	36	82	4.0	9	A	46	24	70	4.0	8	B	40	33	73	4.0	8	B				44	43	87	3.0	9	A				42	45	87	3.0	9	A	25	20	45	1.0	4	E	8.67	FCD
123	4PS16CV400	JYOTHI N		41	39	80	4.0	9	A	46	33	79	4.0	9	A	41	27	68	4.0	8	B	41	38	79	4.0	9	A				43	33	76	3.0	9	A				42	43	85	3.0	9	A	30	20	50	1.0	7	C	8.87	FCD
124	4PS16CV401	KANNIKA B V		49	41	90	4.0	10	S	46	36	82	4.0	9	A	45	29	74	4.0	8	B	41	37	78	4.0	9	A				47	36	83	3.0	9	A				44	41	85	3.0	9	A	28	20	48	1.0	5	D	9.00	FCD
125	4PS16CV402	ANANDA G		40	34	74	4.0	8	B	37	34	71	4.0	8	B	37	20	57	4.0	7	C	36	30	66	4.0	8	B				40	34	74	3.0	8	B				43	42	85	3.0	9	A	28	20	48	1.0	5	D	8.15	FCD

P15CV61 : - Waste Water Treatment
 P15CV62 : - Applied Geotechnical Engineering
 P15CV63 : - Irrigation Engineering
 P15CV64 : - Transportation Engineering
 P15CV651 : - Highway Material Construction and Evaluation

P15CV652 : - Municipal Solid Waste Management
 P15CV661 : - Matrix Method of Structural Analysis
 P15CV662 : - Design of Masonry Structures
 P15HU610 : - Aptitude and Reasoning Development - Expert (ARDE)

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
 * Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40
7.25	65	Raw Score	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45
7.75	70 (Distinction)								
8.25	75								



Dr. K. Narasimha Chary
 Controller of Examinations
 P.E.S. College of Engineering,
 Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2017-18

19-06-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	147	P15CV61			P15CV62			P15CV63			P15CV64			P15CV651			P15CV652			P15CV661			P15CV662			P15HU610			SGPA	CLASS																					
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR												
126	4PS16CV403	ARBEENA SULTANA		42	44	86	4.0	9	A	45	33	78	4.0	9	A	37	28	65	4.0	8	B	46	43	89	4.0	9	A				47	37	84	3.0	9	A	43	30	73	3.0	8	B				28	21	49	1.0	5	D	8.69	FCD
127	4PS16CV404	DARSHAN H N		44	41	85	4.0	9	A	44	39	83	4.0	9	A	44	25	69	4.0	8	B	47	42	89	4.0	9	A				49	38	87	3.0	9	A	42	43	85	3.0	9	A				29	20	49	1.0	5	D	8.85	FCD
128	4PS16CV405	K A DAWOOD		47	43	90	4.0	10	S	42	31	73	4.0	8	B	46	31	77	4.0	9	A	45	33	78	4.0	9	A				45	41	86	3.0	9	A				44	42	86	3.0	9	A	28	22	50	1.0	7	C	9.02	FCD
129	4PS16CV406	KARTHIK A R		35	31	66	4.0	8	B	34	24	58	4.0	7	C	26	20	46	4.0	5	D	33	23	56	4.0	7	C				42	30	72	3.0	8	B				34	29	63	3.0	8	B	25	23	48	1.0	5	D	7.39	FC
130	4PS16CV407	KIRAN T S		46	33	79	4.0	9	A	48	31	79	4.0	9	A	42	25	67	4.0	8	B	45	37	82	4.0	9	A				48	36	84	3.0	9	A	42	29	71	3.0	8	B				28	23	51	1.0	7	C	8.81	FCD
131	4PS16CV408	MAHADEVASWAMY		40	37	77	4.0	9	A	36	37	73	4.0	8	B	28	20	48	4.0	5	D	33	33	66	4.0	8	B				42	33	75	3.0	9	A				45	39	84	3.0	9	A	26	21	47	1.0	5	D	8.11	FCD
132	4PS16CV409	MANOJ M K		37	36	73	4.0	8	B	35	33	68	4.0	8	B	35	28	63	4.0	8	B	39	34	73	4.0	8	B				43	34	77	3.0	9	A				31	47	78	3.0	9	A	26	25	51	1.0	7	C	8.43	FCD
133	4PS16CV410	NEELAVENI H M		39	33	72	4.0	8	B	40	28	68	4.0	8	B	37	20	57	4.0	7	C	41	33	74	4.0	8	B				49	38	87	3.0	9	A				43	39	82	3.0	9	A	30	20	50	1.0	7	C	8.28	FCD
134	4PS16CV411	PAVAN M R		47	46	93	4.0	10	S	47	39	86	4.0	9	A	36	23	59	4.0	7	C	44	39	83	4.0	9	A				42	34	76	3.0	9	A				46	42	88	3.0	9	A	27	20	47	1.0	5	D	8.85	FCD
135	4PS16CV412	PREETHI S		41	36	77	4.0	9	A	46	35	81	4.0	9	A	43	20	63	4.0	8	B	43	31	74	4.0	8	B				47	39	86	3.0	9	A				45	43	88	3.0	9	A	28	20	48	1.0	5	D	8.65	FCD
136	4PS16CV413	PRIYANKA M		35	35	70	4.0	8	B	40	33	73	4.0	8	B	43	20	63	4.0	8	B	43	35	78	4.0	9	A				40	33	73	3.0	8	B				40	42	82	3.0	9	A	28	20	48	1.0	5	D	8.44	FCD
137	4PS16CV414	RAKSHA R		33	30	63	4.0	8	B	38	39	77	4.0	9	A	37	32	69	4.0	8	B	36	25	61	4.0	8	B				45	38	83	3.0	9	A				39	37	76	3.0	9	A	28	20	48	1.0	5	D	8.50	FCD
138	4PS16CV415	RAVI B T		36	31	67	4.0	8	B	39	28	67	4.0	8	B	42	20	62	4.0	8	B	42	39	81	4.0	9	A				36	38	74	3.0	8	B				38	42	80	3.0	9	A	27	20	47	1.0	5	D	8.39	FCD
139	4PS16CV416	SANGANNA		30	27	57	4.0	7	C	33	22	55	4.0	7	C	40	20	60	4.0	8	B	38	26	64	4.0	8	B				36	37	73	3.0	8	B				37	35	72	3.0	8	B	28	11	39	0.0	0	F	7.59	FL
140	4PS16CV417	SHALINI K		36	37	73	4.0	8	B	38	31	69	4.0	8	B	31	28	59	4.0	7	C	36	26	62	4.0	8	B				45	26	71	3.0	8	B				40	38	78	3.0	9	A	28	20	48	1.0	5	D	8.15	FCD
141	4PS16CV418	SHILPA S		34	35	69	4.0	8	B	40	38	78	4.0	9	A	41	26	67	4.0	8	B	42	29	71	4.0	8	B				37	32	69	3.0	8	B				38	35	73	3.0	8	B	29	20	49	1.0	5	D	8.33	FCD
142	4PS16CV419	SHIVAKUMAR T P		46	38	84	4.0	9	A	43	28	71	4.0	8	B	37	29	66	4.0	8	B	42	39	81	4.0	9	A				44	37	81	3.0	9	A				40	45	85	3.0	9	A	26	21	47	1.0	5	D	8.59	FCD
143	4PS16CV420	SHWETHA S B		37	35	72	4.0	8	B	42	42	84	4.0	9	A	43	32	75	4.0	9	A	42	38	80	4.0	9	A				49	42	91	3.0	10	S				42	45	87	3.0	9	A	26	26	52	1.0	7	C	8.93	FCD
144	4PS16CV421	SUMANTH S		42	34	76	4.0	9	A	34	33	67	4.0	8	B	25	20	45	4.0	4	E	36	32	68	4.0	8	B				38	29	67	3.0	8	B				37	38	75	3.0	9	A	29	20	49	1.0	5	D	7.69	FC
145	4PS16CV422	SUNITHA S		43	33	76	4.0	9	A	37	33	70	4.0	8	B	34	26	60	4.0	8	B	39	33	72	4.0	8	B				45	36	81	3.0	9	A				38	40	78	3.0	9	A	30	21	51	1.0	7	C	8.63	FCD
146	4PS16CV423	VEERAMANI M V		44	34	78	4.0	9	A	34	31	65	4.0	8	B	33	20	53	4.0	7	C	39	32	71	4.0	8	B				42	36	78	3.0	9	A				40	42	82	3.0	9	A	26	20	46	1.0	5	D	8.35	FCD

P15CV61 : - Waste Water Treatment
 P15CV62 : - Applied Geotechnical Engineering
 P15CV63 : - Irrigation Engineering
 P15CV64 : - Transportation Engineering
 P15CV651 : - Highway Material Construction and Evaluation

P15CV652 : - Municipal Solid Waste Management
 P15CV661 : - Matrix Method of Structural Analysis
 P15CV662 : - Design of Masonry Structures
 P15HU610 : - Aptitude and Reasoning Development - Expert (ARDE)

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
 * Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40
7.25	65	Raw Score	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45
7.75	70 (Distinction)								
8.25	75								



Dr. K. Narasimha Chary
 Controller of Examinations
 P.E.S. College of Engineering,
 Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.