

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Fourth Semester BE Semester End Examination for the Academic year 2018-19 (June/July -19)

19-06-2019

MECHANICAL ENGINEERING

| SL.No. | USN | NAME | 21 | P15MA41 | | | P15ME42 | | | P15ME43 | | | P15ME44 | | | P15ME45 | | | P15ME46 | | | P15MEL47 | | | P15MEL48 | | | P15HU49 | | | SGPA | CLASS | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|----------------------|----|---------|-----|----|---------|-----|----|---------|-----|----|---------|-----|----|---------|-----|----|---------|-----|----|----------|----|----|----------|-----|----|---------|---|---|------|-------|----|------|----|---|------|-----|----|-----|----|---|----|----|----|-----|---|---|----|-----|----|-----|---|---|------|----|
| | | | | C | S | T | CR | GP | GR | C | S | T | CR | GP | GR | C | S | T | CR | GP | GR | C | S | T | CR | GP | GR | C | S | T | | | CR | GP | GR | C | S | T | CR | GP | GR | | | | | | | | | | | | | | | |
| 1 | 4PS14ME115 | VIKAS | | | | | | | | | | | | | | 25 | 111 | 25 | 0.0 | 0 | G | | | | | | | | | | | | | | | | 0 | FL | | | | | | | | | | | | | | | | | | |
| 2 | 4PS15ME003 | ABISHEK B | | 26 | 111 | 26 | 0.0 | 0 | G | 25 | 17 | 42 | 0.0 | 0 | F | | | | 0 | 111 | 0 | 0.0 | 0 | N | | | | | | | | | | | | | 0 | FL | | | | | | | | | | | | | | | | | | |
| 3 | 4PS15ME014 | ASRAR AHMED KHAN | | | | | | | | | | | 25 | 6 | 31 | 0.0 | 0 | F | | | | | | | | | | | | | | | | 0 | FL | | | | | | | | | | | | | | | | | | | | | |
| 4 | 4PS15ME018 | CHANDAN PRASAD | | | | | | | | | | | | | | 25 | 25 | 50 | 4.0 | 5 | D | | | | | | | | | | | | | 5.00 | FL | | | | | | | | | | | | | | | | | | | | | |
| 5 | 4PS15ME045 | KARTHIK H S | | | | | | | | 0 | 111 | 0 | 0.0 | 0 | N | | | | | | | | | | 25 | 45 | 70 | 1.5 | 7 | C | | | | 1.91 | FL | | | | | | | | | | | | | | | | | | | | | |
| 6 | 4PS15ME062 | NAGANANDA.S | | | | | 25 | 11 | 36 | 0.0 | 0 | F | 27 | 23 | 50 | 4.0 | 5 | D | 0 | 111 | 0 | 0.0 | 0 | N | 25 | 111 | 25 | 0.0 | 0 | G | | | | | | | 1.25 | FL | | | | | | | | | | | | | | | | | | |
| 7 | 4PS15ME114 | SYED MUHEENN | | | | | 25 | 13 | 38 | 0.0 | 0 | F | | | | 26 | 20 | 46 | 4.0 | 4 | E | | | | | | | | | | | | | 2.00 | FL | | | | | | | | | | | | | | | | | | | | | |
| 8 | 4PS15ME119 | VARUN P J | | | | | 25 | 8 | 33 | 0.0 | 0 | F | | | | | | | 25 | 9 | 34 | 0.0 | 0 | F | | | | | | | | | | 0 | FL | | | | | | | | | | | | | | | | | | | | | |
| 9 | 4PS16ME032 | G P RAKSHITH | | | | | 26 | 15 | 41 | 0.0 | 0 | F | | | | 25 | 8 | 33 | 0.0 | 0 | F | 25 | 11 | 36 | 0.0 | 0 | F | | | | | | | 0 | FL | | | | | | | | | | | | | | | | | | | | | |
| 10 | 4PS16ME037 | J TEJA SAI | | | | | 25 | 5 | 30 | 0.0 | 0 | F | | | | 26 | 20 | 46 | 4.0 | 4 | E | | | | | | | | | | | | | 2.00 | FL | | | | | | | | | | | | | | | | | | | | | |
| 11 | 4PS16ME038 | JEEVAN DEEKSHITH C M | | | | | | | | | | | 35 | 21 | 56 | 4.0 | 5 | D | | | | | | | | | | | | | | | | 5.00 | FL | | | | | | | | | | | | | | | | | | | | | |
| 12 | 4PS16ME049 | MANOJKUMAR K | | | | | 111 | 111 | 0 | 0.0 | 0 | N | | | | 111 | 111 | 0 | 0.0 | 0 | N | | | | | | | | | | | | | 0 | FL | | | | | | | | | | | | | | | | | | | | | |
| 13 | 4PS16ME057 | MOHAN KUMAR K Y | | | | | | | | | | | 29 | 111 | 29 | 0.0 | 0 | G | | | | | | | | | | | | | | | | 0 | FL | | | | | | | | | | | | | | | | | | | | | |
| 14 | 4PS16ME060 | NAGENDRA PRASAD L | | | | | | | | | | | 0 | 111 | 0 | 0.0 | 0 | N | 0 | 111 | 0 | 0.0 | 0 | N | | | | | | | | | | 0 | FL | | | | | | | | | | | | | | | | | | | | | |
| 15 | 4PS16ME061 | NANDISH K | | | | | 25 | 20 | 45 | 4.0 | 4 | E | | | | | | | | | | | | | | | | | | | | | | 4.00 | FL | | | | | | | | | | | | | | | | | | | | | |
| 16 | 4PS16ME105 | SHUBAM BHAGAT | | | | | 25 | 14 | 39 | 0.0 | 0 | F | 25 | 20 | 45 | 4.0 | 4 | E | 4 | 111 | 4 | 0.0 | 0 | N | 26 | 2 | 28 | 0.0 | 0 | F | 25 | 0 | 25 | 0.0 | 0 | F | 111 | 111 | 0 | 0.0 | 0 | N | 28 | 25 | 53 | 1.5 | 7 | C | 25 | 111 | 25 | 0.0 | 0 | G | 1.15 | FL |
| 17 | 4PS16ME122 | YATHISH R | | | | | | | | | | | | | | | | | | | | | | | 25 | 37 | 62 | 1.5 | 7 | C | | | | | | | 7.00 | FL | | | | | | | | | | | | | | | | | | |
| 18 | 4PS17ME080 | ROHAN R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 25 | 111 | 25 | 0.0 | 0 | G | 6.63 | FL | | | | | | | | | | | | | | | | | | |
| 19 | 4PS17ME402 | ANWAR IMAMSAB NADAF | | | | | | | | | | | 25 | 111 | 25 | 0.0 | 0 | G | | | | | | | | | | | | | | | | 0 | FL | | | | | | | | | | | | | | | | | | | | | |
| 20 | 4PS17ME412 | MANIKANTA C | | | | | | | | | | | 30 | 20 | 50 | 4.0 | 5 | D | | | | | | | | | | | | | | | | 5.00 | FL | | | | | | | | | | | | | | | | | | | | | |

P15MA41 : - Engineering Mathematics-IV

P15ME42 : - Applied Thermodynamics

P15ME43 : - Mechanical Measurements ,Metrology

P15ME44 : - Mechanics of Materials

P15ME45 : - Kinematics of Machinery

P15ME46 : - Manufacturing Process - II

P15MEL47 : - Metrology ,Measurements Lab

P15MEL48 : - Basic Material Testing Lab

P15HU49 : - Aptitude and Reasoning Development-Intermediate(ARDI)

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G - Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail


* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

X - CIE > 44 and SEE < 20

| SGPA | Percentage of Marks / Class (SGPA - 0.75) x 10 |
|------|--|
| 5.75 | 50 (Second Class) |
| 6.25 | 55 |
| 6.75 | 60 (First Class) |
| 7.25 | 65 |
| 7.75 | 70 (Distinction) |
| 8.25 | 75 |

Raw Score

| Level | Out-standing | Excellent | Very Good | Good | Average | Poor | Fail |
|-----------------|--------------|-----------|-----------|-------|---------|-------|----------|
| Grade | S | A | B | C | D | E | F |
| Grade Points | 10 | 09 | 08 | 07 | 05 | 04 | 00 |
| P18 Scheme | 90 Above | 89-80 | 79-70 | 69-60 | 59-50 | 49-40 | Below 40 |
| P15, P17 Scheme | 90 Above | 89-75 | 74-60 | 59-50 | 49-46 | 45 | Below 45 |



Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.