

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2018-19 (June/July -19)

19-06-2019

CIVIL ENGINEERING

SL.No.	USN	NAME	144	P15CV61			P15CV62			P15CV63			P15CV64			P15CV652			P15CV662			P15CVL67			P15CVL68			P15HU610			SGPA	CLASS																											
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR																		
1	4PS14CV051	LALMUANKIMA		28	30	58	4.0	7	C	27	20	47	4.0	5	D	39	26	65	4.0	8	B	44	20	64	4.0	8	B	42	30	72	3.0	8	B	28	29	57	3.0	7	C	42	41	83	1.5	9	A	41	25	66	1.5	8	B	25	23	48	1.0	5	D	7.24	FC
2	4PS14CV117	SUMEET								0	111	0	0.0	0	N																												0	FL															
3	4PS15CV011	C MALSAWMTLUANGA		39	34	73	4.0	8	B	33	25	58	4.0	7	C	20	111	20	0.0	0	N	25	111	25	0.0	0	N	33	28	61	3.0	8	B	33	34	67	3.0	8	B	30	29	59	1.5	7	C	40	25	65	1.5	8	B	25	30	55	1.0	7	C	5.43	FL
4	4PS15CV039	KIRAN G B		47	48	95	4.0	10	S	42	46	88	4.0	9	A	43	37	80	4.0	9	A	42	48	90	4.0	10	S	47	40	87	3.0	9	A	40	44	84	3.0	9	A	47	44	91	1.5	10	S	47	28	75	1.5	9	A	25	28	53	1.0	7	C	9.31	FCD
5	4PS15CV059	NITHIN A																													45	25	70	1.5	7	C										7.00	FL												
6	4PS15CV068	PRAJWAL H N								25	20	45	4.0	4	E																45	25	70	1.5	7	C										4.82	FL												
7	4PS15CV097	SHASHANK H B		43	111	43	0.0	0	G	33	111	33	0.0	0	G	29	111	29	0.0	0	G	35	111	35	0.0	0	G	37	111	37	0.0	0	G	35	111	35	0.0	0	G	35	42	77	1.5	9	A	43	26	69	1.5	8	B	25	111	25	0.0	0	G	1.28	FL
8	4PS15CV101	SHRAVANI N S		43	32	75	4.0	9	A	27	25	52	4.0	7	C	32	27	59	4.0	7	C	28	36	64	4.0	8	B	42	28	70	3.0	8	B	31	34	65	3.0	8	B	47	45	92	1.5	10	S	47	27	74	1.5	8	B	25	20	45	1.0	4	E	7.89	FCD
9	4PS15CV114	SRINIVAS H S																										27	26	53	3.0	5	D													5.00	FL												
10	4PS15CV124	THEJASW B G																										25	31	56	3.0	5	D													5.00	FL												
11	4PS15CV131	VISHWAS K N								34	13	47	0.0	0	F																42	15	57	0.0	0	F							0	FL															
12	4PS15CV422	SANDHYA B S		48	46	94	4.0	10	S	42	45	87	4.0	9	A	47	45	92	4.0	10	S	47	47	94	4.0	10	S	47	41	88	3.0	9	A	44	44	88	3.0	9	A	50	42	92	1.5	10	S	48	48	96	1.5	10	S	25	20	45	1.0	4	E	9.41	FCD
13	4PS16CV001	ADARSHA B M		34	28	62	4.0	8	B	36	38	74	4.0	8	B	29	27	56	4.0	7	C	29	29	58	4.0	7	C	40	33	73	3.0	8	B	37	35	72	3.0	8	B	45	46	91	1.5	10	S	45	40	85	1.5	9	A	25	27	52	1.0	7	C	7.87	FCD
14	4PS16CV003	AKHILESH M		41	33	74	4.0	8	B	30	30	60	4.0	8	B	35	25	60	4.0	8	B	38	35	73	4.0	8	B	42	25	67	3.0	8	B	30	34	64	3.0	8	B	42	45	87	1.5	9	A	45	28	73	1.5	8	B	25	26	51	1.0	7	C	8.06	FCD
15	4PS16CV004	AMULYA B C		45	40	85	4.0	9	A	42	36	78	4.0	9	A	44	28	72	4.0	8	B	32	35	67	4.0	8	B	49	32	81	3.0	9	A	43	38	81	3.0	9	A	48	47	95	1.5	10	S	48	35	83	1.5	9	A	25	30	55	1.0	7	C	8.72	FCD
16	4PS16CV005	ANIL KUMAR N		38	24	62	4.0	8	B	38	23	61	4.0	8	B	41	20	61	4.0	8	B	47	29	76	4.0	9	A	40	25	65	3.0	8	B	30	24	54	3.0	7	C	45	37	82	1.5	9	A	45	28	73	1.5	8	B	25	22	47	1.0	5	D	8.02	FCD
17	4PS16CV006	ANUSHA M C		0	111	0	0.0	0	N	0	111	0	0.0	0	N	0	111	0	0.0	0	N	0	111	0	0.0	0	N	0	111	0	0.0	0	N	0	111	0	0.0	0	N	111	111	0	0.0	0	N	111	111	0	0.0	0	N	25	111	25	0.0	0	N	0	FL
18	4PS16CV007	ANUSHA S B		39	25	64	4.0	8	B	45	44	89	4.0	9	A	44	40	84	4.0	9	A	40	34	74	4.0	8	B	46	35	81	3.0	9	A	39	41	80	3.0	9	A	48	43	91	1.5	10	S	47	35	82	1.5	9	A	25	26	51	1.0	7	C	8.72	FCD
19	4PS16CV008	ANUSUYA B		38	30	68	4.0	8	B	35	29	64	4.0	8	B	29	21	50	4.0	7	C	30	21	51	4.0	7	C	44	29	73	3.0	8	B	32	42	74	3.0	8	B	48	41	89	1.5	9	A	48	40	88	1.5	9	A	25	24	49	1.0	5	D	7.74	FC
20	4PS16CV009	ARPITHA N		46	42	88	4.0	9	A	47	46	93	4.0	10	S	49	47	96	4.0	10	S	44	39	83	4.0	9	A	48	39	87	3.0	9	A	45	43	88	3.0	9	A	48	47	95	1.5	10	S	48	43	91	1.5	10	S	25	20	45	1.0	4	E	9.26	FCD


P15CV61 :- Waste Water Treatment
 P15CV62 :- Applied Geotechnical Engineering
 P15CV63 :- Irrigation Engineering
 P15CV64 :- Transportation Engineering
 P15CV652 :- Municipal Solid Waste Management

P15CV662 :- Design of Masonry Structures
 P15CVL67 :- Geotechnical Engineering Lab
 P15CVL68 :- Extensive Surveying
 P15HU610 :- Aptitude and Reasoning Development - Expert (ARDE)

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
 * Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)
 X - CIE > 44 and SEE < 20

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail	
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F	
6.25	55	Grade Points	10	09	08	07	05	04	00	
6.75	60 (First Class)	Raw Score	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
7.25	65		P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)									
8.25	75									


 Dr. K. Narasimha Chary
 Controller of Examinations
 P.E.S. College of Engineering,
 Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2018-19 (June/July -19)

19-06-2019

CIVIL ENGINEERING

SL.No.	USN	NAME	144	P15CV61					P15CV62					P15CV63					P15CV64					P15CV652					P15CV662					P15CVL67					P15CVL68					P15HU610					SGPA	CLASS									
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR
21	4PS16CV010	AVINITH GOWDA S K		34	38	72	4.0	8	B	31	23	54	4.0	7	C	25	24	49	4.0	5	D	34	36	70	4.0	8	B	41	35	76	3.0	9	A	30	38	68	3.0	8	B	41	44	85	1.5	9	A	41	25	66	1.5	8	B	27	27	54	1.0	7	C	7.50	FC
22	4PS16CV011	BASAVARAJU C R		47	42	89	4.0	9	A	38	35	73	4.0	8	B	31	28	59	4.0	7	C	37	41	78	4.0	9	A	43	30	73	3.0	8	B	37	36	73	3.0	8	B	42	43	85	1.5	9	A	48	43	91	1.5	10	S	25	21	46	1.0	5	D	8.28	FCD
23	4PS16CV012	A S BHARATH KUMAR		46	46	92	4.0	10	S	36	39	75	4.0	9	A	43	43	86	4.0	9	A	44	49	93	4.0	10	S	46	49	95	3.0	10	S	40	42	82	3.0	9	A	42	44	86	1.5	9	A	46	27	73	1.5	8	B	25	33	58	1.0	7	C	9.24	FCD
24	4PS16CV013	BHARGAVI H K		47	46	93	4.0	10	S	45	42	87	4.0	9	A	48	37	85	4.0	9	A	41	34	75	4.0	9	A	49	41	90	3.0	10	S	48	37	85	3.0	9	A	48	43	91	1.5	10	S	49	45	94	1.5	10	S	26	29	55	1.0	7	C	9.33	FCD
25	4PS16CV014	BHAVANI SINGH		42	42	84	4.0	9	A	32	41	73	4.0	8	B	36	26	62	4.0	8	B	43	43	86	4.0	9	A	46	38	84	3.0	9	A	40	37	77	3.0	9	A	42	42	84	1.5	9	A	45	40	85	1.5	9	A	25	21	46	1.0	5	D	8.52	FCD
26	4PS16CV015	BHAVYA S R		42	43	85	4.0	9	A	47	44	91	4.0	10	S	46	44	90	4.0	10	S	44	38	82	4.0	9	A	47	46	93	3.0	10	S	46	40	86	3.0	9	A	48	45	93	1.5	10	S	48	45	93	1.5	10	S	25	24	49	1.0	5	D	9.41	FCD
27	4PS16CV016	BHIMARAO DALAWAI		45	39	84	4.0	9	A	45	34	79	4.0	9	A	46	36	82	4.0	9	A	46	36	82	4.0	9	A	45	39	84	3.0	9	A	41	42	83	3.0	9	A	47	44	91	1.5	10	S	47	43	90	1.5	10	S	25	29	54	1.0	7	C	9.07	FCD
28	4PS16CV017	CHANDAN B M		29	20	49	4.0	5	D	27	9	36	0.0	0	F	38	11	49	0.0	0	F	34	12	46	0.0	0	F	37	23	60	3.0	8	B	25	20	45	3.0	4	E	44	26	70	1.5	8	B	35	25	60	1.5	8	B	25	20	45	1.0	4	E	3.41	FL
29	4PS16CV018	CHANDAN Y S		42	31	73	4.0	8	B	42	36	78	4.0	9	A	41	31	72	4.0	8	B	46	34	80	4.0	9	A	37	24	61	3.0	8	B	40	40	80	3.0	9	A	44	29	73	1.5	8	B	43	39	82	1.5	9	A	25	30	55	1.0	7	C	8.46	FCD
30	4PS16CV019	CHANDANA R		47	41	88	4.0	9	A	35	34	69	4.0	8	B	42	38	80	4.0	9	A	39	41	80	4.0	9	A	47	35	82	3.0	9	A	47	40	87	3.0	9	A	44	42	86	1.5	9	A	48	43	91	1.5	10	S	25	26	51	1.0	7	C	8.83	FCD
31	4PS16CV020	CHEZHANA M		49	46	95	4.0	10	S	45	41	86	4.0	9	A	43	36	79	4.0	9	A	42	38	80	4.0	9	A	46	40	86	3.0	9	A	39	37	76	3.0	9	A	48	42	90	1.5	10	S	48	46	94	1.5	10	S	25	25	50	1.0	7	C	9.19	FCD
32	4PS16CV022	DEEPAK J		44	38	82	4.0	9	A	39	23	62	4.0	8	B	32	30	62	4.0	8	B	31	35	66	4.0	8	B	41	31	72	3.0	8	B	34	37	71	3.0	8	B	44	32	76	1.5	9	A	48	46	94	1.5	10	S	29	25	54	1.0	7	C	8.35	FCD
33	4PS16CV024	DHARSHITH SAGAR M D		36	26	62	4.0	8	B	27	23	50	4.0	7	C	38	26	64	4.0	8	B	35	29	64	4.0	8	B	37	24	61	3.0	8	B	25	25	50	3.0	7	C	44	35	79	1.5	9	A	40	25	65	1.5	8	B	25	21	46	1.0	5	D	7.76	FCD
34	4PS16CV026	DHRUVAKUMAR N T		40	29	69	4.0	8	B	32	20	52	4.0	7	C	28	24	52	4.0	7	C	29	28	57	4.0	7	C	43	28	71	3.0	8	B	31	31	62	3.0	8	B	46	37	83	1.5	9	A	46	45	91	1.5	10	S	25	27	52	1.0	7	C	7.76	FCD
35	4PS16CV027	DIVYA B N		46	44	90	4.0	10	S	44	33	77	4.0	9	A	45	29	74	4.0	8	B	39	33	72	4.0	8	B	46	39	85	3.0	9	A	45	44	89	3.0	9	A	48	38	86	1.5	9	A	48	46	94	1.5	10	S	25	25	50	1.0	7	C	8.87	FCD
36	4PS16CV028	DIVYA M		43	34	77	4.0	9	A	29	32	61	4.0	8	B	36	24	60	4.0	8	B	34	40	74	4.0	8	B	48	27	75	3.0	9	A	35	36	71	3.0	8	B	44	46	90	1.5	10	S	47	40	87	1.5	9	A	25	21	46	1.0	5	D	8.39	FCD
37	4PS16CV032	GAGANA P		47	31	78	4.0	9	A	47	34	81	4.0	9	A	41	29	70	4.0	8	B	41	29	70	4.0	8	B	45	29	74	3.0	8	B	39	35	74	3.0	8	B	44	38	82	1.5	9	A	48	48	96	1.5	10	S	25	25	50	1.0	7	C	8.46	FCD
38	4PS16CV033	GOWTHAM S		47	41	88	4.0	9	A	41	38	79	4.0	9	A	43	35	78	4.0	9	A	38	42	80	4.0	9	A	47	45	92	3.0	10	S	38	44	82	3.0	9	A	47	42	89	1.5	9	A	47	44	91	1.5	10	S	25	26	51	1.0	7	C	9.09	FCD
39	4PS16CV034	GRACE LALREMDIKI SAILO		46	46	92	4.0	10	S	46	41	87	4.0	9	A	48	40	88	4.0	9	A	43	42	85	4.0	9	A	50	45	95	3.0	10	S	37	47	84	3.0	9	A	45	45	90	1.5	10	S	49	40	89	1.5	9	A	32	38	70	1.0	8	B	9.24	FCD
40	4PS16CV035	GURULINGAPPA		43	42	85	4.0	9	A	45	40	85	4.0	9	A	44	32	76	4.0	9	A	43	33	76	4.0	9	A	46	36	82	3.0	9	A	40	32	72	3.0	8	B	45	38	83	1.5	9	A	46	40	86	1.5	9	A	25	24	49	1.0	5	D	8.74	FCD
41	4PS16CV036	GURURAJ M R		47	36	83	4.0	9	A	32	35	67	4.0	8	B	43	36	79	4.0	9	A	38	43	81	4.0	9	A	44	34	78	3.0	9	A	38	39	77	3.0	9	A	42	42	84	1.5	9	A	45	34	79	1.5	9	A	25	22	47	1.0	5	D	8.67	FCD

P15CV61 :- Waste Water Treatment

P15CV62 :- Applied Geotechnical Engineering

P15CV63 :- Irrigation Engineering

P15CV64 :- Transportation Engineering

P15CV652 :- Municipal Solid Waste Management

P15CV662 :- Design of Masonry Structures

P15CVL67 :- Geotechnical Engineering Lab


P15CVL68 :- Extensive Surveying

P15HU610 :- Aptitude and Reasoning Development - Expert (ARDE)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	P18 Scheme						
7.25	65		90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
7.75	70 (Distinction)		P15, P17 Scheme						
8.25	75		90 Above	89-75	74-60	59-50	49-46	45	Below 45

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
 * Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)
 X - CIE > 44 and SEE < 20



Dr. K. Narasimha Chary
 Controller of Examinations
 P.E.S. College of Engineering,
 Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2018-19 (June/July -19)

19-06-2019

CIVIL ENGINEERING

SL.No.	USN	NAME	144	P15CV61					P15CV62					P15CV63					P15CV64					P15CV652					P15CV662					P15CVL67					P15CVL68					P15HU610					SGPA	CLASS									
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR
42	4PS16CV037	HARSHITHA S		47	46	93	4.0	10	S	46	44	90	4.0	10	S	47	37	84	4.0	9	A	45	40	85	4.0	9	A	49	43	92	3.0	10	S	39	45	84	3.0	9	A	48	45	93	1.5	10	S	48	47	95	1.5	10	S	25	23	48	1.0	5	D	9.41	FCD
43	4PS16CV038	HEMALATHA N		47	45	92	4.0	10	S	48	46	94	4.0	10	S	48	45	93	4.0	10	S	46	45	91	4.0	10	S	47	43	90	3.0	10	S	45	46	91	3.0	10	S	48	41	89	1.5	9	A	48	45	93	1.5	10	S	25	20	45	1.0	4	E	9.72	FCD
44	4PS16CV039	INCHARA K N		39	36	75	4.0	9	A	33	29	62	4.0	8	B	37	38	75	4.0	9	A	37	40	77	4.0	9	A	42	34	76	3.0	9	A	35	31	66	3.0	8	B	44	40	84	1.5	9	A	47	42	89	1.5	9	A	25	29	54	1.0	7	C	8.67	FCD
45	4PS16CV040	IREEN JOSE		42	43	85	4.0	9	A	46	40	86	4.0	9	A	49	31	80	4.0	9	A	42	35	77	4.0	9	A	47	40	87	3.0	9	A	43	36	79	3.0	9	A	47	45	92	1.5	10	S	48	35	83	1.5	9	A	30	31	61	1.0	8	B	9.06	FCD
46	4PS16CV041	ISRAEL T ROCHANLIANA		40	38	78	4.0	9	A	37	29	66	4.0	8	B	46	30	76	4.0	9	A	38	33	71	4.0	8	B	40	35	75	3.0	9	A	29	31	60	3.0	8	B	42	40	82	1.5	9	A	41	37	78	1.5	9	A	31	36	67	1.0	8	B	8.52	FCD
47	4PS16CV042	KAVANA B S		41	39	80	4.0	9	A	47	40	87	4.0	9	A	44	39	83	4.0	9	A	41	42	83	4.0	9	A	44	37	81	3.0	9	A	45	42	87	3.0	9	A	49	42	91	1.5	10	S	48	35	83	1.5	9	A	25	21	46	1.0	5	D	8.57	FL
48	4PS16CV043	KIRAN PATEL M		43	37	80	4.0	9	A	32	35	67	4.0	8	B	44	29	73	4.0	8	B	34	34	68	4.0	8	B	43	30	73	3.0	8	B	33	31	64	3.0	8	B	44	30	74	1.5	8	B	45	25	70	1.5	8	B	25	23	48	1.0	5	D	8.00	FCD
49	4PS16CV044	KISHORE S		28	24	52	4.0	7	C	27	9	36	0.0	0	F	19	111	19	0.0	0	N	16	111	16	0.0	0	N	30	14	44	0.0	0	F	25	14	39	0.0	0	F	25	28	53	1.5	7	C	40	25	65	1.5	8	B	25	20	45	1.0	4	E	2.35	FL
50	4PS16CV045	KUSHAL T		38	31	69	4.0	8	B	31	20	51	4.0	7	C	28	27	55	4.0	7	C	25	23	48	4.0	5	D	40	24	64	3.0	8	B	26	26	52	3.0	7	C	0	111	0	0.0	0	N	41	30	71	1.5	8	B	25	21	46	1.0	5	D	6.63	FL
51	4PS16CV046	LALSANGMAWA		42	39	81	4.0	9	A	34	32	66	4.0	8	B	45	36	81	4.0	9	A	32	33	65	4.0	8	B	46	42	88	3.0	9	A	33	36	69	3.0	8	B	45	40	85	1.5	9	A	44	40	84	1.5	9	A	25	29	54	1.0	7	C	8.56	FCD
52	4PS16CV047	LEPAKSHI S KUMAR		44	39	83	4.0	9	A	34	26	60	4.0	8	B	31	37	68	4.0	8	B	36	45	81	4.0	9	A	43	43	86	3.0	9	A	41	42	83	3.0	9	A	43	38	81	1.5	9	A	48	38	86	1.5	9	A	28	28	56	1.0	7	C	8.67	FCD
53	4PS16CV048	MADANKUMAR C B		41	39	80	4.0	9	A	29	29	58	4.0	7	C	31	34	65	4.0	8	B	32	42	74	4.0	8	B	37	35	72	3.0	8	B	34	35	69	3.0	8	B	42	40	82	1.5	9	A	47	30	77	1.5	9	A	25	14	39	0.0	0	F	7.89	FL
54	4PS16CV049	MAHADEVAPRASAD H S		48	46	94	4.0	10	S	45	47	92	4.0	10	S	48	46	94	4.0	10	S	44	44	88	4.0	9	A	47	42	89	3.0	9	A	46	47	93	3.0	10	S	46	40	86	1.5	9	A	48	45	93	1.5	10	S	25	28	53	1.0	7	C	9.57	FCD
55	4PS16CV050	MALSAWMZUALI		47	37	84	4.0	9	A	41	36	77	4.0	9	A	37	40	77	4.0	9	A	40	40	80	4.0	9	A	40	43	83	3.0	9	A	43	35	78	3.0	9	A	45	42	87	1.5	9	A	48	43	91	1.5	10	S	25	26	51	1.0	7	C	9.02	FCD
56	4PS16CV052	MANASA M S		42	35	77	4.0	9	A	45	29	74	4.0	8	B	49	24	73	4.0	8	B	46	40	86	4.0	9	A	46	40	86	3.0	9	A	40	41	81	3.0	9	A	48	42	90	1.5	10	S	46	35	81	1.5	9	A	28	25	53	1.0	7	C	8.72	FCD
57	4PS16CV053	MANI SHANKAR R		40	33	73	4.0	8	B	35	39	74	4.0	8	B	32	28	60	4.0	8	B	26	32	58	4.0	7	C	45	35	80	3.0	9	A	30	35	65	3.0	8	B	45	42	87	1.5	9	A	46	43	89	1.5	9	A	27	32	59	1.0	7	C	8.11	FCD
58	4PS16CV054	MANOJ KUMAR C M		46	32	78	4.0	9	A	32	27	59	4.0	7	C	33	31	64	4.0	8	B	33	38	71	4.0	8	B	41	33	74	3.0	8	B	40	41	81	3.0	9	A	40	40	80	1.5	9	A	45	35	80	1.5	9	A	25	23	48	1.0	5	D	8.11	FCD
59	4PS16CV055	MANUSHREE H S		47	42	89	4.0	9	A	35	23	58	4.0	7	C	33	37	70	4.0	8	B	32	41	73	4.0	8	B	46	40	86	3.0	9	A	47	44	91	3.0	10	S	45	45	90	1.5	10	S	48	45	93	1.5	10	S	25	22	47	1.0	5	D	8.52	FCD
60	4PS16CV057	M MEGHA		48	42	90	4.0	10	S	46	39	85	4.0	9	A	46	38	84	4.0	9	A	44	37	81	4.0	9	A	47	40	87	3.0	9	A	41	44	85	3.0	9	A	45	43	88	1.5	9	A	48	45	93	1.5	10	S	25	20	45	1.0	4	E	9.06	FCD
61	4PS16CV058	MOHAMMAD FAKRUDDIN I		42	32	74	4.0	8	B	38	31	69	4.0	8	B	27	26	53	4.0	7	C	29	32	61	4.0	8	B	42	31	73	3.0	8	B	35	37	72	3.0	8	B	45	40	85	1.5	9	A	41	46	87	1.5	9	A	25	21	46	1.0	5	D	7.89	FCD
62	4PS16CV059	MOHAMMED SAKHIB		39	36	75	4.0	9	A	29	26	55	4.0	7	C	33	27	60	4.0	8	B	37	40	77	4.0	9	A	41	38	79	3.0	9	A	33	41	74	3.0	8	B	42	38	80	1.5	9	A	42	34	76	1.5	9	A	25	25	50	1.0	7	C	8.33	FCD

P15CV61 :- Waste Water Treatment

P15CV62 :- Applied Geotechnical Engineering

P15CV63 :- Irrigation Engineering

P15CV64 :- Transportation Engineering

P15CV652 :- Municipal Solid Waste Management

P15CV662 :- Design of Masonry Structures

P15CVL67 :- Geotechnical Engineering Lab


P15CVL68 :- Extensive Surveying

P15HU610 :- Aptitude and Reasoning Development - Expert (ARDE)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail	
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F	
6.25	55	Grade Points	10	09	08	07	05	04	00	
6.75	60 (First Class)	Raw Score	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
7.25	65		P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)									
8.25	75									

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance
 G - Satisfactory CIE and Attendance but Absent for SEE without Permission
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
 * Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)
 X - CIE > 44 and SEE < 20



Dr. K. Narasimha Chary
 Controller of Examinations
 P.E.S. College of Engineering,
 Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2018-19 (June/July -19)

19-06-2019

CIVIL ENGINEERING

SL.No.	USN	NAME	144	P15CV61			P15CV62			P15CV63			P15CV64			P15CV652			P15CV662			P15CVL67			P15CVL68			P15HU610			SGPA	CLASS																											
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR																		
63	4PS16CV060	MOHAMMED UMMER		43	38	81	4.0	9	A	30	22	52	4.0	7	C	34	26	60	4.0	8	B	37	42	79	4.0	9	A	43	38	81	3.0	9	A	41	40	81	3.0	9	A	42	41	83	1.5	9	A	42	44	86	1.5	9	A	29	23	52	1.0	7	C	8.48	FCD
64	4PS16CV061	MONICA M		43	30	73	4.0	8	B	35	31	66	4.0	8	B	37	23	60	4.0	8	B	33	30	63	4.0	8	B	45	37	82	3.0	9	A	34	44	78	3.0	9	A	45	43	88	1.5	9	A	47	45	92	1.5	10	S	25	23	48	1.0	5	D	8.35	FCD
65	4PS16CV064	NAGARJUN S GOWDA		47	40	87	4.0	9	A	38	38	76	4.0	9	A	40	35	75	4.0	9	A	44	48	92	4.0	10	S	44	44	88	3.0	9	A	43	41	84	3.0	9	A	45	40	85	1.5	9	A	48	44	92	1.5	10	S	27	31	58	1.0	7	C	9.17	FCD
66	4PS16CV065	NAMITHA S GOWDA		45	39	84	4.0	9	A	41	41	82	4.0	9	A	40	28	68	4.0	8	B	32	35	67	4.0	8	B	47	43	90	3.0	10	S	39	35	74	3.0	8	B	45	45	90	1.5	10	S	48	46	94	1.5	10	S	25	32	57	1.0	7	C	8.78	FCD
67	4PS16CV066	NIKHIL N D		47	34	81	4.0	9	A	42	35	77	4.0	9	A	44	38	82	4.0	9	A	45	31	76	4.0	9	A	45	42	87	3.0	9	A	40	29	69	3.0	8	B	48	41	89	1.5	9	A	49	46	95	1.5	10	S	33	34	67	1.0	8	B	8.94	FCD
68	4PS16CV067	NISCHITHA M		47	42	89	4.0	9	A	47	39	86	4.0	9	A	49	36	85	4.0	9	A	45	38	83	4.0	9	A	47	41	88	3.0	9	A	42	39	81	3.0	9	A	49	49	98	1.5	10	S	48	47	95	1.5	10	S	32	33	65	1.0	8	B	9.11	FCD
69	4PS16CV068	NIVEDITHA R		42	37	79	4.0	9	A	41	38	79	4.0	9	A	37	38	75	4.0	9	A	36	42	78	4.0	9	A	43	41	84	3.0	9	A	43	44	87	3.0	9	A	46	45	91	1.5	10	S	46	41	87	1.5	9	A	25	21	46	1.0	5	D	8.87	FCD
70	4PS16CV069	PADMANABHA RAO B		44	38	82	4.0	9	A	33	21	54	4.0	7	C	34	28	62	4.0	8	B	37	42	79	4.0	9	A	43	36	79	3.0	9	A	35	35	70	3.0	8	B	46	41	87	1.5	9	A	45	42	87	1.5	9	A	27	29	56	1.0	7	C	8.41	FCD
71	4PS16CV070	PALLAVI M S		46	36	82	4.0	9	A	43	32	75	4.0	9	A	41	39	80	4.0	9	A	36	43	79	4.0	9	A	44	38	82	3.0	9	A	43	44	87	3.0	9	A	44	43	87	1.5	9	A	48	45	93	1.5	10	S	25	29	54	1.0	7	C	9.02	FCD
72	4PS16CV071	PAVANASHREE Y H		40	39	79	4.0	9	A	39	43	82	4.0	9	A	48	34	82	4.0	9	A	42	41	83	4.0	9	A	44	43	87	3.0	9	A	45	33	78	3.0	9	A	47	43	90	1.5	10	S	45	44	89	1.5	9	A	25	16	41	0.0	0	F	8.76	FL
73	4PS16CV073	POOJA R R		45	38	83	4.0	9	A	39	33	72	4.0	8	B	40	41	81	4.0	9	A	46	45	91	4.0	10	S	46	39	85	3.0	9	A	47	43	90	3.0	10	S	49	47	96	1.5	10	S	48	45	93	1.5	10	S	25	21	46	1.0	5	D	9.11	FCD
74	4PS16CV074	PRAMOD NAYAK K S		40	37	77	4.0	9	A	41	43	84	4.0	9	A	41	35	76	4.0	9	A	28	34	62	4.0	8	B	44	34	78	3.0	9	A	40	36	76	3.0	9	A	45	45	90	1.5	10	S	47	45	92	1.5	10	S	25	24	49	1.0	5	D	8.78	FCD
75	4PS16CV075	PRAMUKH K P		31	31	62	4.0	8	B	33	28	61	4.0	8	B	33	21	54	4.0	7	C	27	34	61	4.0	8	B	37	43	80	3.0	9	A	33	32	65	3.0	8	B	45	38	83	1.5	9	A	43	42	85	1.5	9	A	25	27	52	1.0	7	C	8.07	FCD
76	4PS16CV076	PRASHANTH B M		46	43	89	4.0	9	A	43	38	81	4.0	9	A	48	34	82	4.0	9	A	42	41	83	4.0	9	A	42	32	74	3.0	8	B	35	35	70	3.0	8	B	46	44	90	1.5	10	S	46	46	92	1.5	10	S	25	30	55	1.0	7	C	8.85	FCD
77	4PS16CV077	PRASHANTH S		36	38	74	4.0	8	B	43	23	66	4.0	8	B	36	32	68	4.0	8	B	34	37	71	4.0	8	B	41	33	74	3.0	8	B	31	38	69	3.0	8	B	46	37	83	1.5	9	A	40	45	85	1.5	9	A	25	26	51	1.0	7	C	8.11	FCD
78	4PS16CV080	PRUTHVI R		46	35	81	4.0	9	A	35	43	78	4.0	9	A	42	41	83	4.0	9	A	43	46	89	4.0	9	A	43	41	84	3.0	9	A	45	43	88	3.0	9	A	47	45	92	1.5	10	S	47	44	91	1.5	10	S	25	20	45	1.0	4	E	8.96	FCD
79	4PS16CV082	R LALTLANKIMA		40	36	76	4.0	9	A	39	28	67	4.0	8	B	37	27	64	4.0	8	B	34	35	69	4.0	8	B	44	32	76	3.0	9	A	31	30	61	3.0	8	B	42	25	67	1.5	8	B	48	37	85	1.5	9	A	25	29	54	1.0	7	C	8.28	FCD
80	4PS16CV083	RAJASHEKHARA MURTHY		41	48	89	4.0	9	A	43	43	86	4.0	9	A	43	40	83	4.0	9	A	44	42	86	4.0	9	A	45	45	90	3.0	10	S	34	35	69	3.0	8	B	44	42	86	1.5	9	A	46	46	92	1.5	10	S	25	23	48	1.0	5	D	8.91	FCD
81	4PS16CV084	RAJESHWARI		40	39	79	4.0	9	A	44	27	71	4.0	8	B	37	28	65	4.0	8	B	34	39	73	4.0	8	B	41	38	79	3.0	9	A	35	20	55	3.0	7	C	46	39	85	1.5	9	A	46	44	90	1.5	10	S	25	20	45	1.0	4	E	8.24	FCD
82	4PS16CV087	RAKSHITHA R		41	29	70	4.0	8	B	41	32	73	4.0	8	B	47	30	77	4.0	9	A	40	39	79	4.0	9	A	40	41	81	3.0	9	A	41	31	72	3.0	8	B	48	43	91	1.5	10	S	45	41	86	1.5	9	A	29	27	56	1.0	7	C	8.54	FCD
83	4PS16CV088	RAMYA N		41	28	69	4.0	8	B	33	31	64	4.0	8	B	33	35	68	4.0	8	B	30	35	65	4.0	8	B	42	39	81	3.0	9	A	40	31	71	3.0	8	B	44	45	89	1.5	9	A	45	45	90	1.5	10	S	25	22	47	1.0	5	D	8.24	FCD

P15CV61 :- Waste Water Treatment

P15CV62 :- Applied Geotechnical Engineering

P15CV63 :- Irrigation Engineering

P15CV64 :- Transportation Engineering

P15CV652 :- Municipal Solid Waste Management

P15CV662 :- Design of Masonry Structures

P15CVL67 :- Geotechnical Engineering Lab

P15CVL68 :- Extensive Surveying

P15HU610 :- Aptitude and Reasoning Development - Expert (ARDE)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail	
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F	
6.25	55	Grade Points	10	09	08	07	05	04	00	
6.75	60 (First Class)	Raw Score	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
7.25	65		P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)									
8.25	75									

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance
G - Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)
X - CIE > 44 and SEE < 20

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2018-19 (June/July -19)

19-06-2019

CIVIL ENGINEERING

SL.No.	USN	NAME	144	P15CV61			P15CV62			P15CV63			P15CV64			P15CV652			P15CV662			P15CVL67			P15CVL68			P15HU610			SGPA	CLASS																											
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR																				
84	4PS16CV089	RANJINI M P		47	38	85	4.0	9	A	37	41	78	4.0	9	A	40	46	86	4.0	9	A	45	45	90	4.0	10	S	45	45	90	3.0	10	S	44	43	87	3.0	9	A	47	48	95	1.5	10	S	48	45	93	1.5	10	S	25	26	51	1.0	7	C	9.30	FCD
85	4PS16CV090	RASHMI C V		45	27	72	4.0	8	B	36	36	72	4.0	8	B	30	31	61	4.0	8	B	36	38	74	4.0	8	B	42	33	75	3.0	9	A	36	33	69	3.0	8	B	47	41	88	1.5	9	A	45	41	86	1.5	9	A	25	25	50	1.0	7	C	8.26	FCD
86	4PS16CV091	RAVISHANKAR K		47	41	88	4.0	9	A	44	38	82	4.0	9	A	45	37	82	4.0	9	A	44	40	84	4.0	9	A	49	42	91	3.0	10	S	46	44	90	3.0	10	S	48	46	94	1.5	10	S	48	40	88	1.5	9	A	25	16	41	0.0	0	F	8.98	FL
87	4PS16CV092	ROHAN DINESH		42	36	78	4.0	9	A	35	43	78	4.0	9	A	36	28	64	4.0	8	B	34	34	68	4.0	8	B	40	36	76	3.0	9	A	44	35	79	3.0	9	A	46	40	86	1.5	9	A	46	40	86	1.5	9	A	25	30	55	1.0	7	C	8.67	FCD
88	4PS16CV093	ROHANRAJ G		47	36	83	4.0	9	A	45	24	69	4.0	8	B	48	27	75	4.0	9	A	44	39	83	4.0	9	A	45	37	82	3.0	9	A	41	27	68	3.0	8	B	46	40	86	1.5	9	A	46	40	86	1.5	9	A	25	27	52	1.0	7	C	8.70	FCD
89	4PS16CV094	ROHITH G		37	25	62	4.0	8	B	37	25	62	4.0	8	B	41	20	61	4.0	8	B	39	32	71	4.0	8	B	42	29	71	3.0	8	B	30	29	59	3.0	7	C	45	35	80	1.5	9	A	45	40	85	1.5	9	A	25	15	40	0.0	0	F	7.70	FL
90	4PS16CV095	SAGAR P M		41	39	80	4.0	9	A	37	28	65	4.0	8	B	33	29	62	4.0	8	B	28	39	67	4.0	8	B	44	33	77	3.0	9	A	25	30	55	3.0	7	C	43	28	71	1.5	8	B	35	25	60	1.5	8	B	25	27	52	1.0	7	C	8.15	FCD
91	4PS16CV096	SAHITHYA D C		42	45	87	4.0	9	A	46	43	89	4.0	9	A	49	37	86	4.0	9	A	44	43	87	4.0	9	A	46	43	89	3.0	9	A	45	31	76	3.0	9	A	49	48	97	1.5	10	S	48	48	96	1.5	10	S	25	29	54	1.0	7	C	9.07	FCD
92	4PS16CV097	SAIRA		47	46	93	4.0	10	S	43	42	85	4.0	9	A	47	44	91	4.0	10	S	46	47	93	4.0	10	S	49	40	89	3.0	9	A	40	37	77	3.0	9	A	48	45	93	1.5	10	S	48	47	95	1.5	10	S	25	26	51	1.0	7	C	9.52	FCD
93	4PS16CV100	SANTHOSH KUMAR T N		45	37	82	4.0	9	A	45	37	82	4.0	9	A	48	33	81	4.0	9	A	46	42	88	4.0	9	A	46	46	92	3.0	10	S	41	34	75	3.0	9	A	47	25	72	1.5	8	B	46	43	89	1.5	9	A	25	26	51	1.0	7	C	8.94	FCD
94	4PS16CV101	SANTOSH		30	33	63	4.0	8	B	36	29	65	4.0	8	B	32	26	58	4.0	7	C	32	35	67	4.0	8	B	39	32	71	3.0	8	B	31	20	51	3.0	7	C	41	25	66	1.5	8	B	35	25	60	1.5	8	B	25	21	46	1.0	5	D	7.59	FC
95	4PS16CV102	SHALINI C		44	31	75	4.0	9	A	40	37	77	4.0	9	A	48	31	79	4.0	9	A	42	36	78	4.0	9	A	46	39	85	3.0	9	A	41	32	73	3.0	8	B	49	43	92	1.5	10	S	46	38	84	1.5	9	A	25	23	48	1.0	5	D	8.83	FCD
96	4PS16CV103	SHASHANK S		47	33	80	4.0	9	A	40	44	84	4.0	9	A	34	37	71	4.0	8	B	41	46	87	4.0	9	A	46	41	87	3.0	9	A	42	33	75	3.0	9	A	46	43	89	1.5	9	A	45	45	90	1.5	10	S	25	23	48	1.0	5	D	8.80	FCD
97	4PS16CV104	M SHUBHA		40	32	72	4.0	8	B	37	27	64	4.0	8	B	42	27	69	4.0	8	B	32	37	69	4.0	8	B	43	34	77	3.0	9	A	31	29	60	3.0	8	B	48	42	90	1.5	10	S	47	42	89	1.5	9	A	42	20	62	1.0	8	B	8.35	FCD
98	4PS16CV105	SINDHU G S		47	43	90	4.0	10	S	41	35	76	4.0	9	A	45	41	86	4.0	9	A	44	40	84	4.0	9	A	49	41	90	3.0	10	S	42	37	79	3.0	9	A	49	44	93	1.5	10	S	48	48	96	1.5	10	S	25	23	48	1.0	5	D	9.26	FCD
99	4PS16CV106	SINDHU N		40	28	68	4.0	8	B	36	28	64	4.0	8	B	41	20	61	4.0	8	B	28	37	65	4.0	8	B	43	33	76	3.0	9	A	34	32	66	3.0	8	B	45	40	85	1.5	9	A	48	40	88	1.5	9	A	25	14	39	0.0	0	F	7.96	FL
100	4PS16CV107	SOMANATH K		33	38	71	4.0	8	B	32	35	67	4.0	8	B	35	23	58	4.0	7	C	25	45	70	4.0	8	B	40	32	72	3.0	8	B	28	29	57	3.0	7	C	40	25	65	1.5	8	B	45	38	83	1.5	9	A	25	24	49	1.0	5	D	7.72	FC
101	4PS16CV108	B G SOWBHAGYA LAKSHM		44	34	78	4.0	9	A	46	36	82	4.0	9	A	44	35	79	4.0	9	A	43	35	78	4.0	9	A	46	35	81	3.0	9	A	45	29	74	3.0	8	B	48	30	78	1.5	9	A	48	41	89	1.5	9	A	27	29	56	1.0	7	C	8.85	FCD
102	4PS16CV109	SOWJANYA S V		36	31	67	4.0	8	B	45	30	75	4.0	9	A	44	27	71	4.0	8	B	43	37	80	4.0	9	A	43	40	83	3.0	9	A	36	30	66	3.0	8	B	47	40	87	1.5	9	A	46	43	89	1.5	9	A	30	28	58	1.0	7	C	8.52	FCD
103	4PS16CV110	SUHAS N		42	38	80	4.0	9	A	40	35	75	4.0	9	A	40	35	75	4.0	9	A	35	43	78	4.0	9	A	48	33	81	3.0	9	A	39	36	75	3.0	9	A	41	47	88	1.5	9	A	48	45	93	1.5	10	S	28	33	61	1.0	8	B	8.98	FCD
104	4PS16CV111	SUJAN S		35	26	61	4.0	8	B	32	22	54	4.0	7	C	31	20	51	4.0	7	C	25	28	53	4.0	7	C	39	26	65	3.0	8	B	26	20	46	3.0	5	D	35	28	63	1.5	8	B	45	28	73	1.5	8	B	25	20	45	1.0	4	E	7.11	FC

P15CV61 : - Waste Water Treatment

P15CV62 : - Applied Geotechnical Engineering

P15CV63 : - Irrigation Engineering

P15CV64 : - Transportation Engineering

P15CV652 : - Municipal Solid Waste Management

P15CV662 : - Design of Masonry Structures

P15CVL67 : - Geotechnical Engineering Lab

P15CVL68 : - Extensive Surveying

P15HU610 : - Aptitude and Reasoning Development - Expert (ARDE)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
7.25	65	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)	Raw Score							
8.25	75								

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
 * Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)
 X - CIE > 44 and SEE < 20

Dr. K. Narasimha Chary
 Controller of Examinations
 P.E.S. College of Engineering,
 Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2018-19 (June/July -19)

19-06-2019

CIVIL ENGINEERING

SL.No.	USN	NAME	144	P15CV61				P15CV62				P15CV63				P15CV64				P15CV652				P15CV662				P15CVL67				P15CVL68				P15HU610				SGPA	CLASS																		
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR			C	S	T	CR	GP	GR												
105	4PS16CV113	TEJAS G S		43	26	69	4.0	8	B	31	22	53	4.0	7	C	35	26	61	4.0	8	B	27	32	59	4.0	7	C	43	40	83	3.0	9	A	43	27	70	3.0	8	B	47	111	47	0.0	0	G	44	35	79	1.5	9	A	25	27	52	1.0	7	C	7.46	FL
106	4PS16CV114	TEJAS M C		45	46	91	4.0	10	S	47	36	83	4.0	9	A	49	34	83	4.0	9	A	47	44	91	4.0	10	S	47	44	91	3.0	10	S	41	37	78	3.0	9	A	48	47	95	1.5	10	S	47	36	83	1.5	9	A	25	25	50	1.0	7	C	9.35	FCD
107	4PS16CV115	TEJASWINI M V		39	45	84	4.0	9	A	44	33	77	4.0	9	A	46	32	78	4.0	9	A	32	40	72	4.0	8	B	46	38	84	3.0	9	A	34	31	65	3.0	8	B	44	45	89	1.5	9	A	46	43	89	1.5	9	A	25	23	48	1.0	5	D	8.63	FCD
108	4PS16CV116	TEJASWINI R		45	44	89	4.0	9	A	43	39	82	4.0	9	A	47	35	82	4.0	9	A	41	46	87	4.0	9	A	49	48	97	3.0	10	S	37	31	68	3.0	8	B	44	48	92	1.5	10	S	47	42	89	1.5	9	A	25	29	54	1.0	7	C	8.98	FCD
109	4PS16CV118	THEJESH K N		48	44	92	4.0	10	S	43	35	78	4.0	9	A	42	36	78	4.0	9	A	42	47	89	4.0	9	A	44	42	86	3.0	9	A	41	26	67	3.0	8	B	45	46	91	1.5	10	S	48	43	91	1.5	10	S	25	28	53	1.0	7	C	9.07	FCD
110	4PS16CV119	UDAYAKUMAR		37	30	67	4.0	8	B	42	33	75	4.0	9	A	48	26	74	4.0	8	B	36	34	70	4.0	8	B	44	39	83	3.0	9	A	36	39	75	3.0	9	A	42	40	82	1.5	9	A	44	30	74	1.5	8	B	25	22	47	1.0	5	D	8.35	FCD
111	4PS16CV120	ULLAS M		46	31	77	4.0	9	A	38	37	75	4.0	9	A	34	44	78	4.0	9	A	40	46	86	4.0	9	A	43	37	80	3.0	9	A	48	39	87	3.0	9	A	50	45	95	1.5	10	S	49	45	94	1.5	10	S	25	24	49	1.0	5	D	9.00	FCD
112	4PS16CV121	VANLALTHUPIJA		40	35	75	4.0	9	A	40	30	70	4.0	8	B	42	32	74	4.0	8	B	43	42	85	4.0	9	A	41	40	81	3.0	9	A	34	33	67	3.0	8	B	47	20	67	1.5	8	B	40	26	66	1.5	8	B	25	25	50	1.0	7	C	8.37	FCD
113	4PS16CV122	VARUN L B		40	26	66	4.0	8	B	19	111	19	0.0	0	N	25	25	50	4.0	7	C	15	111	15	0.0	0	N	37	33	70	3.0	8	B	31	22	53	3.0	7	C	35	20	55	1.5	7	C	43	25	68	1.5	8	B	25	26	51	1.0	7	C	5.28	FL
114	4PS16CV123	VIGNESH R		45	30	75	4.0	9	A	44	31	75	4.0	9	A	39	20	59	4.0	7	C	40	32	72	4.0	8	B	46	27	73	3.0	8	B	30	31	61	3.0	8	B	45	25	70	1.5	8	B	45	35	80	1.5	9	A	25	22	47	1.0	5	D	8.17	FCD
115	4PS16CV124	VILAS R		43	44	87	4.0	9	A	37	33	70	4.0	8	B	42	28	70	4.0	8	B	41	38	79	4.0	9	A	47	37	84	3.0	9	A	31	34	65	3.0	8	B	42	30	72	1.5	8	B	45	43	88	1.5	9	A	25	24	49	1.0	5	D	8.35	FCD
116	4PS16CV125	VINAY KUMAR A L		46	36	82	4.0	9	A	40	33	73	4.0	8	B	36	36	72	4.0	8	B	38	44	82	4.0	9	A	43	47	90	3.0	10	S	34	39	73	3.0	8	B	49	30	79	1.5	9	A	45	43	88	1.5	9	A	25	27	52	1.0	7	C	8.59	FCD
117	4PS16CV126	VISHAL DEV D		29	23	52	4.0	7	C	27	111	27	0.0	0	G	25	11	36	0.0	0	F	14	111	14	0.0	0	N	34	29	63	3.0	8	B	25	12	37	0.0	0	F	18	111	18	0.0	0	N	35	21	56	1.5	7	C	25	15	40	0.0	0	F	2.61	FL
118	4PS16CV127	YAMUNA M L		44	43	87	4.0	9	A	43	39	82	4.0	9	A	50	33	83	4.0	9	A	44	37	81	4.0	9	A	44	36	80	3.0	9	A	45	34	79	3.0	9	A	48	43	91	1.5	10	S	48	42	90	1.5	10	S	25	21	46	1.0	5	D	9.00	FCD
119	4PS16CV129	RAHUL V		43	44	87	4.0	9	A	41	38	79	4.0	9	A	44	40	84	4.0	9	A	37	46	83	4.0	9	A	45	44	89	3.0	9	A	37	30	67	3.0	8	B	41	42	83	1.5	9	A	49	45	94	1.5	10	S	25	29	54	1.0	7	C	8.91	FCD
120	4PS17CV400	AMAR		43	35	78	4.0	9	A	31	38	69	4.0	8	B	34	30	64	4.0	8	B	35	37	72	4.0	8	B	39	24	63	3.0	8	B	38	32	70	3.0	8	B	44	37	81	1.5	9	A	48	45	93	1.5	10	S	25	21	46	1.0	5	D	8.24	FCD
121	4PS17CV401	DEVARAJU P S		43	41	84	4.0	9	A	41	33	74	4.0	8	B	37	34	71	4.0	8	B	42	40	82	4.0	9	A	40	44	84	3.0	9	A	41	31	72	3.0	8	B	47	38	85	1.5	9	A	49	48	97	1.5	10	S	25	20	45	1.0	4	E	8.46	FCD
122	4PS17CV402	GEETHANJALI D K		42	36	78	4.0	9	A	37	37	74	4.0	8	B	34	34	68	4.0	8	B	39	42	81	4.0	9	A	43	32	75	3.0	9	A	40	46	86	3.0	9	A	44	40	84	1.5	9	A	48	45	93	1.5	10	S	25	21	46	1.0	5	D	8.65	FCD
123	4PS17CV403	GNANESHKUMAR M S		47	34	81	4.0	9	A	36	33	69	4.0	8	B	37	36	73	4.0	8	B	44	43	87	4.0	9	A	43	38	81	3.0	9	A	42	44	86	3.0	9	A	44	42	86	1.5	9	A	49	46	95	1.5	10	S	25	23	48	1.0	5	D	8.65	FCD
124	4PS17CV404	GOVINDARAJU B V		44	39	83	4.0	9	A	43	36	79	4.0	9	A	48	36	84	4.0	9	A	45	45	90	4.0	10	S	43	40	83	3.0	9	A	41	37	78	3.0	9	A	43	30	73	1.5	8	B	49	46	95	1.5	10	S	25	20	45	1.0	4	E	8.96	FCD
125	4PS17CV405	KAVYASHREE N		47	39	86	4.0	9	A	40	39	79	4.0	9	A	45	33	78	4.0	9	A	41	45	86	4.0	9	A	45	27	72	3.0	8	B	40	39	79	3.0	9	A	46	42	88	1.5	9	A	49	45	94	1.5	10	S	25	23	48	1.0	5	D	8.83	FCD


P15CV61 :- Waste Water Treatment
 P15CV62 :- Applied Geotechnical Engineering
 P15CV63 :- Irrigation Engineering
 P15CV64 :- Transportation Engineering
 P15CV652 :- Municipal Solid Waste Management

P15CV662 :- Design of Masonry Structures
 P15CVL67 :- Geotechnical Engineering Lab
 P15CVL68 :- Extensive Surveying
 P15HU610 :- Aptitude and Reasoning Development - Expert (ARDE)

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
 * Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)
 X - CIE > 44 and SEE < 20

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Raw Score	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40	
P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45	



Dr. K. Narasimha Chary
 Controller of Examinations
 P.E.S. College of Engineering,
 Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2018-19 (June/July -19)

19-06-2019

CIVIL ENGINEERING

SL.No.	USN	NAME	144	P15CV61				P15CV62				P15CV63				P15CV64				P15CV652				P15CV662				P15CVL67				P15CVL68				P15HU610				SGPA	CLASS																		
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR			C	S	T	CR	GP	GR												
126	4PS17CV406	KUSUMA K		46	33	79	4.0	9	A	32	32	64	4.0	8	B	33	36	69	4.0	8	B	36	47	83	4.0	9	A	43	33	76	3.0	9	A	37	44	81	3.0	9	A	45	32	77	1.5	9	A	48	46	94	1.5	10	S	25	9	34	0.0	0	F	8.43	FL
127	4PS17CV407	MAHAMADMUJAKEER		37	41	78	4.0	9	A	37	30	67	4.0	8	B	36	40	76	4.0	9	A	38	40	78	4.0	9	A	43	40	83	3.0	9	A	37	32	69	3.0	8	B	44	30	74	1.5	8	B	48	45	93	1.5	10	S	25	21	46	1.0	5	D	8.56	FCD
128	4PS17CV408	MANOHAR Y M		41	41	82	4.0	9	A	41	36	77	4.0	9	A	44	36	80	4.0	9	A	32	36	68	4.0	8	B	43	31	74	3.0	8	B	40	28	68	3.0	8	B	45	15	60	0.0	0	F	48	45	93	1.5	10	S	25	29	54	1.0	7	C	8.15	FL
129	4PS17CV409	MANOJ V		46	29	75	4.0	9	A	26	27	53	4.0	7	C	33	30	63	4.0	8	B	40	48	88	4.0	9	A	39	22	61	3.0	8	B	37	35	72	3.0	8	B	42	36	78	1.5	9	A	48	45	93	1.5	10	S	25	21	46	1.0	5	D	8.20	FCD
130	4PS17CV410	MANOJKUMARA C V		46	48	94	4.0	10	S	39	38	77	4.0	9	A	48	40	88	4.0	9	A	48	45	93	4.0	10	S	47	41	88	3.0	9	A	43	38	81	3.0	9	A	48	42	90	1.5	10	S	49	47	96	1.5	10	S	27	21	48	1.0	5	D	9.26	FCD
131	4PS17CV411	MENAKA TEKAPPA NAIK		44	42	86	4.0	9	A	45	36	81	4.0	9	A	45	39	84	4.0	9	A	39	42	81	4.0	9	A	47	43	90	3.0	10	S	44	42	86	3.0	9	A	45	40	85	1.5	9	A	49	47	96	1.5	10	S	25	20	45	1.0	4	E	8.98	FCD
132	4PS17CV413	NAVYASHREE		39	31	70	4.0	8	B	30	31	61	4.0	8	B	27	27	54	4.0	7	C	37	42	79	4.0	9	A	34	26	60	3.0	8	B	45	31	76	3.0	9	A	46	38	84	1.5	9	A	48	45	93	1.5	10	S	26	20	46	1.0	5	D	8.24	FCD
133	4PS17CV415	NISHANTH C J		45	41	86	4.0	9	A	41	39	80	4.0	9	A	41	43	84	4.0	9	A	43	47	90	4.0	10	S	47	41	88	3.0	9	A	46	41	87	3.0	9	A	50	40	90	1.5	10	S	48	44	92	1.5	10	S	25	14	39	0.0	0	F	8.96	FL
134	4PS17CV416	PRAJWAL D		40	29	69	4.0	8	B	43	36	79	4.0	9	A	43	32	75	4.0	9	A	45	38	83	4.0	9	A	41	38	79	3.0	9	A	34	26	60	3.0	8	B	47	43	90	1.5	10	S	48	45	93	1.5	10	S	25	20	45	1.0	4	E	8.70	FCD
135	4PS17CV417	PRAJWAL K		43	30	73	4.0	8	B	26	27	53	4.0	7	C	27	32	59	4.0	7	C	26	35	61	4.0	8	B	43	32	75	3.0	9	A	29	24	53	3.0	7	C	48	15	63	0.0	0	F	49	45	94	1.5	10	S	25	23	48	1.0	5	D	7.26	FL
136	4PS17CV418	SANDEEP C N		45	42	87	4.0	9	A	45	33	78	4.0	9	A	50	38	88	4.0	9	A	43	45	88	4.0	9	A	46	40	86	3.0	9	A	40	37	77	3.0	9	A	46	38	84	1.5	9	A	49	46	95	1.5	10	S	25	11	36	0.0	0	F	8.76	FL
137	4PS17CV419	SHARATH R		44	34	78	4.0	9	A	46	32	78	4.0	9	A	45	34	79	4.0	9	A	47	44	91	4.0	10	S	46	37	83	3.0	9	A	36	23	59	3.0	7	C	44	41	85	1.5	9	A	48	46	94	1.5	10	S	25	21	46	1.0	5	D	8.87	FCD
138	4PS17CV420	SINCHANA H		44	41	85	4.0	9	A	40	33	73	4.0	8	B	42	32	74	4.0	8	B	39	43	82	4.0	9	A	45	42	87	3.0	9	A	39	33	72	3.0	8	B	48	40	88	1.5	9	A	48	47	95	1.5	10	S	25	26	51	1.0	7	C	8.57	FCD
139	4PS17CV421	SUCHARITHA D L		38	35	73	4.0	8	B	34	25	59	4.0	7	C	29	29	58	4.0	7	C	31	37	68	4.0	8	B	35	29	64	3.0	8	B	30	38	68	3.0	8	B	43	41	84	1.5	9	A	48	45	93	1.5	10	S	47	20	67	1.0	8	B	7.94	FCD
140	4PS17CV422	SUNIL RATHOD		40	29	69	4.0	8	B	39	25	64	4.0	8	B	46	24	70	4.0	8	B	44	35	79	4.0	9	A	43	35	78	3.0	9	A	26	27	53	3.0	7	C	46	35	81	1.5	9	A	48	45	93	1.5	10	S	25	20	45	1.0	4	E	8.17	FCD
141	4PS17CV423	THEJASWINI R K		40	37	77	4.0	9	A	32	33	65	4.0	8	B	43	37	80	4.0	9	A	34	33	67	4.0	8	B	45	44	89	3.0	9	A	43	41	84	3.0	9	A	50	38	88	1.5	9	A	48	46	94	1.5	10	S	25	28	53	1.0	7	C	8.69	FCD
142	4PS17CV424	UMAMAHESHWARI G		44	40	84	4.0	9	A	40	35	75	4.0	9	A	37	45	82	4.0	9	A	44	43	87	4.0	9	A	44	39	83	3.0	9	A	44	46	90	3.0	10	S	50	47	97	1.5	10	S	48	49	97	1.5	10	S	25	20	45	1.0	4	E	9.07	FCD
143	4PS17CV425	VARUNPRASAD M P		47	42	89	4.0	9	A	48	40	88	4.0	9	A	49	40	89	4.0	9	A	49	48	97	4.0	10	S	46	45	91	3.0	10	S	46	34	80	3.0	9	A	47	43	90	1.5	10	S	48	48	96	1.5	10	S	27	28	55	1.0	7	C	9.30	FCD

P15CV61 :- Waste Water Treatment

P15CV62 :- Applied Geotechnical Engineering

P15CV63 :- Irrigation Engineering

P15CV64 :- Transportation Engineering

P15CV652 :- Municipal Solid Waste Management

P15CV662 :- Design of Masonry Structures

P15CVL67 :- Geotechnical Engineering Lab

P15CVL68 :- Extensive Surveying

P15HU610 :- Aptitude and Reasoning Development - Expert (ARDE)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail	
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F	
6.25	55	Grade Points	10	09	08	07	05	04	00	
6.75	60 (First Class)	Raw Score	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
7.25	65		P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)									
8.25	75									

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR- Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission


W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G - Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

X - CIE > 44 and SEE < 20



Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.