

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2018-19 (June/July -19)

19-06-2019

ELECTRICAL AND ELECTRONICS ENGINEERING

SL.No.	USN	NAME	55	P15EE61			P15EE62			P15EE63			P15EE64			P15EE651			P15EE653			P15EE661			P15EEL67			P15EEL68			SGPA	CLASS																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T			CR	GP	GR	C	S	T	CR	GP	GR															
1	4PS15EE005	CHAITHANYA M								111	111	0	0.0	0	N																			0	FL																					
2	4PS15EE011	IFTHEKHAR AHMED		25	14	39	0.0	0	F	29	12	41	0.0	0	F	25	8	33	0.0	0	F	36	25	61	4.0	8	B				37	23	60	3.0	8	B	33	25	58	3.0	7	C	49	31	80	1.5	9	A	46	42	88	1.5	9	A	4.44	FL
3	4PS15EE029	RAMYA J M		31	31	62	4.0	8	B	34	26	60	4.0	8	B	35	20	55	4.0	7	C	40	22	62	4.0	8	B	45	34	79	3.0	9	A				26	34	60	3.0	8	B	49	31	80	1.5	9	A	47	40	87	1.5	9	A	7.81	FL
4	4PS16EE001	ADARSH P		26	25	51	4.0	7	C	34	28	62	4.0	8	B	30	11	41	0.0	0	F	37	23	60	4.0	8	B				38	33	71	3.0	8	B	36	34	70	3.0	8	B	46	39	85	1.5	9	A	48	30	78	1.5	9	A	6.78	FL
5	4PS16EE002	AISHWARYA D		36	39	75	4.0	9	A	38	25	63	4.0	8	B	34	20	54	4.0	7	C	46	33	79	4.0	9	A				46	36	82	3.0	9	A	42	45	87	3.0	9	A	47	43	90	1.5	10	S	47	43	90	1.5	10	S	8.59	FCD
6	4PS16EE003	ANUPAM R		43	31	74	4.0	8	B	38	32	70	4.0	8	B	41	21	62	4.0	8	B	46	43	89	4.0	9	A	49	41	90	3.0	10	S				37	37	74	3.0	8	B	47	42	89	1.5	9	A	48	44	92	1.5	10	S	8.50	FCD
7	4PS16EE004	ARPITHA M D		37	42	79	4.0	9	A	36	37	73	4.0	8	B	39	23	62	4.0	8	B	46	30	76	4.0	9	A	48	47	95	3.0	10	S				43	42	85	3.0	9	A	47	44	91	1.5	10	S	48	45	93	1.5	10	S	8.81	FCD
8	4PS16EE005	ARUN KUMAR P		39	29	68	4.0	8	B	36	31	67	4.0	8	B	34	21	55	4.0	7	C	44	23	67	4.0	8	B	49	45	94	3.0	10	S				42	39	81	3.0	9	A	46	41	87	1.5	9	A	48	40	88	1.5	9	A	8.30	FCD
9	4PS16EE006	BHAVYA R		45	41	86	4.0	9	A	47	45	92	4.0	10	S	44	28	72	4.0	8	B	48	43	91	4.0	10	S				49	45	94	3.0	10	S	48	47	95	3.0	10	S	48	44	92	1.5	10	S	48	47	95	1.5	10	S	9.37	FCD
10	4PS16EE007	BHUMIKA S		41	47	88	4.0	9	A	38	42	80	4.0	9	A	36	23	59	4.0	7	C	48	32	80	4.0	9	A	49	48	97	3.0	10	S				44	41	85	3.0	9	A	47	44	91	1.5	10	S	47	44	91	1.5	10	S	8.78	FCD
11	4PS16EE008	BILKIS BANU SIDDIQUI		35	48	83	4.0	9	A	36	33	69	4.0	8	B	45	25	70	4.0	8	B	48	36	84	4.0	9	A				49	43	92	3.0	10	S	40	44	84	3.0	9	A	47	40	87	1.5	9	A	47	34	81	1.5	9	A	8.78	FCD
12	4PS16EE009	CHAITHRA K M		39	41	80	4.0	9	A	25	30	55	4.0	7	C	37	13	50	0.0	0	F	37	20	57	4.0	7	C	42	39	81	3.0	9	A				36	38	74	3.0	8	B	46	39	85	1.5	9	A	48	44	92	1.5	10	S	6.98	FL
13	4PS16EE010	CHANDANA A S		33	42	75	4.0	9	A	40	38	78	4.0	9	A	38	20	58	4.0	7	C	47	34	81	4.0	9	A				49	43	92	3.0	10	S	41	46	87	3.0	9	A	46	37	83	1.5	9	A	47	46	93	1.5	10	S	8.87	FCD
14	4PS16EE011	CHANDANA M		42	44	86	4.0	9	A	45	38	83	4.0	9	A	43	21	64	4.0	8	B	48	43	91	4.0	10	S				47	41	88	3.0	9	A	46	45	91	3.0	10	S	46	45	91	1.5	10	S	47	46	93	1.5	10	S	9.19	FCD
15	4PS16EE012	CHANDINI P R		40	34	74	4.0	8	B	36	33	69	4.0	8	B	44	20	64	4.0	8	B	48	34	82	4.0	9	A				44	40	84	3.0	9	A	41	38	79	3.0	9	A	47	46	93	1.5	10	S	48	43	91	1.5	10	S	8.59	FCD
16	4PS16EE014	HARSHITH MOHAN		35	20	55	4.0	7	C	33	29	62	4.0	8	B	32	21	53	4.0	7	C	41	20	61	4.0	8	B				37	26	63	3.0	8	B	37	21	58	3.0	7	C	47	36	83	1.5	9	A	48	38	86	1.5	9	A	7.70	FC
17	4PS16EE015	HARSHITHA S		37	37	74	4.0	8	B	31	29	60	4.0	8	B	39	20	59	4.0	7	C	40	31	71	4.0	8	B				43	43	86	3.0	9	A	36	38	74	3.0	8	B	48	45	93	1.5	10	S	48	33	81	1.5	9	A	8.13	FCD
18	4PS16EE016	J JAYASURYA		38	24	62	4.0	8	B	33	20	53	4.0	7	C	32	21	53	4.0	7	C	39	21	60	4.0	8	B	38	28	66	3.0	8	B				38	29	67	3.0	8	B	48	43	91	1.5	10	S	48	39	87	1.5	9	A	7.87	FCD
19	4PS16EE017	K LAKSHMANA		31	20	51	4.0	7	C	32	11	43	0.0	0	F	28	8	36	0.0	0	F	37	17	54	0.0	0	F	42	23	65	3.0	8	B				38	26	64	3.0	8	B	48	40	88	1.5	9	A	47	38	85	1.5	9	A	4.15	FL
20	4PS16EE018	KARTHIK R		43	47	90	4.0	10	S	44	36	80	4.0	9	A	38	29	67	4.0	8	B	46	28	74	4.0	8	B	50	45	95	3.0	10	S				45	43	88	3.0	9	A	48	42	90	1.5	10	S	47	44	91	1.5	10	S	9.04	FCD

P15EE61 : - Power System Analysis and Stability

P15EE62 : - Digital Signal Processing

P15EE63 : - Electrical Machine Design

P15EE64 : - Switchgear Protection

P15EE651 : - Modern Control Theory

P15EE653 : - Embedded Systems

P15EE661 : - Programmable Logic Controller_SCADA

P15EEL67 : - Control System_DSP Lab

P15EEL68 : - Electrical Auto CAD Lab

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail	
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F	
6.25	55	Grade Points	10	09	08	07	05	04	00	
6.75	60 (First Class)	Raw Score	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
7.25	65		P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)									
8.25	75									

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission


W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G - Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

X - CIE > 44 and SEE < 20



Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2018-19 (June/July -19)

19-06-2019

ELECTRICAL AND ELECTRONICS ENGINEERING

SL.No.	USN	NAME	55	P15EE61				P15EE62				P15EE63				P15EE64				P15EE651				P15EE653				P15EE661				P15EEL67				P15EEL68				SGPA	CLASS																
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR			C	S	T	CR	GP	GR										
21	4PS16EE019	KAVYA P		41	40	81	4.0	9	A	44	43	87	4.0	9	A	41	24	65	4.0	8	B	47	39	86	4.0	9	A									46	45	91	3.0	10	S	48	42	90	1.5	10	S	48	37	85	1.5	9	A	9.02	FCD		
22	4PS16EE020	LABETNYLLA KHYRIEM		39	39	78	4.0	9	A	43	31	74	4.0	8	B	35	20	55	4.0	7	C	42	24	66	4.0	8	B					47	39	86	3.0	9	A	37	42	79	3.0	9	A	48	43	91	1.5	10	S	48	30	78	1.5	9	A	8.46	FCD
23	4PS16EE021	MADIHA MINHAI		38	41	79	4.0	9	A	35	39	74	4.0	8	B	37	13	50	0.0	0	F	46	24	70	4.0	8	B					44	34	78	3.0	9	A	38	32	70	3.0	8	B	48	41	89	1.5	9	A	48	40	88	1.5	9	A	7.22	FL
24	4PS16EE022	MALLIKARJUNA REDDY B		30	36	66	4.0	8	B	36	36	72	4.0	8	B	31	20	51	4.0	7	C	38	28	66	4.0	8	B					39	36	75	3.0	9	A	37	37	74	3.0	8	B	48	44	92	1.5	10	S	47	38	85	1.5	9	A	8.17	FCD
25	4PS16EE023	MINUGU B		36	35	71	4.0	8	B	39	30	69	4.0	8	B	40	29	69	4.0	8	B	42	28	70	4.0	8	B					46	36	82	3.0	9	A	45	42	87	3.0	9	A	48	42	90	1.5	10	S	48	43	91	1.5	10	S	8.52	FCD
26	4PS16EE024	ILAKYNTIEW SHULLAI		39	37	76	4.0	9	A	38	40	78	4.0	9	A	38	22	60	4.0	8	B	46	29	75	4.0	9	A					46	34	80	3.0	9	A	40	40	80	3.0	9	A	48	42	90	1.5	10	S	49	36	85	1.5	9	A	8.87	FCD
27	4PS16EE025	MONICA S		33	25	58	4.0	7	C	36	29	65	4.0	8	B	33	21	54	4.0	7	C	40	30	70	4.0	8	B					42	38	80	3.0	9	A	42	37	79	3.0	9	A	48	40	88	1.5	9	A	47	41	88	1.5	9	A	7.96	FCD
28	4PS16EE026	NAVYASHREE H S		42	35	77	4.0	9	A	41	37	78	4.0	9	A	49	21	70	4.0	8	B	48	37	85	4.0	9	A					49	42	91	3.0	10	S	46	46	92	3.0	10	S	48	41	89	1.5	9	A	48	42	90	1.5	10	S	9.09	FCD
29	4PS16EE027	NEELAMBIKA M		38	42	80	4.0	9	A	43	39	82	4.0	9	A	45	28	73	4.0	8	B	48	38	86	4.0	9	A					47	43	90	3.0	10	S	47	46	93	3.0	10	S	48	45	93	1.5	10	S	48	44	92	1.5	10	S	9.07	FCD
30	4PS16EE028	NISHA S		29	32	61	4.0	8	B	33	29	62	4.0	8	B	37	20	57	4.0	7	C	45	34	79	4.0	9	A					46	44	90	3.0	10	S	39	43	82	3.0	9	A	47	46	93	1.5	10	S	47	44	91	1.5	10	S	8.52	FCD
31	4PS16EE029	NISHKALA M P		42	42	84	4.0	9	A	43	40	83	4.0	9	A	42	23	65	4.0	8	B	47	32	79	4.0	9	A	47	47	94	3.0	10	S					46	43	89	3.0	9	A	48	35	83	1.5	9	A	47	41	88	1.5	9	A	8.93	FCD
32	4PS16EE030	POOJASHREE M C		41	43	84	4.0	9	A	34	33	67	4.0	8	B	40	27	67	4.0	8	B	48	34	82	4.0	9	A					46	37	83	3.0	9	A	46	46	92	3.0	10	S	48	45	93	1.5	10	S	48	44	92	1.5	10	S	8.89	FCD
33	4PS16EE031	PRAJWAL T P		43	40	83	4.0	9	A	36	29	65	4.0	8	B	33	20	53	4.0	7	C	42	30	72	4.0	8	B	47	43	90	3.0	10	S					38	39	77	3.0	9	A	47	45	92	1.5	10	S	48	38	86	1.5	9	A	8.54	FCD
34	4PS16EE032	PRAJWAL T R		34	29	63	4.0	8	B	40	35	75	4.0	9	A	31	22	53	4.0	7	C	43	22	65	4.0	8	B					39	31	70	3.0	8	B	34	39	73	3.0	8	B	47	45	92	1.5	10	S	47	46	93	1.5	10	S	8.19	FCD
35	4PS16EE033	PRAKRUTHI A B		42	41	83	4.0	9	A	32	36	68	4.0	8	B	41	20	61	4.0	8	B	47	30	77	4.0	9	A					48	39	87	3.0	9	A	47	47	94	3.0	10	S	48	45	93	1.5	10	S	48	43	91	1.5	10	S	8.89	FCD
36	4PS16EE034	PRASADAKUMAR HANASI		40	32	72	4.0	8	B	34	33	67	4.0	8	B	33	20	53	4.0	7	C	44	22	66	4.0	8	B					46	31	77	3.0	9	A	40	38	78	3.0	9	A	47	40	87	1.5	9	A	46	42	88	1.5	9	A	8.11	FCD
37	4PS16EE035	RAMESHA B		37	23	60	4.0	8	B	34	35	69	4.0	8	B	28	23	51	4.0	7	C	41	29	70	4.0	8	B	46	35	81	3.0	9	A					36	43	79	3.0	9	A	47	40	87	1.5	9	A	47	44	91	1.5	10	S	8.28	FCD
38	4PS16EE036	SANJAYKUMAR		32	22	54	4.0	7	C	35	26	61	4.0	8	B	37	12	49	0.0	0	F	40	24	64	4.0	8	B					47	32	79	3.0	9	A	41	32	73	3.0	8	B	47	35	82	1.5	9	A	46	40	86	1.5	9	A	6.89	FL
39	4PS16EE038	SUNAINA MANJUNATH		29	27	56	4.0	7	C	32	22	54	4.0	7	C	25	20	45	4.0	4	E	41	20	61	4.0	8	B					36	20	56	3.0	7	C	36	23	59	3.0	7	C	47	38	85	1.5	9	A	47	39	86	1.5	9	A	7.04	FC
40	4PS16EE039	SUSHMA H S		33	35	68	4.0	8	B	33	28	61	4.0	8	B	35	20	55	4.0	7	C	37	24	61	4.0	8	B					46	36	82	3.0	9	A	39	39	78	3.0	9	A	47	38	85	1.5	9	A	46	41	87	1.5	9	A	8.11	FCD
41	4PS16EE040	TEJASWINI M P		45	47	92	4.0	10	S	46	45	91	4.0	10	S	45	34	79	4.0	9	A	48	29	77	4.0	9	A					47	45	92	3.0	10	S	39	44	83	3.0	9	A	48	46	94	1.5	10	S	48	48	96	1.5	10	S	9.48	FCD

P15EE61 : - Power System Analysis and Stability

P15EE62 : - Digital Signal Processing

P15EE63 : - Electrical Machine Design

P15EE64 : - Switchgear Protection

P15EE651 : - Modern Control Theory

P15EE653 : - Embedded Systems

P15EE661 : - Programmable Logic Controller_SCADA

P15EEL67 : - Control System_DSP Lab

P15EEL68 : - Electrical Auto CAD Lab

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
7.25	65	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)								
8.25	75								
Raw Score									

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR- Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G - Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

X - CIE > 44 and SEE < 20

K Narasimha Chary

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Sixth Semester BE Semester End Examination for the Academic year 2018-19 (June/July -19)

19-06-2019

ELECTRICAL AND ELECTRONICS ENGINEERING

SL.No.	USN	NAME	55	P15EE61				P15EE62				P15EE63				P15EE64				P15EE651				P15EE653				P15EE661				P15EEL67				P15EEL68				SGPA	CLASS																
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR			C	S	T	CR	GP	GR										
42	4PS16EE041	THRISHUL M P		34	26	60	4.0	8	B	37	29	66	4.0	8	B	36	20	56	4.0	7	C	48	37	85	4.0	9	A	48	37	85	3.0	9	A					43	36	79	3.0	9	A	48	43	91	1.5	10	S	48	47	95	1.5	10	S	8.48	FCD
43	4PS16EE042	VARSHASHREE S V		25	23	48	4.0	5	D	35	25	60	4.0	8	B	32	8	40	0.0	0	F	43	31	74	4.0	8	B					43	30	73	3.0	8	B	36	28	64	3.0	8	B	47	31	78	1.5	9	A	47	39	86	1.5	9	A	6.41	FL
44	4PS16EE043	MEGHA M		37	46	83	4.0	9	A	40	36	76	4.0	9	A	44	28	72	4.0	8	B	47	36	83	4.0	9	A					46	42	88	3.0	9	A	44	45	89	3.0	9	A	49	44	93	1.5	10	S	48	41	89	1.5	9	A	8.80	FCD
45	4PS17EE400	AJMAL SHARIFF		35	25	60	4.0	8	B	34	36	70	4.0	8	B	34	20	54	4.0	7	C	36	30	66	4.0	8	B					33	24	57	3.0	7	C	36	34	70	3.0	8	B	49	37	86	1.5	9	A	46	41	87	1.5	9	A	7.81	FCD
46	4PS17EE401	AKASH R P		39	38	77	4.0	9	A	32	26	58	4.0	7	C	30	9	39	0.0	0	F	38	27	65	4.0	8	B					38	31	69	3.0	8	B	39	31	70	3.0	8	B	49	40	89	1.5	9	A	47	41	88	1.5	9	A	6.93	FL
47	4PS17EE402	ARSHAD AHMED		40	36	76	4.0	9	A	40	25	65	4.0	8	B	39	20	59	4.0	7	C	44	35	79	4.0	9	A					47	38	85	3.0	9	A	41	41	82	3.0	9	A	49	43	92	1.5	10	S	47	43	90	1.5	10	S	8.63	FCD
48	4PS17EE403	GANESHA R		31	41	72	4.0	8	B	42	33	75	4.0	9	A	37	22	59	4.0	7	C	45	36	81	4.0	9	A	43	34	77	3.0	9	A					39	37	76	3.0	9	A	49	45	94	1.5	10	S	47	42	89	1.5	9	A	8.57	FCD
49	4PS17EE404	MANJUNATHA H R		25	26	51	4.0	7	C	33	25	58	4.0	7	C	30	12	42	0.0	0	F	45	39	84	4.0	9	A					46	28	74	3.0	8	B	42	42	84	3.0	9	A	49	40	89	1.5	9	A	46	43	89	1.5	9	A	6.81	FL
50	4PS17EE405	MEGHA R		42	45	87	4.0	9	A	44	43	87	4.0	9	A	36	26	62	4.0	8	B	47	33	80	4.0	9	A					47	36	83	3.0	9	A	48	45	93	3.0	10	S	49	48	97	1.5	10	S	48	42	90	1.5	10	S	9.04	FCD
51	4PS17EE406	RAJESH G R		39	30	69	4.0	8	B	40	37	77	4.0	9	A	37	25	62	4.0	8	B	47	36	83	4.0	9	A	50	47	97	3.0	10	S					43	43	86	3.0	9	A	49	38	87	1.5	9	A	48	40	88	1.5	9	A	8.78	FCD
52	4PS17EE407	SATHYALAKSHMIS		28	20	48	4.0	5	D	33	21	54	4.0	7	C	30	20	50	4.0	7	C	44	26	70	4.0	8	B					40	32	72	3.0	8	B	33	34	67	3.0	8	B	49	40	89	1.5	9	A	47	46	93	1.5	10	S	7.35	FC
53	4PS17EE408	SHAZIA SHARIF		17	111	17	0.0	0	N	31	10	41	0.0	0	F	33	111	33	0.0	0	G	34	20	54	4.0	7	C					36	111	36	0.0	0	G	31	24	55	3.0	7	C	48	25	73	1.5	8	B	44	35	79	1.5	9	A	3.20	FL
54	4PS17EE410	SWAMY S R		36	36	72	4.0	8	B	29	31	60	4.0	8	B	34	13	47	0.0	0	F	45	31	76	4.0	9	A					43	35	78	3.0	9	A	35	41	76	3.0	9	A	48	38	86	1.5	9	A	47	44	91	1.5	10	S	7.24	FL

P15EE61 : - Power System Analysis and Stability

P15EE62 : - Digital Signal Processing

P15EE63 : - Electrical Machine Design

P15EE64 : - Switghear ,Protection

P15EE651 : - Modern Control Theory

P15EE653 : - Embedded Systems

P15EE661 : - Programmable Logic Controller _SCADA

P15EEL67 : - Control System _DSP Lab

P15EEL68 : - Electrical Auto CAD Lab

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
7.25	65	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45
7.75	70 (Distinction)	Raw Score							
8.25	75								

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission


W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

X - CIE > 44 and SEE < 20



Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.