

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE EVEN Semester End Examination for the Academic year 2021-22

08-08-2022

CIVIL ENGINEERING

SL.No.	USN	NAME	136	P18CV81		P18CV821		P18CV822		P18CV823		P18CV824		P18CV83		P18CV84		P18CV85		C S T CR GP GR		SGPA																							
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	SGPA				
1	4PS16CV023	DHANUSH RAJ M		20	9	29	0.0	0	F					31	34	65	3.0	7	C					40	40	80	2.0	9	A	93	92	185	6.0	10	S	30	0	30	2.0	7	C				6.65
2	4PS17CV031	DUSHYANTH K R		20	20	40	4.0	4	E					19	111	19	0.0	0	N					35	39	74	2.0	8	B	89	90	179	6.0	9	A	21	0	21	2.0	4	E				5.53
3	4PS17CV096	SHISHIR N		20	11	31	0.0	0	F					20	20	40	3.0	4	E					35	30	65	2.0	7	C	80	90	170	6.0	9	A	21	0	21	2.0	4	E				5.18
4	4PS18CV001	ABHI J		29	33	62	4.0	7	C	36	33	69	3.0	7	C									42	48	90	2.0	10	S	94	91	185	6.0	10	S	36	0	36	2.0	8	B				8.53
5	4PS18CV002	ABHISHEK NAYAK		30	26	56	4.0	6	D	36	23	59	3.0	6	D									42	45	87	2.0	9	A	90	90	180	6.0	10	S	33	0	33	2.0	7	C				7.88
6	4PS18CV003	ADITYAGOWDA L K		44	44	88	4.0	9	A					41	44	85	3.0	9	A					47	43	90	2.0	10	S	97	97	194	6.0	10	S	42	0	42	2.0	9	A				9.47
7	4PS18CV004	AHTISHAM SHABIR		32	35	67	4.0	7	C					32	20	52	3.0	6	D					45	35	80	2.0	9	A	96	92	188	6.0	10	S	45	0	45	2.0	10	S				8.47
8	4PS18CV005	AISHWARYA K R		36	32	68	4.0	7	C					39	34	73	3.0	8	B					45	36	81	2.0	9	A	93	90	183	6.0	10	S	49	0	49	2.0	10	S				8.82
9	4PS18CV006	AKASH NEELAPPA KARADI		29	27	56	4.0	6	D					41	46	87	3.0	9	A					43	47	90	2.0	10	S	91	97	188	6.0	10	S	45	0	45	2.0	10	S				8.88
10	4PS18CV007	AKASH T R		38	38	76	4.0	8	B					44	46	90	3.0	10	S					46	42	88	2.0	9	A	97	100	197	6.0	10	S	46	0	46	2.0	10	S				9.41
11	4PS18CV009	AMITH RAJ S		23	20	43	4.0	4	E					34	33	67	3.0	7	C					42	45	87	2.0	9	A	92	90	182	6.0	10	S	33	0	33	2.0	7	C				7.59
12	4PS18CV010	ANILKUMAR S		40	42	82	4.0	9	A	45	38	83	3.0	9	A									46	40	86	2.0	9	A	90	99	189	6.0	10	S	39	0	39	2.0	8	B				9.24
13	4PS18CV011	ANUSHA M S		41	42	83	4.0	9	A					49	45	94	3.0	10	S					45	42	87	2.0	9	A	94	98	192	6.0	10	S	50	0	50	2.0	10	S				9.65
14	4PS18CV012	ARPITHA M K		36	36	72	4.0	8	B	35	34	69	3.0	7	C									46	40	86	2.0	9	A	94	92	186	6.0	10	S	50	0	50	2.0	10	S				8.88
15	4PS18CV013	ASHA H B		25	29	54	4.0	6	D	33	32	65	3.0	7	C									45	38	83	2.0	9	A	91	90	181	6.0	10	S	35	0	35	2.0	8	B				8.18
16	4PS18CV014	ASHA R		43	45	88	4.0	9	A					36	30	66	3.0	7	C					45	46	91	2.0	10	S	95	98	193	6.0	10	S	45	0	45	2.0	10	S				9.24
17	4PS18CV016	BHAGAVAN SAGAR M M		41	32	73	4.0	8	B					44	46	90	3.0	10	S					48	49	97	2.0	10	S	98	99	197	6.0	10	S	50	0	50	2.0	10	S				9.53
18	4PS18CV017	BHUVAN R		42	40	82	4.0	9	A					44	47	91	3.0	10	S					47	48	95	2.0	10	S	95	98	193	6.0	10	S	40	0	40	2.0	9	A				9.65
19	4PS18CV018	BI BI MISBA		48	49	97	4.0	10	S					48	46	94	3.0	10	S					47	44	91	2.0	10	S	94	93	187	6.0	10	S	50	0	50	2.0	10	S				10.00
20	4PS18CV019	CHANDAN K		27	24	51	4.0	6	D					29	32	61	3.0	7	C					38	30	68	2.0	7	C	91	80	171	6.0	9	A	42	0	42	2.0	9	A				7.71

P18CV81 : - Pre stressed concrete structures

P18CV821 : - Earthquake resistant design of structures

P18CV822 : - Ground Improvement Technique

P18CV823 : - Environmental Impact Assessment

P18CV824 : - Pavement Analysis and Design

P18CV83 : - Internship

P18CV84 : - Project Work Phase - II

P18CV85 : - Self-study course and seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission


FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

X - CIE > 44 and SEE < 20

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
Grade	S	A	B	C	D	E	F
Grade Points	10	09	08	07	06	04	00
Raw Score	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45
							Below 40
							Below 45



Dr. N. L. Murali Krishna
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE EVEN Semester End Examination for the Academic year 2021-22

08-08-2022

CIVIL ENGINEERING

SL.No.	USN	NAME	136	P18CV81			P18CV821			P18CV822			P18CV823			P18CV824			P18CV83			P18CV84			P18CV85			C S T CR GP GR			SGPA																		
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR									
21	4PS18CV020	CHANDAN M		32	40	72	4.0	8	B	39	37	76	3.0	8	B										47	48	95	2.0	10	S	95	96	191	6.0	10	S	39	0	39	2.0	8	B				8.94			
22	4PS18CV021	CHANDANA D P		28	33	61	4.0	7	C	31	29	60	3.0	7	C										42	40	82	2.0	9	A	94	90	184	6.0	10	S	47	0	47	2.0	10	S				8.65			
23	4PS18CV023	CHEZHAN C P		42	42	84	4.0	9	A	38	41	79	3.0	8	B										44	46	90	2.0	10	S	98	97	195	6.0	10	S	50	0	50	2.0	10	S				9.41			
24	4PS18CV024	CHINMAYA V		43	38	81	4.0	9	A							49	48	97	3.0	10	S				48	48	96	2.0	10	S	96	94	190	6.0	10	S	50	0	50	2.0	10	S				9.76			
25	4PS18CV025	CHIRAAJU M S		26	22	48	4.0	4	E	35	28	63	3.0	7	C										35	37	72	2.0	8	B	80	80	160	6.0	9	A	40	0	40	2.0	9	A				7.35			
26	4PS18CV026	DEEPA D M		45	34	79	4.0	8	B							47	47	94	3.0	10	S				47	46	93	2.0	10	S	96	94	190	6.0	10	S	50	0	50	2.0	10	S				9.53			
27	4PS18CV027	DEEPAK B		29	23	52	4.0	6	D										30	30	60	3.0	7	C				42	43	85	2.0	9	A	88	91	179	6.0	9	A	22	0	22	2.0	4	E				7.35
28	4PS18CV028	DEEPIKA A V		39	38	77	4.0	8	B	34	31	65	3.0	7	C										43	48	91	2.0	10	S	93	95	188	6.0	10	S	45	0	45	2.0	10	S				9.00			
29	4PS18CV029	DHANYA KUMAR S J		26	20	46	4.0	4	E							32	35	67	3.0	7	C				40	46	86	2.0	9	A	93	92	185	6.0	10	S	49	0	49	2.0	10	S				7.94			
30	4PS18CV031	DIVYA L M		41	37	78	4.0	8	B										42	37	79	3.0	8	B				44	40	84	2.0	9	A	97	95	192	6.0	10	S	46	0	46	2.0	10	S				9.06
31	4PS18CV034	GAGAN GOWDA N		20	20	40	4.0	4	E							25	37	62	3.0	7	C				35	37	72	2.0	8	B	80	80	160	6.0	9	A	21	0	21	2.0	4	E				6.76			
32	4PS18CV035	GIRISH B R		33	25	58	4.0	6	D							43	44	87	3.0	9	A				46	44	90	2.0	10	S	96	95	191	6.0	10	S	39	0	39	2.0	8	B				8.65			
33	4PS18CV036	HANAMANTH		22	21	43	4.0	4	E										23	21	44	3.0	4	E				30	30	60	2.0	7	C	85	92	177	6.0	9	A	21	0	21	2.0	4	E				6.12
34	4PS18CV037	HARSHITHA B S		42	33	75	4.0	8	B										49	45	94	3.0	10	S				46	44	90	2.0	10	S	97	95	192	6.0	10	S	39	0	39	2.0	8	B				9.29
35	4PS18CV038	HEMANTH KUMAR B R		41	27	68	4.0	7	C										41	33	74	3.0	8	B				41	47	88	2.0	9	A	93	93	186	6.0	10	S	50	0	50	2.0	10	S				8.82
36	4PS18CV039	HEMANTH KUMAR N		41	39	80	4.0	9	A				38	40	78	3.0	8	B							46	45	91	2.0	10	S	95	95	190	6.0	10	S	47	0	47	2.0	10	S				9.41			
37	4PS18CV040	INCHARA N		36	39	75	4.0	8	B							47	45	92	3.0	10	S				44	40	84	2.0	9	A	93	96	189	6.0	10	S	41	0	41	2.0	9	A				9.29			
38	4PS18CV041	JANARDHAN M D		26	13	39	0.0	0	F	25	24	49	3.0	4	E										45	35	80	2.0	9	A	91	94	185	6.0	10	S	44	0	44	2.0	9	A				6.35			
39	4PS18CV042	K ZARZOLIANA		42	35	77	4.0	8	B	35	30	65	3.0	7	C										41	40	81	2.0	9	A	92	94	186	6.0	10	S	26	0	26	2.0	6	D				8.41			
40	4PS18CV044	KARTHIKGOWDA S		36	35	71	4.0	8	B							39	47	86	3.0	9	A				46	45	91	2.0	10	S	96	92	188	6.0	10	S	50	0	50	2.0	10	S				9.35			
41	4PS18CV045	KAVYA N		43	43	86	4.0	9	A				43	43	86	3.0	9	A							44	47	91	2.0	10	S	94	96	190	6.0	10	S	48	0	48	2.0	10	S				9.59			

P18CV81 : - Pre stressed concrete structures

P18CV821 : - Earthquake resistant design of structures

P18CV822 : - Ground Improvement Technique

P18CV823 : - Environmental Impact Assessment

P18CV824 : - Pavement Analysis and Design

P18CV83 : - Internship

P18CV84 : - Project Work Phase - II

P18CV85 : - Self-study course and seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission


FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

X - CIE > 44 and SEE < 20

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
Grade	S	A	B	C	D	E	F
Grade Points	10	09	08	07	06	04	00
P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45



Dr. N. L. Murali Krishna
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE EVEN Semester End Examination for the Academic year 2021-22

08-08-2022

CIVIL ENGINEERING

SL.No.	USN	NAME	136	P18CV81			P18CV821			P18CV822			P18CV823			P18CV824			P18CV83			P18CV84			P18CV85			C S T CR GP GR			SGPA																		
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR									
42	4PS18CV046	KEERTHAN K		21	20	41	4.0	4	E	24	20	44	3.0	4	E							44	48	92	2.0	10	S	90	95	185	6.0	10	S	40	0	40	2.0	9	A				7.41						
43	4PS18CV049	LAKSHMI K R		46	43	89	4.0	9	A	42	43	85	3.0	9	A							47	45	92	2.0	10	S	97	98	195	6.0	10	S	46	0	46	2.0	10	S				9.59						
44	4PS18CV051	LALNUNTLUANGI		26	23	49	4.0	4	E							43	39	82	3.0	9	A							47	38	85	2.0	9	A	90	99	189	6.0	10	S	41	0	41	2.0	9	A				8.18
45	4PS18CV052	LIKHITH L		30	27	57	4.0	6	D													27	20	47	3.0	4	E	42	42	84	2.0	9	A	96	94	190	6.0	10	S	34	0	34	2.0	7	C				7.53
46	4PS18CV053	LOKESHWARI C		39	37	76	4.0	8	B				39	43	82	3.0	9	A										46	45	91	2.0	10	S	93	96	189	6.0	10	S	42	0	42	2.0	9	A				9.24
47	4PS18CV055	M SWARNA		41	42	83	4.0	9	A							47	47	94	3.0	10	S							47	49	96	2.0	10	S	98	99	197	6.0	10	S	39	0	39	2.0	8	B				9.53
48	4PS18CV056	MADHUPRIYA K R		45	40	85	4.0	9	A										45	38	83	3.0	9	A				47	40	87	2.0	9	A	95	96	191	6.0	10	S	50	0	50	2.0	10	S				9.47
49	4PS18CV057	MAHADEVA PRASAD K S		42	38	80	4.0	9	A										43	40	83	3.0	9	A				46	42	88	2.0	9	A	96	93	189	6.0	10	S	50	0	50	2.0	10	S				9.47
50	4PS18CV058	MALLAPPA CHANNAPPA H		21	33	54	4.0	6	D										20	21	41	3.0	4	E				42	40	82	2.0	9	A	95	95	190	6.0	10	S	48	0	48	2.0	10	S				7.88
51	4PS18CV059	MALSAWMZUAL I		41	40	81	4.0	9	A	37	39	76	3.0	8	B													47	40	87	2.0	9	A	96	92	188	6.0	10	S	45	0	45	2.0	10	S				9.29
52	4PS18CV060	MANJUNATH T L		30	37	67	4.0	7	C	37	32	69	3.0	7	C													42	49	91	2.0	10	S	96	96	192	6.0	10	S	50	0	50	2.0	10	S				8.76
53	4PS18CV061	MEGHA H R		28	23	51	4.0	6	D	29	21	50	3.0	6	D													43	45	88	2.0	9	A	92	91	183	6.0	10	S	27	0	27	2.0	6	D				7.76
54	4PS18CV062	MOHAMED NIHAL		23	27	50	4.0	6	D				20	34	54	3.0	6	D										36	38	74	2.0	8	B	40	90	130	6.0	7	C	50	0	50	2.0	10	S				7.06
55	4PS18CV063	MOHANCHANDRA MANOJC		37	26	63	4.0	7	C										43	41	84	3.0	9	A				38	45	83	2.0	9	A	95	94	189	6.0	10	S	48	0	48	2.0	10	S				9.00
56	4PS18CV064	MONISHA D		42	42	84	4.0	9	A										49	34	83	3.0	9	A				43	42	85	2.0	9	A	96	91	187	6.0	10	S	49	0	49	2.0	10	S				9.47
57	4PS18CV065	NANDANKUMAR T N		35	32	67	4.0	7	C							39	38	77	3.0	8	B							47	46	93	2.0	10	S	93	90	183	6.0	10	S	30	0	30	2.0	7	C				8.59
58	4PS18CV066	NANDAN M		26	23	49	4.0	4	E	25	25	50	3.0	6	D													46	45	91	2.0	10	S	94	88	182	6.0	10	S	39	0	39	2.0	8	B				7.65
59	4PS18CV067	NAVEENKUMAR N N		40	36	76	4.0	8	B				45	36	81	3.0	9	A										44	40	84	2.0	9	A	95	92	187	6.0	10	S	47	0	47	2.0	10	S				9.24
60	4PS18CV068	NIDHI S J		20	5	25	0.0	0	F										20	11	31	0.0	0	F				20	25	45	2.0	4	E	60	80	140	6.0	8	B	20	0	20	2.0	4	E				3.76
61	4PS18CV069	NINGARAJU G M		32	38	70	4.0	8	B	33	27	60	3.0	7	C													41	47	88	2.0	9	A	90	91	181	6.0	10	S	45	0	45	2.0	10	S				8.88
62	4PS18CV070	NIRUP DORE R P		24	25	49	4.0	4	E							30	34	64	3.0	7	C							40	35	75	2.0	8	B	88	77	165	6.0	9	A	27	0	27	2.0	6	D				7.00

P18CV81 : - Pre stressed concrete structures

P18CV821 : - Earthquake resistant design of structures

P18CV822 : - Ground Improvement Technique

P18CV823 : - Environmental Impact Assessment

P18CV824 : - Pavement Analysis and Design

P18CV83 : - Internship

P18CV84 : - Project Work Phase - II

P18CV85 : - Self-study course and seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission


FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

X - CIE > 44 and SEE < 20

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	06	04	00
Raw Score	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45



Dr. N. L. Murali Krishna
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE EVEN Semester End Examination for the Academic year 2021-22

08-08-2022

CIVIL ENGINEERING

SL.No.	USN	NAME	136	P18CV81			P18CV821			P18CV822			P18CV823			P18CV824			P18CV83			P18CV84			P18CV85			C S T CR GP GR			SGPA																						
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C
63	4PS18CV071	NISARGA B		44	36	80	4.0	9	A							47	36	83	3.0	9	A	45	42	87	2.0	9	A	93	98	191	6.0	10	S	49	0	49	2.0	10	S							9.47							
64	4PS18CV072	NISARGA K		39	38	77	4.0	8	B				44	45	89	3.0	9	A				47	46	93	2.0	10	S	96	92	188	6.0	10	S	48	0	48	2.0	10	S							9.35							
65	4PS18CV073	NISCHITHA M M		32	35	67	4.0	7	C							38	29	67	3.0	7	C	38	46	84	2.0	9	A	92	91	183	6.0	10	S	33	0	33	2.0	7	C							8.29							
66	4PS18CV074	PAVANKUMAR S N		31	21	52	4.0	6	D						39	34	73	3.0	8	B				40	39	79	2.0	8	B	92	85	177	6.0	9	A	50	0	50	2.0	10	S							8.12					
67	4PS18CV075	POOJITHA S M		44	39	83	4.0	9	A							41	40	81	3.0	9	A	48	48	96	2.0	10	S	95	96	191	6.0	10	S	40	0	40	2.0	9	A							9.47							
68	4PS18CV076	PRAGATHI R C		46	36	82	4.0	9	A	39	37	76	3.0	8	B							46	40	86	2.0	9	A	94	95	189	6.0	10	S	42	0	42	2.0	9	A							9.18							
69	4PS18CV077	PRAJWAL M GOWDA		20	34	54	4.0	6	D	29	27	56	3.0	6	D							44	37	81	2.0	9	A	80	85	165	6.0	9	A	35	0	35	2.0	8	B							7.65							
70	4PS18CV078	PRAJWAL M K		41	32	73	4.0	8	B	39	22	61	3.0	7	C							45	40	85	2.0	9	A	89	90	179	6.0	9	A	46	0	46	2.0	10	S							8.53							
71	4PS18CV079	PRAJWAL S V		27	33	60	4.0	7	C						46	40	86	3.0	9	A				46	44	90	2.0	10	S	89	90	179	6.0	9	A	33	0	33	2.0	7	C							8.41					
72	4PS18CV080	PRATEEK S VAGADALE		27	27	54	4.0	6	D				27	31	58	3.0	6	D				37	42	79	2.0	8	B	88	90	178	6.0	9	A	22	0	22	2.0	4	E							7.06							
73	4PS18CV081	PRIYANKA		35	37	72	4.0	8	B				36	34	70	3.0	8	B				43	38	81	2.0	9	A	96	90	186	6.0	10	S	41	0	41	2.0	9	A							8.94							
74	4PS18CV082	PRIYANKA S		42	43	85	4.0	9	A						48	48	96	3.0	10	S				48	48	96	2.0	10	S	97	97	194	6.0	10	S	50	0	50	2.0	10	S							9.76					
75	4PS18CV083	RAKESH S N		35	32	67	4.0	7	C						38	40	78	3.0	8	B				42	45	87	2.0	9	A	94	95	189	6.0	10	S	36	0	36	2.0	8	B							8.59					
76	4PS18CV084	RAMESH R		44	42	86	4.0	9	A						44	42	86	3.0	9	A				45	40	85	2.0	9	A	91	99	190	6.0	10	S	50	0	50	2.0	10	S							9.47					
77	4PS18CV085	REKHA SHIVANANDA TUMI		43	45	88	4.0	9	A				46	45	91	3.0	10	S							46	47	93	2.0	10	S	96	93	189	6.0	10	S	47	0	47	2.0	10	S							9.76				
78	4PS18CV086	RITHESHGOWDA A		38	42	80	4.0	9	A						37	37	74	3.0	8	B				44	35	79	2.0	8	B	92	80	172	6.0	9	A	50	0	50	2.0	10	S							8.82					
79	4PS18CV087	ROHITHGOWDA G H		35	34	69	4.0	7	C							36	32	68	3.0	7	C	41	43	84	2.0	9	A	92	86	178	6.0	9	A	44	0	44	2.0	9	A							8.18							
80	4PS18CV088	RUTHVIK D		37	36	73	4.0	8	B							29	30	59	3.0	6	D	32	38	70	2.0	8	B	88	94	182	6.0	10	S	48	0	48	2.0	10	S							8.59							
81	4PS18CV089	SABA FIRDAUS		39	35	74	4.0	8	B							46	45	91	3.0	10	S	25	33	58	2.0	6	D	94	96	190	6.0	10	S	50	0	50	2.0	10	S							9.06							
82	4PS18CV090	SADHANA B K		48	49	97	4.0	10	S	48	47	95	3.0	10	S										46	46	92	2.0	10	S	97	93	190	6.0	10	S	50	0	50	2.0	10	S							10.00				
83	4PS18CV091	SADHANA V		30	39	69	4.0	7	C				46	47	93	3.0	10	S							47	48	95	2.0	10	S	96	93	189	6.0	10	S	45	0	45	2.0	10	S							9.29				

P18CV81 : - Pre stressed concrete structures

P18CV821 : - Earthquake resistant design of structures

P18CV822 : - Ground Improvement Technique

P18CV823 : - Environmental Impact Assessment

P18CV824 : - Pavement Analysis and Design

P18CV83 : - Internship

P18CV84 : - Project Work Phase - II

P18CV85 : - Self-study course and seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission


FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

X - CIE > 44 and SEE < 20

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
Grade	S	A	B	C	D	E	F
Grade Points	10	09	08	07	06	04	00
Raw Score	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45



Dr. N. L. Murali Krishna
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE EVEN Semester End Examination for the Academic year 2021-22

08-08-2022

CIVIL ENGINEERING

SL.No.	USN	NAME	136	P18CV81			P18CV821			P18CV822			P18CV823			P18CV824			P18CV83			P18CV84			P18CV85			C S T CR GP GR			SGPA																										
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR											
84	4PS18CV092	SAJAD AHMAD SHAH		38	41	79	4.0	8	B				36	40	76	3.0	8	B				46	40	86	2.0	9	A	93	90	183	6.0	10	S	49	0	49	2.0	10	S																9.06		
85	4PS18CV093	SAMARTH RAJ		28	34	62	4.0	7	C							38	42	80	3.0	9	A				42	45	87	2.0	9	A	91	90	181	6.0	10	S	39	0	39	2.0	8	B															8.76
86	4PS18CV094	SANDESH GOWDA R		35	43	78	4.0	8	B				43	42	85	3.0	9	A				46	46	92	2.0	10	S	93	93	186	6.0	10	S	45	0	45	2.0	10	S															9.35			
87	4PS18CV095	SANTHOSH J		38	45	83	4.0	9	A							45	40	85	3.0	9	A				40	33	73	2.0	8	B	91	82	173	6.0	9	A	50	0	50	2.0	10	S															9.00
88	4PS18CV096	SHALINI M R		29	36	65	4.0	7	C							45	44	89	3.0	9	A				43	44	87	2.0	9	A	94	91	185	6.0	10	S	36	0	36	2.0	8	B															8.76
89	4PS18CV097	SHARANABASAVA		39	28	67	4.0	7	C				32	33	65	3.0	7	C				46	35	81	2.0	9	A	94	88	182	6.0	10	S	37	0	37	2.0	8	B															8.41			
90	4PS18CV098	SHASHANK PATIL M R		45	41	86	4.0	9	A							45	37	82	3.0	9	A				47	49	96	2.0	10	S	97	96	193	6.0	10	S	50	0	50	2.0	10	S															9.59
91	4PS18CV099	SHASHIDHAR S		46	42	88	4.0	9	A	34	40	74	3.0	8	B							44	40	84	2.0	9	A	92	88	180	6.0	10	S	50	0	50	2.0	10	S															9.29			
92	4PS18CV100	SHIVARUDRAPPA TEGGINI		32	29	61	4.0	7	C	32	24	56	3.0	6	D							41	37	78	2.0	8	B	92	80	172	6.0	9	A	30	0	30	2.0	7	C															7.65			
93	4PS18CV101	SHREELAKSHMI S T		48	47	95	4.0	10	S							48	46	94	3.0	10	S				46	47	93	2.0	10	S	96	94	190	6.0	10	S	50	0	50	2.0	10	S															10.00
94	4PS18CV102	SHREYA Y J		42	38	80	4.0	9	A				46	46	92	3.0	10	S				45	40	85	2.0	9	A	86	94	180	6.0	10	S	45	0	45	2.0	10	S															9.65			
95	4PS18CV103	SHRINIVAS M		27	34	61	4.0	7	C				35	39	74	3.0	8	B				45	42	87	2.0	9	A	94	88	182	6.0	10	S	43	0	43	2.0	9	A															8.71			
96	4PS18CV104	SHWETHA R S		38	35	73	4.0	8	B							45	40	85	3.0	9	A	43	44	87	2.0	9	A	96	96	192	6.0	10	S	48	0	48	2.0	10	S															9.24			
97	4PS18CV105	SIMON LALROHLUA		41	40	81	4.0	9	A	42	32	74	3.0	8	B							37	40	77	2.0	8	B	92	93	185	6.0	10	S	41	0	41	2.0	9	A															9.06			
98	4PS18CV106	SINDHU P		34	39	73	4.0	8	B							46	44	90	3.0	10	S				40	45	85	2.0	9	A	92	92	184	6.0	10	S	38	0	38	2.0	8	B															9.18
99	4PS18CV107	SIRISH PATEL J D		25	23	48	4.0	4	E							29	36	65	3.0	7	C				46	47	93	2.0	10	S	92	93	185	6.0	10	S	48	0	48	2.0	10	S															8.06
100	4PS18CV108	SOWJANYA C D		22	23	45	4.0	4	E				27	32	59	3.0	6	D				41	42	83	2.0	9	A	88	95	183	6.0	10	S	45	0	45	2.0	10	S															7.76			
101	4PS18CV109	SPOORTHIRAJ G		20	20	40	4.0	4	E										20	20	40	3.0	4	E	47	46	93	2.0	10	S	92	91	183	6.0	10	S	21	0	21	2.0	4	E															6.82
102	4PS18CV110	SRIVAISHNAVI M		27	29	56	4.0	6	D							46	42	88	3.0	9	A				45	45	90	2.0	10	S	91	91	182	6.0	10	S	50	0	50	2.0	10	S															8.88
103	4PS18CV111	SUBBA RAKSHITH L S		33	39	72	4.0	8	B										34	39	73	3.0	8	B	46	40	86	2.0	9	A	91	88	179	6.0	9	A	49	0	49	2.0	10	S															8.71
104	4PS18CV112	SUCHITHRA S N		45	45	90	4.0	10	S				45	45	90	3.0	10	S				47	42	89	2.0	9	A	95	93	188	6.0	10	S	50	0	50	2.0	10	S															9.88			


P18CV81 : - Pre stressed concrete structures
P18CV821 : - Earthquake resistant design of structures
P18CV822 : - Ground Improvement Technique
P18CV823 : - Environmental Impact Assessment
P18CV824 : - Pavement Analysis and Design

P18CV83 : - Internship
P18CV84 : - Project Work Phase - II
P18CV85 : - Self-study course and seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)
X - CIE > 44 and SEE < 20

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
Grade	S	A	B	C	D	E	F
Grade Points	10	09	08	07	06	04	00
P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45



Dr. N. L. Murali Krishna
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE EVEN Semester End Examination for the Academic year 2021-22

08-08-2022

CIVIL ENGINEERING

SL.No.	USN	NAME	136	P18CV81			P18CV821			P18CV822			P18CV823			P18CV824			P18CV83			P18CV84			P18CV85			C S T CR GP GR			SGPA															
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR						
105	4PS18CV113	SUHANI JAIN V		39	36	75	4.0	8	B	35	24	59	3.0	6	D							45	41	86	2.0	9	A	92	94	186	6.0	10	S	39	0	39	2.0	8	B				8.47			
106	4PS18CV114	SUPRITHA M C		42	42	84	4.0	9	A				47	39	86	3.0	9	A				47	40	87	2.0	9	A	96	93	189	6.0	10	S	48	0	48	2.0	10	S				9.47			
107	4PS18CV116	SYED AFNAN		32	30	62	4.0	7	C				31	23	54	3.0	6	D				37	44	81	2.0	9	A	89	87	176	6.0	9	A	45	0	45	2.0	10	S				8.12			
108	4PS18CV117	UMME SADIYA		42	39	81	4.0	9	A	44	46	90	3.0	10	S							48	40	88	2.0	9	A	93	90	183	6.0	10	S	45	0	45	2.0	10	S				9.65			
109	4PS18CV118	VARALAKSHMI B M		35	35	70	4.0	8	B				27	28	55	3.0	6	D				42	45	87	2.0	9	A	92	88	180	6.0	10	S	40	0	40	2.0	9	A				8.59			
110	4PS18CV119	VARSHA L		29	39	68	4.0	7	C										34	38	72	3.0	8	B	45	42	87	2.0	9	A	94	96	190	6.0	10	S	47	0	47	2.0	10	S				8.82
111	4PS18CV120	VATHSALA N		41	43	84	4.0	9	A				47	45	92	3.0	10	S				47	40	87	2.0	9	A	91	97	188	6.0	10	S	50	0	50	2.0	10	S				9.65			
112	4PS18CV121	VENUGOPAL K M		32	39	71	4.0	8	B										37	37	74	3.0	8	B	44	45	89	2.0	9	A	91	95	186	6.0	10	S	22	0	22	2.0	4	E				8.35
113	4PS18CV122	VISHNU R		25	31	56	4.0	6	D										29	25	54	3.0	6	D	43	40	83	2.0	9	A	94	88	182	6.0	10	S	42	0	42	2.0	9	A				8.12
114	4PS18CV123	VISHRUTHA M		38	42	80	4.0	9	A				29	39	68	3.0	7	C				46	48	94	2.0	10	S	97	97	194	6.0	10	S	49	0	49	2.0	10	S				9.24			
115	4PS18CV124	YADUNANDAN R		28	41	69	4.0	7	C										42	36	78	3.0	8	B	43	48	91	2.0	10	S	96	97	193	6.0	10	S	45	0	45	2.0	10	S				8.94
116	4PS18CV125	YASHASWINI P		40	38	78	4.0	8	B				41	39	80	3.0	9	A				44	40	84	2.0	9	A	92	96	188	6.0	10	S	50	0	50	2.0	10	S				9.24			
117	4PS18CV126	YOGESHWAR B		36	44	80	4.0	9	A										39	37	76	3.0	8	B	45	42	87	2.0	9	A	94	91	185	6.0	10	S	39	0	39	2.0	8	B				9.06
118	4PS18CV127	ZION M B		40	43	83	4.0	9	A	33	41	74	3.0	8	B							48	48	96	2.0	10	S	97	98	195	6.0	10	S	50	0	50	2.0	10	S				9.41			
119	4PS19CV400	AKASH SHETTY S		43	39	82	4.0	9	A										41	34	75	3.0	8	B	44	45	89	2.0	9	A	93	95	188	6.0	10	S	33	0	33	2.0	7	C				8.94
120	4PS19CV401	AMBRESH MALLIKARJUN S		24	25	49	4.0	4	E							45	36	81	3.0	9	A				43	45	88	2.0	9	A	90	95	185	6.0	10	S	45	0	45	2.0	10	S				8.29
121	4PS19CV403	CHITHRASHREE G		33	41	74	4.0	8	B	38	23	61	3.0	7	C							43	46	89	2.0	9	A	94	91	185	6.0	10	S	50	0	50	2.0	10	S				8.88			
122	4PS19CV404	DHANANJAYKUMAR C K		42	42	84	4.0	9	A	41	24	65	3.0	7	C							41	38	79	2.0	8	B	97	90	187	6.0	10	S	40	0	40	2.0	9	A				8.88			
123	4PS19CV405	HARICHANDRA		39	40	79	4.0	8	B										40	36	76	3.0	8	B	43	41	84	2.0	9	A	90	80	170	6.0	9	A	49	0	49	2.0	10	S				8.71
124	4PS19CV406	HEMANTH J		40	43	83	4.0	9	A							47	44	91	3.0	10	S				46	42	88	2.0	9	A	94	93	187	6.0	10	S	49	0	49	2.0	10	S				9.65
125	4PS19CV407	MAMATHA T G		25	39	64	4.0	7	C				30	25	55	3.0	6	D				43	38	81	2.0	9	A	92	88	180	6.0	10	S	50	0	50	2.0	10	S				8.47			

P18CV81 : - Pre stressed concrete structures

P18CV821 : - Earthquake resistant design of structures

P18CV822 : - Ground Improvement Technique

P18CV823 : - Environmental Impact Assessment

P18CV824 : - Pavement Analysis and Design

P18CV83 : - Internship

P18CV84 : - Project Work Phase - II

P18CV85 : - Self-study course and seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission


FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

X - CIE > 44 and SEE < 20

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
Grade	S	A	B	C	D	E	F
Grade Points	10	09	08	07	06	04	00
Raw Score	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45
							Below 40
							Below 45



Dr. N. L. Murali Krishna
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belagavi.)

Provisional Results of Eighth Semester BE EVEN Semester End Examination for the Academic year 2021-22

08-08-2022

CIVIL ENGINEERING

SL.No.	USN	NAME	136	P18CV81			P18CV821			P18CV822			P18CV823			P18CV824			P18CV83			P18CV84			P18CV85			C S T CR GP GR			SGPA																					
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR												
126	4PS19CV408	MOHAMMED AYAN		42	43	85	4.0	9	A							42	36	78	3.0	8	B							43	47	90	2.0	10	S	96	98	194	6.0	10	S	43	0	43	2.0	9	A				9.29			
127	4PS19CV409	MUHAMMAD ASIF BHAT		39	41	80	4.0	9	A	44	28	72	3.0	8	B													44	48	92	2.0	10	S	96	98	194	6.0	10	S	50	0	50	2.0	10	S				9.41			
128	4PS19CV410	NEHA H D		35	41	76	4.0	8	B	35	32	67	3.0	7	C													46	43	89	2.0	9	A	92	92	184	6.0	10	S	49	0	49	2.0	10	S				8.88			
129	4PS19CV411	NIKHITHA		38	38	76	4.0	8	B							49	40	89	3.0	9	A										46	41	87	2.0	9	A	95	97	192	6.0	10	S	45	0	45	2.0	10	S				9.24
130	4PS19CV412	PAUL ENOSH S		21	31	52	4.0	6	D				37	28	65	3.0	7	C										38	45	83	2.0	9	A	94	90	184	6.0	10	S	40	0	40	2.0	9	A				8.29			
131	4PS19CV413	RAKSHITH B R		38	45	83	4.0	9	A										30	32	62	3.0	7	C							45	40	85	2.0	9	A	94	89	183	6.0	10	S	44	0	44	2.0	9	A				9.00
132	4PS19CV414	RAKSHITH KUMAR H		29	36	65	4.0	7	C				33	30	63	3.0	7	C										43	47	90	2.0	10	S	94	97	191	6.0	10	S	43	0	43	2.0	9	A				8.65			
133	4PS19CV415	SHAHID HAMEED KHANDA		36	27	63	4.0	7	C	34	28	62	3.0	7	C													48	47	95	2.0	10	S	96	98	194	6.0	10	S	50	0	50	2.0	10	S				8.76			
134	4PS19CV416	UDAYGOWDA U S		39	30	69	4.0	7	C							46	44	90	3.0	10	S										47	48	95	2.0	10	S	97	94	191	6.0	10	S	36	0	36	2.0	8	B				9.06
135	4PS19CV417	VINAY H B		24	35	59	4.0	6	D				44	38	82	3.0	9	A													20	30	50	2.0	6	D	40	81	121	6.0	7	C	42	0	42	2.0	9	A				7.24

P18CV81 : - Pre stressed concrete structures

P18CV821 : - Earthquake resistant design of structures

P18CV822 : - Ground Improvement Technique

P18CV823 : - Environmental Impact Assessment

P18CV824 : - Pavement Analysis and Design

P18CV83 : - Internship

P18CV84 : - Project Work Phase - II

P18CV85 : - Self-study course and seminar

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR - Grade, 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

X - CIE > 44 and SEE < 20

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail	
Grade	S	A	B	C	D	E	F	
Grade Points	10	09	08	07	06	04	00	
Raw Score	P18 Scheme	90 Above	89-80	79-70	69-60	59-50	49-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45



Dr. N. L. Murali Krishna
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

