

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belgaum)

Provisional Results of Third Semester B.E Semester End Examination for the Academic year 2016-17

07-01-2017

## CIVIL ENGINEERING

SL.No.	USN	NAME	4	P13MA31			P13CV33			P13CV34			P13CV35			C S T CR GP GR			C S T CR GP GR			C S T CR GP GR			C S T CR GP GR			C S T CR GP GR			C S T CR GP GR			SGPA
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	
1	4PS13CV047	JOSHUA LALRINFELA								29	2	31	0.0	0	F																			0
2	4PS14CV051	LALMUANKIMA		20	20	40	4.0	4	E																									4.00
3	4PS14CV117	SUMEET								43	111	43	0.0	0	C							5	111	5	0.0	0	N							

P13MA31 : - Engineering Mathematics - III

P13CV33 : - Strength of Materials

P13CV34 : - Surveying - I

P13CV35 : - Fluid Mechanics

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

\* Mandatory Learning Course ( \*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55		Grade Points	10	09	08	07	05	04
6.75	60 (First Class)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65								
7.75	70 (Distinction)								
8.25	75								



Dr. K. Narasimha Chary  
Controller of Examinations  
P.E.S. College of Engineering,  
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belgaum)

Provisional Results of Third Semester B.E Semester End Examination for the Academic year 2016-17

09-01-2017

## CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15MA31			P15CV32			P15CV33			P15CV34			P15CV35			P15CV36			P15CVL37			P15CVL38			C S T CR GP GR			SGPA																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR															
1	4PS14CV046	KAVYA.A		28	30	58	4.0	7	C	34	32	66	4.0	8	B	34	0	0	0.0	0	26	20	46	3.0	5	D	25	24	49	4.0	5	D	27	18	45	0.0	0	F	44	25	69	1.5	8	B	48	30	78	1.5	9	A				5.48	
2	4PS14CV062	MONIKA J		25	22	47	4.0	5	D	39	34	73	4.0	8	B	36	1	37	0.0	0	F	30	23	53	3.0	7	C	25	21	46	4.0	5	D	29	31	60	4.0	8	B	45	32	77	1.5	9	A	48	30	78	1.5	9	A				5.85
3	4PS15CV001	ABHISHEK M		25	20	45	4.0	5	D	34	29	63	4.0	8	B	35	21	56	4.0	7	C	35	31	66	3.0	8	B	34	9	43	0.0	0	F	33	20	53	4.0	7	C	48	43	91	1.5	10	S	44	30	74	1.5	8	B				6.12
4	4PS15CV002	ADARSH KUMAR		45	39	84	4.0	9	A	42	36	78	4.0	9	A	41	47	88	4.0	9	A	41	37	78	3.0	9	A	47	32	79	4.0	9	A	44	40	84	4.0	9	A	48	49	97	1.5	10	S	46	43	89	1.5	9	A				9.06
5	4PS15CV004	AKSHAY N GOWDA		40	41	81	4.0	9	A	48	50	98	4.0	10	S	48	46	94	4.0	10	S	45	31	76	3.0	9	A	50	34	84	4.0	9	A	47	41	88	4.0	9	A	48	49	97	1.5	10	S	46	46	92	1.5	10	S				9.42
6	4PS15CV005	ANEKALLU ASHOKA		36	44	80	4.0	9	A	47	38	85	4.0	9	A	50	40	90	4.0	10	S	37	29	66	3.0	8	B	36	40	76	4.0	9	A	47	31	78	4.0	9	A	48	44	92	1.5	10	S	48	41	89	1.5	9	A				9.10
7	4PS15CV006	ANISH A KOTHARI		26	35	61	4.0	8	B	42	41	83	4.0	9	A	37	41	78	4.0	9	A	36	26	62	3.0	8	B	37	36	73	4.0	8	B	43	20	63	4.0	8	B	46	46	92	1.5	10	S	46	43	89	1.5	9	A				8.48
8	4PS15CV007	ARSHITHA K		34	27	61	4.0	8	B	41	42	83	4.0	9	A	41	26	67	4.0	8	B	37	33	70	3.0	8	B	36	38	74	4.0	8	B	39	28	67	4.0	8	B	44	47	91	1.5	10	S	42	38	80	1.5	9	A				8.33
9	4PS15CV008	ARUN KUMAR M G		25	12	37	0.0	0	F	40	29	69	4.0	8	B	37	12	49	0.0	0	F	27	16	43	0.0	0	F	25	22	47	4.0	5	D	29	31	60	4.0	8	B	48	40	88	1.5	9	A	46	39	85	1.5	9	A				4.27
10	4PS15CV009	BASAVANNA M		32	26	58	4.0	7	C	25	23	48	4.0	5	D	38	37	75	4.0	9	A	32	22	54	3.0	7	C	36	14	50	0.0	0	F	32	30	62	4.0	8	B	48	29	77	1.5	9	A	44	40	84	1.5	9	A				6.31
11	4PS15CV010	BI BI SARA		32	20	52	4.0	7	C	36	40	76	4.0	9	A	38	27	65	4.0	8	B	31	23	54	3.0	7	C	25	28	53	4.0	7	C	27	20	47	4.0	5	D	33	34	67	1.5	8	B	41	30	71	1.5	8	B				7.27
12	4PS15CV012	CHAITHRA S		43	30	73	4.0	8	B	42	41	83	4.0	9	A	44	27	71	4.0	8	B	37	29	66	3.0	8	B	32	34	66	4.0	8	B	38	28	66	4.0	8	B	48	44	92	1.5	10	S	44	43	87	1.5	9	A				8.33
13	4PS15CV013	CHALAPATHI K S		37	25	62	4.0	8	B	46	39	85	4.0	9	A	40	45	85	4.0	9	A	40	33	73	3.0	8	B	42	28	70	4.0	8	B	36	37	73	4.0	8	B	48	46	94	1.5	10	S	46	47	93	1.5	10	S				8.54
14	4PS15CV014	CHANDRASHEKHARA M		35	30	65	4.0	8	B	41	43	84	4.0	9	A	43	43	86	4.0	9	A	38	26	64	3.0	8	B	40	39	79	4.0	9	A	36	35	71	4.0	8	B	48	48	96	1.5	10	S	47	41	88	1.5	9	A				8.63
15	4PS15CV015	CHANDRASHEKHARA S K		46	40	86	4.0	9	A	38	40	78	4.0	9	A	46	44	90	4.0	10	S	37	27	64	3.0	8	B	36	21	57	4.0	7	C	35	36	71	4.0	8	B	48	49	97	1.5	10	S	46	38	84	1.5	9	A				8.63
16	4PS15CV016	CHANDRASHEKHARA S K		40	33	73	4.0	8	B	43	35	78	4.0	9	A	47	34	81	4.0	9	A	33	30	63	3.0	8	B	37	33	70	4.0	8	B	39	28	67	4.0	8	B	46	49	95	1.5	10	S	45	44	89	1.5	9	A				8.48
17	4PS15CV017	CHAYADEVI B N		46	31	77	4.0	9	A	47	39	86	4.0	9	A	50	45	95	4.0	10	S	41	35	76	3.0	9	A	40	44	84	4.0	9	A	40	31	71	4.0	8	B	48	47	95	1.5	10	S	48	48	96	1.5	10	S				9.12
18	4PS15CV018	DEVIKA B A		35	36	71	4.0	8	B	45	46	91	4.0	10	S	42	40	82	4.0	9	A	44	22	66	3.0	8	B	46	21	67	4.0	8	B	40	28	68	4.0	8	B	48	45	93	1.5	10	S	46	48	94	1.5	10	S				8.69
19	4PS15CV019	DILEEP KUMAR C B		30	38	68	4.0	8	B	45	40	85	4.0	9	A	47	42	89	4.0	9	A	42	26	68	3.0	8	B	49	40	89	4.0	9	A	47	34	81	4.0	9	A	48	50	98	1.5	10	S	47	44	91	1.5	10	S				8.85
20	4PS15CV020	DIVYASHREE C S		27	29	56	4.0	7	C	44	37	81	4.0	9	A	35	35	70	4.0	8	B	46	35	81	3.0	9	A	44	24	68	4.0	8	B	39	28	67	4.0	8	B	48	48	96	1.5	10	S	46	42	88	1.5	9	A				8.29

P15MA31 : - Engineering Mathematics - III  
P15CV32 : - Building Materials Construction  
P15CV33 : - Strength of Materials  
P15CV34 : - Applied Engineering Geology  
P15CV35 : - Fluid Mechanics

P15CV36 : - Basic Surveying  
P15CVL37 : - Basic Surveying Practice  
P15CVL38 : - Basic Material Testing Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained  
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission  
W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance  
G -Satisfactory CIE and Attendance but Absent for SEE without Permission  
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail  
\* Mandatory Learning Course ( \*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55								
6.75	60 (First Class)	Grade Points	10	09	08	07	05	04	00
7.25	65								
7.75	70 (Distinction)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
8.25	75								



Dr. K. Narasimha Charay  
Controller of Examinations  
P.E.S. College of Engineering,  
Mandya

**Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.**

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belgaum)

Provisional Results of Third Semester B.E Semester End Examination for the Academic year 2016-17

09-01-2017

## CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15MA31			P15CV32			P15CV33			P15CV34			P15CV35			P15CV36			P15CVL37			P15CVL38			C S T CR GP GR			SGPA																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR															
21	4PS15CV022	HARSHITH GOWDA D		35	44	79	4.0	9	A	49	45	94	4.0	10	S	50	42	92	4.0	10	S	43	39	82	3.0	9	A	46	43	89	4.0	9	A	46	34	80	4.0	9	A	48	47	95	1.5	10	S	47	48	95	1.5	10	S				9.42
22	4PS15CV023	HARSHITH KUMAR H C		47	46	93	4.0	10	S	43	44	87	4.0	9	A	45	47	92	4.0	10	S	40	33	73	3.0	8	B	47	27	74	4.0	8	B	45	40	85	4.0	9	A	48	46	94	1.5	10	S	46	45	91	1.5	10	S				9.15
23	4PS15CV024	HARSHITHA H K		25	12	37	0.0	0	F	36	34	70	4.0	8	B	45	21	66	4.0	8	B	29	16	45	0.0	0	F	25	31	56	4.0	7	C	26	23	49	4.0	5	D	47	42	89	1.5	9	A	45	45	90	1.5	10	S				5.40
24	4PS15CV025	HARSHITHA M		31	45	76	4.0	9	A	32	29	61	4.0	8	B	35	40	75	4.0	9	A	40	27	67	3.0	8	B	40	20	60	4.0	8	B	34	27	61	4.0	8	B	48	48	96	1.5	10	S	47	43	90	1.5	10	S				8.54
25	4PS15CV027	J DARSHAN		36	21	57	4.0	7	C	48	43	91	4.0	10	S	48	37	85	4.0	9	A	42	36	78	3.0	9	A	32	35	67	4.0	8	B	45	30	75	4.0	9	A	45	46	91	1.5	10	S	45	43	88	1.5	9	A				8.75
26	4PS15CV028	JEEVAN D M		44	45	89	4.0	9	A	45	44	89	4.0	9	A	46	48	94	4.0	10	S	38	26	64	3.0	8	B	46	41	87	4.0	9	A	41	40	81	4.0	9	A	48	47	95	1.5	10	S	46	44	90	1.5	10	S				9.15
27	4PS15CV030	K LALDUHKIMA		3	111	3	0.0	0	N	10	111	10	0.0	0	N	3	111	3	0.0	0	N	34	111	34	0.0	0	N	5	111	5	0.0	0	N	0	111	0	0.0	0	N	111	111	0	0.0	0	N	111	111	0	0.0	0	N				0
28	4PS15CV031	K LAVVKIMA		42	43	85	4.0	9	A	32	35	67	4.0	8	B	47	48	95	4.0	10	S	33	26	59	3.0	7	C	40	26	66	4.0	8	B	37	31	68	4.0	8	B	46	45	91	1.5	10	S	38	30	68	1.5	8	B				8.46
29	4PS15CV032	KANCHANA B V		40	36	76	4.0	9	A	46	46	92	4.0	10	S	48	42	90	4.0	10	S	46	37	83	3.0	9	A	47	23	70	4.0	8	B	42	36	78	4.0	9	A	49	46	95	1.5	10	S	47	48	95	1.5	10	S				9.27
30	4PS15CV033	KARTHIK A R		50	48	98	4.0	10	S	40	40	80	4.0	9	A	49	47	96	4.0	10	S	44	32	76	3.0	9	A	50	36	86	4.0	9	A	45	42	87	4.0	9	A	48	49	97	1.5	10	S	48	45	93	1.5	10	S				9.42
31	4PS15CV034	KARTHIK H R		35	30	65	4.0	8	B	44	37	81	4.0	9	A	45	39	84	4.0	9	A	31	31	62	3.0	8	B	40	38	78	4.0	9	A	39	20	59	4.0	7	C	48	42	90	1.5	10	S	45	45	90	1.5	10	S				8.54
32	4PS15CV035	KARTHIK N		48	44	92	4.0	10	S	45	40	85	4.0	9	A	45	43	88	4.0	9	A	37	32	69	3.0	8	B	43	46	89	4.0	9	A	43	22	65	4.0	8	B	46	47	93	1.5	10	S	46	46	92	1.5	10	S				9.00
33	4PS15CV036	KAVYA C		29	26	55	4.0	7	C	39	32	71	4.0	8	B	32	34	66	4.0	8	B	38	30	68	3.0	8	B	42	20	62	4.0	8	B	40	26	66	4.0	8	B	48	47	95	1.5	10	S	44	44	88	1.5	9	A				8.02
34	4PS15CV037	KAVYA M		43	41	84	4.0	9	A	47	43	90	4.0	10	S	48	44	92	4.0	10	S	44	40	84	3.0	9	A	37	40	77	4.0	9	A	41	24	65	4.0	8	B	48	45	93	1.5	10	S	46	45	91	1.5	10	S				9.27
35	4PS15CV038	KIRAN D		25	26	51	4.0	7	C	34	29	63	4.0	8	B	29	28	57	4.0	7	C	32	23	55	3.0	7	C	31	24	55	4.0	7	C	30	31	61	4.0	8	B	47	45	92	1.5	10	S	43	43	86	1.5	9	A				7.60
36	4PS15CV039	KIRAN G B		46	42	88	4.0	9	A	50	40	90	4.0	10	S	48	41	89	4.0	9	A	46	35	81	3.0	9	A	47	41	88	4.0	9	A	45	33	78	4.0	9	A	48	43	91	1.5	10	S	48	46	94	1.5	10	S				9.27
37	4PS15CV040	KOUSHIK GOWDA B G		32	31	63	4.0	8	B	37	30	67	4.0	8	B	29	28	57	4.0	7	C	33	27	60	3.0	8	B	39	23	62	4.0	8	B	30	30	60	4.0	8	B	47	41	88	1.5	9	A	43	41	84	1.5	9	A				7.96
38	4PS15CV041	KOWSHIK B S		25	24	49	4.0	5	D	33	32	65	4.0	8	B	31	26	57	4.0	7	C	31	22	53	3.0	7	C	34	20	54	4.0	7	C	29	29	58	4.0	7	C	46	42	88	1.5	9	A	43	43	86	1.5	9	A				7.08
39	4PS15CV042	LAKHAN SWAMY GOWDA E		25	20	45	4.0	5	D	35	34	69	4.0	8	B	32	25	57	4.0	7	C	37	28	65	3.0	8	B	37	21	58	4.0	7	C	27	27	54	4.0	7	C	47	27	74	1.5	8	B	43	42	85	1.5	9	A				7.13
40	4PS15CV043	MADHU B		45	40	85	4.0	9	A	44	44	88	4.0	9	A	49	41	90	4.0	10	S	40	27	67	3.0	8	B	44	41	85	4.0	9	A	46	27	73	4.0	8	B	48	46	94	1.5	10	S	46	46	92	1.5	10	S				9.00
41	4PS15CV044	MADHUSHREE D B		41	29	70	4.0	8	B	38	39	77	4.0	9	A	43	38	81	4.0	9	A	39	25	64	3.0	8	B	37	36	73	4.0	8	B	42	24	66	4.0	8	B	47	40	87	1.5	9	A	42	30	72	1.5	8	B				8.37

P15MA31 : - Engineering Mathematics - III  
 P15CV32 : - Building Materials Construction  
 P15CV33 : - Strength of Materials  
 P15CV34 : - Applied Engineering Geology  
 P15CV35 : - Fluid Mechanics

P15CV36 : - Basic Surveying  
 P15CVL37 : - Basic Surveying Practice  
 P15CVL38 : - Basic Material Testing Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained  
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission  
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance  
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission  
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail  
 \* Mandatory Learning Course ( \*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55								
6.75	60 (First Class)	Grade Points	10	09	08	07	05	04	00
7.25	65								
7.75	70 (Distinction)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
8.25	75								

Dr. K. Narasimha Chary  
 Controller of Examinations  
 P.E.S. College of Engineering,  
 Mandya

**Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.**

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belgaum)

Provisional Results of Third Semester B.E Semester End Examination for the Academic year 2016-17

09-01-2017

## CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15MA31				P15CV32				P15CV33				P15CV34				P15CV35				P15CV36				P15CVL37				P15CVL38				C S T CR GP GR				SGPA																				
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		C	S	T	CR	GP	GR														
42	4PS15CV045	MAHIMA H S		34	36	70	4.0	8	B	44	35	79	4.0	9	A	50	47	97	4.0	10	S	40	20	60	3.0	8	B	41	39	80	4.0	9	A	43	34	77	4.0	9	A	47	32	79	1.5	10	S	48	47	95	1.5	10	S									8.94
43	4PS15CV047	MANJU M		25	13	38	0.0	0	F	32	34	66	4.0	8	B	35	29	64	4.0	8	B	32	26	58	3.0	7	C	30	12	42	0.0	0	F	30	30	60	4.0	8	B	45	47	92	1.5	10	S	43	37	80	1.5	9	A									5.60
44	4PS15CV050	MANOJ K C		46	47	93	4.0	10	S	46	39	85	4.0	9	A	46	40	86	4.0	9	A	44	36	80	3.0	9	A	49	30	79	4.0	9	A	44	41	85	4.0	9	A	46	44	90	1.5	10	S	47	45	92	1.5	10	S									9.27
45	4PS15CV051	MIRZA ASEEEM BAIG		39	34	73	4.0	8	B	42	42	84	4.0	9	A	26	42	68	4.0	8	B	37	38	75	3.0	9	A	43	42	85	4.0	9	A	39	36	75	4.0	9	A	47	40	87	1.5	9	A	48	38	86	1.5	9	A									8.69
46	4PS15CV052	MOHAMMED EITHESHAM		41	38	79	4.0	9	A	47	36	83	4.0	9	A	42	40	82	4.0	9	A	38	26	64	3.0	8	B	49	29	78	4.0	9	A	40	28	68	4.0	8	B	46	45	91	1.5	10	S	48	42	90	1.5	10	S									8.85
47	4PS15CV053	MOHAN G		33	25	58	4.0	7	C	36	29	65	4.0	8	B	46	32	78	4.0	9	A	35	20	55	3.0	7	C	33	29	62	4.0	8	B	36	37	73	4.0	8	B	45	46	91	1.5	10	S	48	36	84	1.5	9	A									8.06
48	4PS15CV054	MONISHA M N		35	34	69	4.0	8	B	40	34	74	4.0	8	B	43	38	81	4.0	9	A	33	29	62	3.0	8	B	33	28	61	4.0	8	B	40	38	78	4.0	9	A	47	43	90	1.5	10	S	48	40	88	1.5	9	A									8.48
49	4PS15CV055	NAGESH		25	29	54	4.0	7	C	30	20	50	4.0	7	C	33	21	54	4.0	7	C	25	24	49	3.0	5	D	36	7	43	0.0	0	F	31	18	49	0.0	0	F	45	44	89	1.5	9	A	43	30	73	1.5	8	B									4.79
50	4PS15CV056	NANDANKUMAR M R		37	29	66	4.0	8	B	46	40	86	4.0	9	A	34	37	71	4.0	8	B	35	25	60	3.0	8	B	43	38	81	4.0	9	A	46	29	75	4.0	9	A	46	46	92	1.5	10	S	48	38	86	1.5	9	A									8.63
51	4PS15CV057	NANJUNDA SWAMY		48	48	96	4.0	10	S	44	39	83	4.0	9	A	49	43	92	4.0	10	S	40	28	68	3.0	8	B	46	44	90	4.0	10	S	47	42	89	4.0	9	A	46	48	94	1.5	10	S	48	45	93	1.5	10	S									9.46
52	4PS15CV058	NETHRAVATHI M		44	45	89	4.0	9	A	46	33	79	4.0	9	A	47	46	93	4.0	10	S	36	36	72	3.0	8	B	46	28	74	4.0	8	B	44	34	78	4.0	9	A	45	47	92	1.5	10	S	48	42	90	1.5	10	S									9.00
53	4PS15CV059	NITHIN A		34	20	54	4.0	7	C	37	40	77	4.0	9	A	39	13	52	0.0	0	F	30	30	60	3.0	8	B	25	13	38	0.0	0	F	25	23	48	4.0	5	D	46	40	86	1.5	9	A	48	34	82	1.5	9	A									5.19
54	4PS15CV060	NITISH A G		25	20	45	4.0	5	D	42	35	77	4.0	9	A	45	23	68	4.0	8	B	34	33	67	3.0	8	B	25	17	42	0.0	0	F	29	24	53	4.0	7	C	44	15	59	0.0	0	F	48	40	88	1.5	9	A									5.90
55	4PS15CV061	P CHIRANTH		25	30	55	4.0	7	C	38	28	66	4.0	8	B	32	22	54	4.0	7	C	28	23	51	3.0	7	C	36	4	40	0.0	0	F	30	20	50	4.0	7	C	48	31	79	1.5	9	A	45	40	85	1.5	9	A									6.31
56	4PS15CV063	PAWAN H S		40	30	70	4.0	8	B	42	38	80	4.0	9	A	46	37	83	4.0	9	A	38	25	63	3.0	8	B	37	41	78	4.0	9	A	34	26	60	4.0	8	B	48	42	90	1.5	10	S	46	43	89	1.5	9	A									8.63
57	4PS15CV064	POOJA H P		42	45	87	4.0	9	A	40	31	71	4.0	8	B	46	46	92	4.0	10	S	38	22	60	3.0	8	B	45	29	74	4.0	8	B	39	39	78	4.0	9	A	47	46	93	1.5	10	S	48	43	91	1.5	10	S									8.85
58	4PS15CV065	POORNIMA D		39	45	84	4.0	9	A	47	43	90	4.0	10	S	43	48	91	4.0	10	S	46	38	84	3.0	9	A	47	37	84	4.0	9	A	46	39	85	4.0	9	A	47	49	96	1.5	10	S	49	47	96	1.5	10	S									9.42
59	4PS15CV066	PRADHAN K P		36	37	73	4.0	8	B	45	33	78	4.0	9	A	46	32	78	4.0	9	A	35	27	62	3.0	8	B	41	37	78	4.0	9	A	32	29	61	4.0	8	B	47	45	92	1.5	10	S	46	43	89	1.5	9	A									8.63
60	4PS15CV067	PRAJWAL D M		40	42	82	4.0	9	A	44	35	79	4.0	9	A	37	30	67	4.0	8	B	38	33	71	3.0	8	B	41	22	63	4.0	8	B	38	34	72	4.0	8	B	46	46	92	1.5	10	S	48	40	88	1.5	9	A									8.48
61	4PS15CV068	PRAJWAL H N		26	11	37	0.0	0	F	28	34	62	4.0	8	B	32	20	52	4.0	7	C	40	5	45	0.0	0	F	25	11	36	0.0	0	F	25	25	50	4.0	7	C	47	36	83	1.5	9	A	40	27	67	1.5	8	B									4.37
62	4PS15CV069	PRAMOD G K		25	20	45	4.0	5	D	32	22	54	4.0	7	C	33	21	54	4.0	7	C	38	16	54	0.0	0	F	36	9	45	0.0	0	F	33	20	53	4.0	7	C	44	25	69	1.5	8	B	48	27	75	1.5	9	A									4.98

P15MA31 : - Engineering Mathematics - III  
 P15CV32 : - Building Materials Construction  
 P15CV33 : - Strength of Materials  
 P15CV34 : - Applied Engineering Geology  
 P15CV35 : - Fluid Mechanics

P15CV36 : - Basic Surveying  
 P15CVL37 : - Basic Surveying Practice  
 P15CVL38 : - Basic Material Testing Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained  
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission  
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance  
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission  
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail  
 \* Mandatory Learning Course ( \*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55								
6.75	60 (First Class)	Grade Points	10	09	08	07	05	04	00
7.25	65								
7.75	70 (Distinction)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
8.25	75								

Dr. K. Narasimha Charay  
 Controller of Examinations  
 P.E.S. College of Engineering,  
 Mandya

**Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.**

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belgaum)

Provisional Results of Third Semester B.E Semester End Examination for the Academic year 2016-17

09-01-2017

## CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15MA31			P15CV32			P15CV33			P15CV34			P15CV35			P15CV36			P15CVL37			P15CVL38			C S T CR GP GR			SGPA																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR															
63	4PS15CV070	PRATHVINI B M		35	22	57	4.0	7	C	36	38	74	4.0	8	B	48	27	75	4.0	9	A	42	23	65	3.0	8	B	25	22	47	4.0	5	D	41	30	71	4.0	8	B	49	44	93	1.5	10	S	46	34	80	1.5	9	A				7.71
64	4PS15CV071	PRAVEEN K N		40	37	77	4.0	9	A	38	36	74	4.0	8	B	38	33	71	4.0	8	B	43	29	72	3.0	8	B	42	21	63	4.0	8	B	35	30	65	4.0	8	B	44	37	81	1.5	9	A	47	37	84	1.5	9	A				8.27
65	4PS15CV072	PRIYADARSHINI K Y		48	48	96	4.0	10	S	47	39	86	4.0	9	A	45	42	87	4.0	9	A	41	33	74	3.0	8	B	42	25	67	4.0	8	B	46	37	83	4.0	9	A	46	46	92	1.5	10	S	49	48	97	1.5	10	S				9.00
66	4PS15CV073	PRIYANKA D K		32	20	52	4.0	7	C	34	40	74	4.0	8	B	49	29	78	4.0	9	A	33	9	42	0.0	0	F	32	14	46	0.0	0	F	31	35	66	4.0	8	B	48	38	86	1.5	9	A	48	47	95	1.5	10	S				6.02
67	4PS15CV074	PRIYANKA M N		30	28	58	4.0	7	C	34	37	71	4.0	8	B	44	35	79	4.0	9	A	33	26	59	3.0	7	C	31	30	61	4.0	8	B	38	25	63	4.0	8	B	48	40	88	1.5	9	A	46	40	86	1.5	9	A				8.00
68	4PS15CV075	PUNEETH C R		36	38	74	4.0	8	B	47	46	93	4.0	10	S	41	41	82	4.0	9	A	42	32	74	3.0	8	B	47	25	72	4.0	8	B	40	32	72	4.0	8	B	44	33	77	1.5	9	A	49	38	87	1.5	9	A				8.58
69	4PS15CV076	PUNITHKUMAR K P		44	26	70	4.0	8	B	44	41	85	4.0	9	A	50	37	87	4.0	9	A	42	31	73	3.0	8	B	45	44	89	4.0	9	A	41	30	71	4.0	8	B	48	42	90	1.5	10	S	46	40	86	1.5	9	A				8.63
70	4PS15CV077	RAGHU S		30	27	57	4.0	7	C	42	32	74	4.0	8	B	42	38	80	4.0	9	A	38	20	58	3.0	7	C	38	37	75	4.0	9	A	32	27	59	4.0	7	C	46	42	88	1.5	9	A	44	43	87	1.5	9	A				8.00
71	4PS15CV078	RAHUL A R		41	31	72	4.0	8	B	43	42	85	4.0	9	A	44	33	77	4.0	9	A	36	28	64	3.0	8	B	32	37	69	4.0	8	B	44	35	79	4.0	9	A	46	39	85	1.5	9	A	45	35	80	1.5	9	A				8.58
72	4PS15CV079	RAJESH I V		28	23	51	4.0	7	C	32	36	68	4.0	8	B	31	34	65	4.0	8	B	37	20	57	3.0	7	C	39	14	53	0.0	0	F	32	26	58	4.0	7	C	42	32	74	1.5	8	B	48	38	86	1.5	9	A				6.40
73	4PS15CV080	RAJU P R		40	33	73	4.0	8	B	38	39	77	4.0	9	A	46	40	86	4.0	9	A	36	30	66	3.0	8	B	37	35	72	4.0	8	B	39	35	74	4.0	8	B	48	44	92	1.5	10	S	46	44	90	1.5	10	S				8.54
74	4PS15CV081	RAKESH K S		25	21	46	4.0	5	D	40	36	76	4.0	9	A	31	34	65	4.0	8	B	37	24	61	3.0	8	B	36	20	56	4.0	7	C	31	24	55	4.0	7	C	44	35	79	1.5	9	A	46	40	86	1.5	9	A				7.50
75	4PS15CV082	RAKESHGOWDA K S		25	11	36	0.0	0	F	35	26	61	4.0	8	B	33	32	65	4.0	8	B	36	31	67	3.0	8	B	40	9	49	0.0	0	F	30	28	58	4.0	7	C	43	27	70	1.5	8	B	46	29	75	1.5	9	A				5.44
76	4PS15CV083	RAKSHITHGOWDA K M		31	29	60	4.0	8	B	41	28	69	4.0	8	B	50	36	86	4.0	9	A	32	20	52	3.0	7	C	38	30	68	4.0	8	B	37	25	62	4.0	8	B	48	38	86	1.5	9	A	46	27	73	1.5	8	B				8.10
77	4PS15CV084	RICHARD VANLALREMA		41	36	77	4.0	9	A	42	42	84	4.0	9	A	40	42	82	4.0	9	A	38	34	72	3.0	8	B	43	45	88	4.0	9	A	32	30	62	4.0	8	B	44	45	89	1.5	9	A	45	48	93	1.5	10	S				8.79
78	4PS15CV085	ROHIT CHAWAN		32	26	58	4.0	7	C	46	28	74	4.0	8	B	31	30	61	4.0	8	B	33	22	55	3.0	7	C	42	23	65	4.0	8	B	30	30	60	4.0	8	B	46	27	73	1.5	8	B	48	46	94	1.5	10	S				7.85
79	4PS15CV086	ROHITH KUMAR J		39	39	78	4.0	9	A	45	37	82	4.0	9	A	45	39	84	4.0	9	A	42	25	67	3.0	8	B	45	40	85	4.0	9	A	40	24	64	4.0	8	B	45	37	82	1.5	9	A	48	48	96	1.5	10	S				8.79
80	4PS15CV087	SACHIDANANDA B		25	20	45	4.0	5	D	37	31	68	4.0	8	B	38	8	46	0.0	0	F	30	26	56	3.0	7	C	25	21	46	4.0	5	D	33	22	55	4.0	7	C	46	36	82	1.5	9	A	32	47	79	1.5	9	A				5.69
81	4PS15CV088	SAGAR HULLUR		27	24	51	4.0	7	C	34	37	71	4.0	8	B	43	31	74	4.0	8	B	33	28	61	3.0	8	B	28	26	54	4.0	7	C	28	26	54	4.0	7	C	45	45	90	1.5	10	S	44	42	86	1.5	9	A				7.71
82	4PS15CV089	SAHANA K S		25	36	61	4.0	8	B	47	23	70	4.0	8	B	33	25	58	4.0	7	C	29	20	49	3.0	5	D	43	13	56	0.0	0	F	33	25	58	4.0	7	C	47	43	90	1.5	10	S	48	44	92	1.5	10	S				6.35
83	4PS15CV090	SANDHYA S		39	35	74	4.0	8	B	38	39	77	4.0	9	A	46	39	85	4.0	9	A	39	29	68	3.0	8	B	36	31	67	4.0	8	B	36	24	60	4.0	8	B	46	40	86	1.5	9	A	45	46	91	1.5	10	S				8.48

P15MA31 : - Engineering Mathematics - III  
P15CV32 : - Building Materials Construction  
P15CV33 : - Strength of Materials  
P15CV34 : - Applied Engineering Geology  
P15CV35 : - Fluid Mechanics

P15CV36 : - Basic Surveying  
P15CVL37 : - Basic Surveying Practice  
P15CVL38 : - Basic Material Testing Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained  
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission  
W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance  
G -Satisfactory CIE and Attendance but Absent for SEE without Permission  
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail  
\* Mandatory Learning Course ( \*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55								
6.75	60 (First Class)	Grade Points	10	09	08	07	05	04	00
7.25	65								
7.75	70 (Distinction)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
8.25	75								



Dr. K. Narasimha Chary  
Controller of Examinations  
P.E.S. College of Engineering,  
Mandya

**Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.**

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belgaum)

Provisional Results of Third Semester B.E Semester End Examination for the Academic year 2016-17

09-01-2017

## CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15MA31			P15CV32			P15CV33			P15CV34			P15CV35			P15CV36			P15CVL37			P15CVL38			C S T CR GP GR			SGPA																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR															
84	4PS15CV091	SANTHOSH G		36	20	56	4.0	7	C	43	29	72	4.0	8	B	41	31	72	4.0	8	B	29	27	56	3.0	7	C	33	36	69	4.0	8	B	32	20	52	4.0	7	C	45	36	81	1.5	9	A	35	42	77	1.5	9	A				7.69
85	4PS15CV092	SANTHOSHKUMAR C V		41	48	89	4.0	9	A	48	43	91	4.0	10	S	46	45	91	4.0	10	S	36	37	73	3.0	8	B	46	28	74	4.0	8	B	41	44	85	4.0	9	A	46	42	88	1.5	9	A	49	38	87	1.5	9	A				9.04
86	4PS15CV093	SANTHOSHA D B		33	30	63	4.0	8	B	36	33	69	4.0	8	B	47	32	79	4.0	9	A	30	22	52	3.0	7	C	25	31	56	4.0	7	C	30	20	50	4.0	7	C	46	37	83	1.5	9	A	46	40	86	1.5	9	A				7.85
87	4PS15CV094	SAURABH KUMAR		43	47	90	4.0	10	S	44	33	77	4.0	9	A	41	42	83	4.0	9	A	38	31	69	3.0	8	B	46	21	67	4.0	8	B	41	38	79	4.0	9	A	46	44	90	1.5	10	S	46	41	87	1.5	9	A				8.94
88	4PS15CV095	SHAILAJA T		40	41	81	4.0	9	A	46	41	87	4.0	9	A	40	44	84	4.0	9	A	43	35	78	3.0	9	A	47	34	81	4.0	9	A	45	34	79	4.0	9	A	48	38	86	1.5	9	A	47	45	92	1.5	10	S				9.06
89	4PS15CV096	SHANTHARAJU		46	42	88	4.0	9	A	43	30	73	4.0	8	B	36	38	74	4.0	8	B	35	25	60	3.0	8	B	46	25	71	4.0	8	B	37	33	70	4.0	8	B	44	43	87	1.5	9	A	46	40	86	1.5	9	A				8.27
90	4PS15CV098	SHASHANK K S		39	36	75	4.0	9	A	41	38	79	4.0	9	A	35	36	71	4.0	8	B	38	31	69	3.0	8	B	42	31	73	4.0	8	B	37	37	74	4.0	8	B	46	38	84	1.5	9	A	46	44	90	1.5	10	S				8.48
91	4PS15CV099	SHIVASHANKAR D		42	29	71	4.0	8	B	43	40	83	4.0	9	A	43	40	83	4.0	9	A	43	35	78	3.0	9	A	43	25	68	4.0	8	B	44	36	80	4.0	9	A	45	45	90	1.5	10	S	46	31	77	1.5	9	A				8.75
92	4PS15CV100	SHRATI		26	21	47	4.0	5	D	32	20	52	4.0	7	C	39	25	64	4.0	8	B	28	20	48	3.0	5	D	25	17	42	0.0	0	F	28	21	49	4.0	5	D	46	30	76	1.5	9	A	45	35	80	1.5	9	A				5.46
93	4PS15CV101	SHRAVANI N S		27	2	29	0.0	0	F	34	24	58	4.0	7	C	46	22	68	4.0	8	B	26	25	51	3.0	7	C	25	15	40	0.0	0	F	30	20	50	4.0	7	C	48	30	78	1.5	9	A	45	26	71	1.5	8	B				5.17
94	4PS15CV103	SHREYAS H R		42	33	75	4.0	9	A	41	40	81	4.0	9	A	40	41	81	4.0	9	A	44	30	74	3.0	8	B	43	39	82	4.0	9	A	36	39	75	4.0	9	A	46	45	91	1.5	10	S	46	35	81	1.5	9	A				8.94
95	4PS15CV104	SHRIDHAR S		43	39	82	4.0	9	A	45	47	92	4.0	10	S	43	43	86	4.0	9	A	44	33	77	3.0	9	A	46	34	80	4.0	9	A	46	44	90	4.0	10	S	48	30	78	1.5	9	A	49	30	79	1.5	9	A				9.31
96	4PS15CV105	SHRUTHI R		41	34	75	4.0	9	A	34	31	65	4.0	8	B	35	35	70	4.0	8	B	32	20	52	3.0	7	C	42	13	55	0.0	0	F	35	23	58	4.0	7	C	44	45	89	1.5	9	A	47	41	88	1.5	9	A				6.77
97	4PS15CV106	SHUBHA MALLANAGOUDA		30	26	56	4.0	7	C	33	29	62	4.0	8	B	39	33	72	4.0	8	B	29	24	53	3.0	7	C	45	14	59	0.0	0	F	39	26	65	4.0	8	B	46	30	76	1.5	9	A	48	40	88	1.5	9	A				6.62
98	4PS15CV107	SHWETHA S		41	30	71	4.0	8	B	42	34	76	4.0	9	A	45	37	82	4.0	9	A	33	22	55	3.0	7	C	33	28	61	4.0	8	B	36	39	75	4.0	9	A	45	30	75	1.5	9	A	45	38	83	1.5	9	A				8.46
99	4PS15CV108	SIDDANAGOUDA M PATIL		39	36	75	4.0	9	A	45	38	83	4.0	9	A	39	43	82	4.0	9	A	38	31	69	3.0	8	B	42	15	57	0.0	0	F	42	38	80	4.0	9	A	48	45	93	1.5	10	S	47	41	88	1.5	9	A				7.56
100	4PS15CV109	SINDHU B		39	40	79	4.0	9	A	41	42	83	4.0	9	A	40	42	82	4.0	9	A	42	31	73	3.0	8	B	41	20	61	4.0	8	B	42	47	89	4.0	9	A	48	30	78	1.5	9	A	47	42	89	1.5	9	A				8.73
101	4PS15CV110	SNEHA K		44	43	87	4.0	9	A	50	46	96	4.0	10	S	45	46	91	4.0	10	S	42	30	72	3.0	8	B	50	33	83	4.0	9	A	45	40	85	4.0	9	A	45	46	91	1.5	10	S	48	41	89	1.5	9	A				9.25
102	4PS15CV111	SONIKA Y H		27	20	47	4.0	5	D	46	35	81	4.0	9	A	40	32	72	4.0	8	B	40	33	73	3.0	8	B	46	13	59	0.0	0	F	45	36	81	4.0	9	A	48	40	88	1.5	9	A	47	30	77	1.5	9	A				6.73
103	4PS15CV112	SOWJANYA M T		41	31	72	4.0	8	B	36	34	70	4.0	8	B	39	44	83	4.0	9	A	37	22	59	3.0	7	C	41	26	67	4.0	8	B	38	38	76	4.0	9	A	48	45	93	1.5	10	S	47	28	75	1.5	9	A				8.37
104	4PS15CV113	SPANDANA S		36	37	73	4.0	8	B	45	37	82	4.0	9	A	39	41	80	4.0	9	A	35	30	65	3.0	8	B	40	28	68	4.0	8	B	42	32	74	4.0	8	B	48	38	86	1.5	9	A	48	35	83	1.5	9	A				8.42

P15MA31 : - Engineering Mathematics - III  
P15CV32 : - Building Materials Construction  
P15CV33 : - Strength of Materials  
P15CV34 : - Applied Engineering Geology  
P15CV35 : - Fluid Mechanics

P15CV36 : - Basic Surveying  
P15CVL37 : - Basic Surveying Practice  
P15CVL38 : - Basic Material Testing Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained  
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission  
W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance  
G -Satisfactory CIE and Attendance but Absent for SEE without Permission  
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail  
\* Mandatory Learning Course ( \*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55								
6.75	60 (First Class)	Grade Points	10	09	08	07	05	04	00
7.25	65								
7.75	70 (Distinction)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
8.25	75								



Dr. K. Narasimha Chary  
Controller of Examinations  
P.E.S. College of Engineering,  
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belgaum)

Provisional Results of Third Semester B.E Semester End Examination for the Academic year 2016-17

09-01-2017

## CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15MA31			P15CV32			P15CV33			P15CV34			P15CV35			P15CV36			P15CVL37			P15CVL38			C S T CR GP GR			SGPA																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR															
105	4PS15CV114	SRINIVAS H S		25	20	45	4.0	5	D	31	35	66	4.0	8	B	32	28	60	4.0	8	B	27	25	52	3.0	7	C	34	12	46	0.0	0	F	32	24	56	4.0	7	C	45	25	70	1.5	8	B	48	33	81	1.5	9	A				6.10
106	4PS15CV115	SUMAN J K		45	38	83	4.0	9	A	45	40	85	4.0	9	A	47	35	82	4.0	9	A	30	33	63	3.0	8	B	27	29	56	4.0	7	C	38	31	69	4.0	8	B	48	46	94	1.5	10	S	45	25	70	1.5	8	B				8.42
107	4PS15CV116	SUMANTH KUMAR G S		46	36	82	4.0	9	A	43	42	85	4.0	9	A	49	48	97	4.0	10	S	43	34	77	3.0	9	A	44	36	80	4.0	9	A	41	30	71	4.0	8	B	48	32	80	1.5	9	A	46	38	84	1.5	9	A				9.00
108	4PS15CV117	SUMANTH S R		32	29	61	4.0	8	B	43	40	83	4.0	9	A	34	34	68	4.0	8	B	34	30	64	3.0	8	B	39	25	64	4.0	8	B	37	39	76	4.0	9	A	45	30	75	1.5	9	A	48	28	76	1.5	9	A				8.42
109	4PS15CV118	SUSHMITHA GOWDA R		40	32	72	4.0	8	B	44	42	86	4.0	9	A	47	43	90	4.0	10	S	42	41	83	3.0	9	A	47	33	80	4.0	9	A	45	40	85	4.0	9	A	49	47	96	1.5	10	S	48	26	74	1.5	8	B				9.00
110	4PS15CV119	SYEDA RUKHSHAN KAUNA		34	24	58	4.0	7	C	36	28	64	4.0	8	B	43	32	75	4.0	9	A	31	15	46	0.0	0	F	42	20	62	4.0	8	B	30	23	53	4.0	7	C	45	30	75	1.5	9	A	46	35	81	1.5	9	A				7.04
111	4PS15CV120	TEJASHREE M K		49	42	91	4.0	10	S	35	37	72	4.0	8	B	43	44	87	4.0	9	A	38	27	65	3.0	8	B	45	26	71	4.0	8	B	38	30	68	4.0	8	B	48	46	94	1.5	10	S	48	35	83	1.5	9	A				8.63
112	4PS15CV121	TEJASWINI B		40	31	71	4.0	8	B	40	32	72	4.0	8	B	40	38	78	4.0	9	A	43	26	69	3.0	8	B	44	25	69	4.0	8	B	40	40	80	4.0	9	A	49	45	94	1.5	10	S	48	38	86	1.5	9	A				8.48
113	4PS15CV123	THEJAS M P		42	40	82	4.0	9	A	32	35	67	4.0	8	B	34	46	80	4.0	9	A	33	20	53	3.0	7	C	44	23	67	4.0	8	B	38	36	74	4.0	8	B	48	47	95	1.5	10	S	46	35	81	1.5	9	A				8.37
114	4PS15CV124	THWJASWI B G		27	20	47	4.0	5	D	37	28	65	4.0	8	B	32	27	59	4.0	7	C	31	12	43	0.0	0	F	38	7	45	0.0	0	F	35	25	60	4.0	8	B	45	30	75	1.5	9	A	48	25	73	1.5	8	B				5.29
115	4PS15CV125	VANDANA N		46	40	86	4.0	9	A	38	39	77	4.0	9	A	41	44	85	4.0	9	A	35	20	55	3.0	7	C	37	32	69	4.0	8	B	41	33	74	4.0	8	B	48	42	90	1.5	10	S	47	40	87	1.5	9	A				8.52
116	4PS15CV126	VARSHITHA SURESH		39	27	66	4.0	8	B	41	37	78	4.0	9	A	50	30	80	4.0	9	A	40	29	69	3.0	8	B	38	38	76	4.0	9	A	46	37	83	4.0	9	A	48	45	93	1.5	10	S	46	42	88	1.5	9	A				8.79
117	4PS15CV128	VARUN S CHAVAN		38	32	70	4.0	8	B	45	34	79	4.0	9	A	34	39	73	4.0	8	B	37	34	71	3.0	8	B	46	28	74	4.0	8	B	41	31	72	4.0	8	B	48	48	96	1.5	10	S	46	35	81	1.5	9	A				8.33
118	4PS15CV129	VINAY		45	37	82	4.0	9	A	45	40	85	4.0	9	A	48	44	92	4.0	10	S	41	30	71	3.0	8	B	47	41	88	4.0	9	A	38	33	71	4.0	8	B	48	35	83	1.5	9	A	46	27	73	1.5	8	B				8.83
119	4PS15CV130	VISHANKPRABHUGOWDA I		44	30	74	4.0	8	B	44	40	84	4.0	9	A	49	29	78	4.0	9	A	39	28	67	3.0	8	B	44	43	87	4.0	9	A	36	40	76	4.0	9	A	48	45	93	1.5	10	S	46	40	86	1.5	9	A				8.79
120	4PS15CV131	VISHWAS K N		28	20	48	4.0	5	D	29	27	56	4.0	7	C	33	30	63	4.0	8	B	35	14	49	0.0	0	F	33	17	50	0.0	0	F	36	21	57	4.0	7	C	45	33	78	1.5	9	A	46	28	74	1.5	8	B				5.13
121	4PS15CV132	VISHWAS R		34	26	60	4.0	8	B	31	42	73	4.0	8	B	33	29	62	4.0	8	B	37	32	69	3.0	8	B	44	28	72	4.0	8	B	40	30	70	4.0	8	B	48	42	90	1.5	10	S	46	43	89	1.5	9	A				8.17
122	4PS15CV133	ZAID ALI		38	35	73	4.0	8	B	37	34	71	4.0	8	B	35	37	72	4.0	8	B	37	20	57	3.0	7	C	44	26	70	4.0	8	B	40	33	73	4.0	8	B	45	40	85	1.5	9	A	46	39	85	1.5	9	A				8.00
123	4PS15CV301	DIVYASHREE H K		40	27	67	4.0	8	B	43	36	79	4.0	9	A	48	35	83	4.0	9	A	32	34	66	3.0	8	B	27	23	50	4.0	7	C	44	35	79	4.0	9	A	47	35	82	1.5	9	A	46	41	87	1.5	9	A				8.42
124	4PS16CV400	JYOTHI N		34	27	61	4.0	8	B	43	40	83	4.0	9	A	45	34	79	4.0	9	A	34	31	65	3.0	8	B	25	32	57	4.0	7	C	36	27	63	4.0	8	B	48	30	78	1.5	9	A	47	43	90	1.5	10	S				8.33
125	4PS16CV401	KANNIKA B V		35	30	65	4.0	8	B	37	44	81	4.0	9	A	42	45	87	4.0	9	A	43	29	72	3.0	8	B	47	23	70	4.0	8	B	44	31	75	4.0	9	A	47	42	89	1.5	9	A	47	43	90	1.5	10	S				8.63

P15MA31 : - Engineering Mathematics - III  
 P15CV32 : - Building Materials Construction  
 P15CV33 : - Strength of Materials  
 P15CV34 : - Applied Engineering Geology  
 P15CV35 : - Fluid Mechanics

P15CV36 : - Basic Surveying  
 P15CVL37 : - Basic Surveying Practice  
 P15CVL38 : - Basic Material Testing Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained  
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission  
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance  
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission  
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail  
 \* Mandatory Learning Course ( \*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55								
6.75	60 (First Class)	Grade Points	10	09	08	07	05	04	00
7.25	65								
7.75	70 (Distinction)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
8.25	75								

Dr. K. Narasimha Chary  
 Controller of Examinations  
 P.E.S. College of Engineering,  
 Mandya

**Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.**

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belgaum)

Provisional Results of Third Semester B.E Semester End Examination for the Academic year 2016-17

09-01-2017

## CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15MA31			P15CV32			P15CV33			P15CV34			P15CV35			P15CV36			P15CVL37			P15CVL38			C S T CR GP GR			SGPA																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR															
126	4PS16CV402	ANANDA G		33	20	53	4.0	7	C	33	28	61	4.0	8	B	47	30	77	4.0	9	A	28	21	49	3.0	5	D	25	25	50	4.0	7	C	33	32	65	4.0	8	B	49	39	88	1.5	9	A	44	45	89	1.5	9	A				7.62
127	4PS16CV403	ARBEENA SULTANA		41	22	63	4.0	8	B	45	41	86	4.0	9	A	47	45	92	4.0	10	S	44	34	78	3.0	9	A	38	41	79	4.0	9	A	40	44	84	4.0	9	A	49	47	96	1.5	10	S	46	48	94	1.5	10	S				9.12
128	4PS16CV404	DARSHAN H N		41	33	74	4.0	8	B	46	42	88	4.0	9	A	47	48	95	4.0	10	S	40	28	68	3.0	8	B	32	44	76	4.0	9	A	44	37	81	4.0	9	A	48	44	92	1.5	10	S	46	42	88	1.5	9	A				8.94
129	4PS16CV405	K A DAWOOD		32	29	61	4.0	8	B	40	46	86	4.0	9	A	45	34	79	4.0	9	A	40	34	74	3.0	8	B	28	30	58	4.0	7	C	41	42	83	4.0	9	A	48	45	93	1.5	10	S	46	49	95	1.5	10	S				8.54
130	4PS16CV406	KARTHIK A R		38	20	58	4.0	7	C	42	34	76	4.0	9	A	31	37	68	4.0	8	B	35	29	64	3.0	8	B	41	20	61	4.0	8	B	38	36	74	4.0	8	B	49	39	88	1.5	9	A	47	29	76	1.5	9	A				8.12
131	4PS16CV407	KIRAN T S		36	26	62	4.0	8	B	48	43	91	4.0	10	S	45	36	81	4.0	9	A	41	36	77	3.0	9	A	27	28	55	4.0	7	C	43	28	71	4.0	8	B	49	44	93	1.5	10	S	48	43	91	1.5	10	S				8.65
132	4PS16CV408	MAHADEVASWAMY		26	23	49	4.0	5	D	36	41	77	4.0	9	A	35	30	65	4.0	8	B	39	31	70	3.0	8	B	39	20	59	4.0	7	C	42	39	81	4.0	9	A	44	39	83	1.5	9	A	47	28	75	1.5	9	A				7.81
133	4PS16CV409	MANOJ M K		40	28	68	4.0	8	B	49	44	93	4.0	10	S	46	37	83	4.0	9	A	43	30	73	3.0	8	B	41	42	83	4.0	9	A	42	34	76	4.0	9	A	48	30	78	1.5	9	A	45	46	91	1.5	10	S				8.94
134	4PS16CV410	NEELAVENI H M		28	29	57	4.0	7	C	42	36	78	4.0	9	A	41	27	68	4.0	8	B	39	28	67	3.0	8	B	27	28	55	4.0	7	C	37	34	71	4.0	8	B	47	45	92	1.5	10	S	48	41	89	1.5	9	A				8.02
135	4PS16CV411	PAVAN M R		31	26	57	4.0	7	C	38	37	75	4.0	9	A	40	38	78	4.0	9	A	41	32	73	3.0	8	B	39	12	51	0.0	0	F	38	39	77	4.0	9	A	48	41	89	1.5	9	A	47	47	94	1.5	10	S				7.25
136	4PS16CV412	PREETHI S		35	24	59	4.0	7	C	40	35	75	4.0	9	A	44	34	78	4.0	9	A	38	28	66	3.0	8	B	27	35	62	4.0	8	B	38	35	73	4.0	8	B	48	41	89	1.5	9	A	46	39	85	1.5	9	A				8.27
137	4PS16CV413	PRIYANKA M		34	27	61	4.0	8	B	43	40	83	4.0	9	A	46	33	79	4.0	9	A	38	35	73	3.0	8	B	27	33	60	4.0	8	B	38	26	64	4.0	8	B	47	41	88	1.5	9	A	46	42	88	1.5	9	A				8.42
138	4PS16CV414	RAKSHA R		36	31	67	4.0	8	B	39	39	78	4.0	9	A	43	23	66	4.0	8	B	42	26	68	3.0	8	B	27	38	65	4.0	8	B	40	37	77	4.0	9	A	48	41	89	1.5	9	A	46	43	89	1.5	9	A				8.42
139	4PS16CV415	RAVI B T		37	28	65	4.0	8	B	42	37	79	4.0	9	A	47	35	82	4.0	9	A	37	27	64	3.0	8	B	27	27	54	4.0	7	C	42	29	71	4.0	8	B	48	40	88	1.5	9	A	47	40	87	1.5	9	A				8.27
140	4PS16CV416	SANGANNA		26	17	43	0.0	0	F	37	25	62	4.0	8	B	46	20	66	4.0	8	B	38	20	58	3.0	7	C	25	20	45	4.0	5	D	30	22	52	4.0	7	C	44	14	58	0.0	0	F	45	28	73	1.5	8	B				5.58
141	4PS16CV417	SHALINI K		37	23	60	4.0	8	B	44	41	85	4.0	9	A	38	35	73	4.0	8	B	35	25	60	3.0	8	B	42	26	68	4.0	8	B	42	29	71	4.0	8	B	46	38	84	1.5	9	A	48	47	95	1.5	10	S				8.33
142	4PS16CV418	SHILPA S		32	32	64	4.0	8	B	42	36	78	4.0	9	A	47	33	80	4.0	9	A	39	30	69	3.0	8	B	31	31	62	4.0	8	B	40	33	73	4.0	8	B	48	44	92	1.5	10	S	47	46	93	1.5	10	S				8.54
143	4PS16CV419	SHIVAKUMAR T P		30	29	59	4.0	7	C	41	45	86	4.0	9	A	41	37	78	4.0	9	A	40	26	66	3.0	8	B	48	20	68	4.0	8	B	45	41	86	4.0	9	A	49	42	91	1.5	10	S	47	46	93	1.5	10	S				8.54
144	4PS16CV420	SHWETHA S B		37	26	63	4.0	8	B	45	45	90	4.0	10	S	47	40	87	4.0	9	A	39	28	67	3.0	8	B	33	40	73	4.0	8	B	43	41	84	4.0	9	A	48	42	90	1.5	10	S	46	46	92	1.5	10	S				8.85
145	4PS16CV421	SUMANTH S		26	13	39	0.0	0	F	39	38	77	4.0	9	A	33	27	60	4.0	8	B	33	29	62	3.0	8	B	36	26	62	4.0	8	B	41	36	77	4.0	9	A	48	28	76	1.5	9	A	46	44	90	1.5	10	S				7.25
146	4PS16CV422	SUNITHA S		34	30	64	4.0	8	B	41	40	81	4.0	9	A	41	40	81	4.0	9	A	33	21	54	3.0	7	C	42	26	68	4.0	8	B	43	35	78	4.0	9	A	48	41	89	1.5	9	A	48	47	95	1.5	10	S				8.52

P15MA31 : - Engineering Mathematics - III  
 P15CV32 : - Building Materials ,Construction  
 P15CV33 : - Strength of Materials  
 P15CV34 : - Applied Engineering Geology  
 P15CV35 : - Fluid Mechanics

P15CV36 : - Basic Surveying  
 P15CVL37 : - Basic Surveying Practice  
 P15CVL38 : - Basic Material Testing Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained  
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission  
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance  
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission  
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail  
 \* Mandatory Learning Course ( \*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55								
6.75	60 (First Class)	Grade Points	10	09	08	07	05	04	00
7.25	65								
7.75	70 (Distinction)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
8.25	75								

Dr. K. Narasimha Chary  
 Controller of Examinations  
 P.E.S. College of Engineering,  
 Mandya

**Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.**

