P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	3	P13CV56 C	S	T	CR	GP	GR	P13CVL57 C	S	T	CR	GP	GR	P13CVL58 C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	SGPA	CLASS
1	4PS13CV093	SACHIN KUMAR N		29	20	49	4.0	4	E																																											4.00	
2	4PS14CV123	YATHISH B N								45	111	45	0.0	0	G	41	14	55	0.0	0	F																															0	

P13CV56 : - Hydrology and Water Resources

P13CVL57 : - Concrete Material Testing Lab

P13CVL58 : - Computer Aided Civil Engineering Lab

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV51						P15CV52						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
1	4PS14CV046	KAVYA.A		26	27	53	4.0	7	C	27	11	38	0.0	0	F	17	111	17	0.0	0	N	28	11	39	0.0	0	F	45	111	45	0.0	0	G							35	30	65	3.0	8	B	47	40	87	1.5	9	A	46	29	75	1.5	9	A	3.44	FL
2	4PS14CV062	MONIKA J		25	25	50	4.0	7	C	28	12	40	0.0	0	F	25	39	64	4.0	8	B	30	29	59	4.0	7	C	45	20	65	3.0	8	B							35	40	75	3.0	9	A	47	41	88	1.5	9	A	47	25	72	1.5	8	B	6.61	FL
3	4PS14CV117	SUMEET		31	6	37	0.0	0	F	28	5	33	0.0	0	F	29	25	54	4.0	7	C	25	9	34	0.0	0	F	25	111	25	0.0	0	G							25	21	46	3.0	5	D	44	25	69	1.5	8	B	47	29	76	1.5	9	A	3.06	FL
4	4PS15CV001	ABHISHEK M		31	29	60	4.0	8	B	46	7	53	0.0	0	F	25	28	53	4.0	7	C	26	20	46	4.0	5	D	28	22	50	3.0	7	C							36	40	76	3.0	9	A	46	40	86	1.5	9	A	45	25	70	1.5	8	B	6.24	FL
5	4PS15CV002	ADARSH KUMAR		44	41	85	4.0	9	A	48	30	78	4.0	9	A	46	49	95	4.0	10	S	42	43	85	4.0	9	A	46	37	83	3.0	9	A	47	35	82	3.0	9	A							49	44	93	1.5	10	S	49	40	89	1.5	9	A	9.17	FCD
6	4PS15CV004	AKSHAY N GOWDA		49	40	89	4.0	9	A	50	33	83	4.0	9	A	50	47	97	4.0	10	S	49	48	97	4.0	10	S	49	48	97	3.0	10	S							48	49	97	3.0	10	S	49	44	93	1.5	10	S	49	40	89	1.5	9	A	9.57	FCD
7	4PS15CV005	ANEKALLU ASHOKA		34	38	72	4.0	8	B	37	30	67	4.0	8	B	32	50	82	4.0	9	A	41	44	85	4.0	9	A	43	38	81	3.0	9	A	45	37	82	3.0	9	A							45	41	86	1.5	9	A	48	38	86	1.5	9	A	8.59	FCD
8	4PS15CV006	ANISH A KOTHARI		26	32	58	4.0	7	C	26	25	51	4.0	7	C	31	37	68	4.0	8	B	26	31	57	4.0	7	C	45	26	71	3.0	8	B							40	32	72	3.0	8	B	46	40	86	1.5	9	A	48	32	80	1.5	9	A	7.70	FC
9	4PS15CV007	ARSHITHA K		33	38	71	4.0	8	B	29	28	57	4.0	7	C	28	37	65	4.0	8	B	32	36	68	4.0	8	B	46	33	79	3.0	9	A							44	39	83	3.0	9	A	46	40	86	1.5	9	A	47	26	73	1.5	8	B	8.09	FCD
10	4PS15CV008	ARUN KUMAR M G		29	25	54	4.0	7	C	32	10	42	0.0	0	F	25	15	40	0.0	0	F	28	14	42	0.0	0	F	45	27	72	3.0	8	B							38	40	78	3.0	9	A	45	40	85	1.5	9	A	48	25	73	1.5	8	B	4.39	FL
11	4PS15CV009	BASAVANNA M		46	27	73	4.0	8	B	44	20	64	4.0	8	B	38	41	79	4.0	9	A	40	24	64	4.0	8	B	27	29	56	3.0	7	C	43	30	73	3.0	8	B							47	45	92	1.5	10	S	49	42	91	1.5	10	S	8.22	FCD
12	4PS15CV010	BI BI SARA		31	37	68	4.0	8	B	37	22	59	4.0	7	C	27	37	64	4.0	8	B	32	34	66	4.0	8	B	42	28	70	3.0	8	B							34	33	67	3.0	8	B	45	43	88	1.5	9	A	46	20	66	1.5	8	B	7.83	FCD
13	4PS15CV012	CHAITHRA S		45	37	82	4.0	9	A	41	20	61	4.0	8	B	33	42	75	4.0	9	A	42	42	84	4.0	9	A	45	31	76	3.0	9	A							40	44	84	3.0	9	A	47	45	92	1.5	10	S	48	27	75	1.5	9	A	8.76	FCD
14	4PS15CV013	CHALAPATHI K S		40	30	70	4.0	8	B	44	30	74	4.0	8	B	41	41	82	4.0	9	A	38	38	76	4.0	9	A	35	37	72	3.0	8	B	47	39	86	3.0	9	A							48	45	93	1.5	10	S	47	28	75	1.5	9	A	8.54	FCD
15	4PS15CV014	CHANDRASHEKHARA M		37	44	81	4.0	9	A	35	23	58	4.0	7	C	28	33	61	4.0	8	B	36	32	68	4.0	8	B	44	26	70	3.0	8	B							35	41	76	3.0	9	A	46	47	93	1.5	10	S	48	43	91	1.5	10	S	8.41	FCD
16	4PS15CV015	CHANDRASHEKHAR S K		43	27	70	4.0	8	B	39	22	61	4.0	8	B	40	41	81	4.0	9	A	36	29	65	4.0	8	B	33	28	61	3.0	8	B	44	38	82	3.0	9	A							46	45	91	1.5	10	S	47	31	78	1.5	9	A	8.39	FCD
17	4PS15CV016	CHANDRASHEKHARA S K		39	36	75	4.0	9	A	38	26	64	4.0	8	B	33	29	62	4.0	8	B	36	28	64	4.0	8	B	45	26	71	3.0	8	B							46	39	85	3.0	9	A	46	43	89	1.5	9	A	48	34	82	1.5	9	A	8.41	FCD
18	4PS15CV017	CHAYADEVI B N		50	49	99	4.0	10	S	46	33	79	4.0	9	A	34	44	78	4.0	9	A	47	44	91	4.0	10	S	45	43	88	3.0	9	A	48	45	93	3.0	10	S							48	45	93	1.5	10	S	49	42	91	1.5	10	S	9.48	FCD
19	4PS15CV018	DEVIKA B A		48	38	86	4.0	9	A	48	32	80	4.0	9	A	45	38	83	4.0	9	A	39	42	81	4.0	9	A	40	42	82	3.0	9	A	45	38	83	3.0	9	A							50	47	97	1.5	10	S	49	42	91	1.5	10	S	9.07	FCD
20	4PS15CV019	DILEEP KUMAR C B		47	41	88	4.0	9	A	48	31	79	4.0	9	A	36	36	72	4.0	8	B	39	40	79	4.0	9	A	45	39	84	3.0	9	A							46	48	94	3.0	10	S	46	47	93	1.5	10	S	48	45	93	1.5	10	S	9.07	FCD

P15CV51 : - Water Supply Engineering
P15CV52 : - Hydrology and Water Resources Engineering
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering

P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME 148	P15CV51						P15CV52						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
			C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
21	4PS15CV020	DIVYASHREE C S	39	42	81	4.0	9	A	49	22	71	4.0	8	B	41	44	85	4.0	9	A	38	41	79	4.0	9	A	38	38	76	3.0	9	A	50	44	94	3.0	10	S							48	44	92	1.5	10	S	46	41	87	1.5	9	A	8.91	FCD
22	4PS15CV022	HARSHITH GOWDA D	49	42	91	4.0	10	S	46	33	79	4.0	9	A	48	49	97	4.0	10	S	45	46	91	4.0	10	S	45	47	92	3.0	10	S	48	46	94	3.0	10	S							48	49	97	1.5	10	S	49	42	91	1.5	10	S	9.78	FCD
23	4PS15CV023	HARSHITH KUMAR H C	47	45	92	4.0	10	S	49	26	75	4.0	9	A	46	42	88	4.0	9	A	46	49	95	4.0	10	S	44	46	90	3.0	10	S	49	45	94	3.0	10	S							49	47	96	1.5	10	S	48	36	84	1.5	9	A	9.46	FCD
24	4PS15CV024	HARSHITHA H K	31	24	55	4.0	7	C	27	21	48	4.0	5	D	25	22	47	4.0	5	D	25	23	48	4.0	5	D	45	20	65	3.0	8	B							34	28	62	3.0	8	B	48	42	90	1.5	10	S	48	25	73	1.5	8	B	6.59	SC
25	4PS15CV025	HARSHITHA M	31	28	59	4.0	7	C	49	22	71	4.0	8	B	45	28	73	4.0	8	B	30	29	59	4.0	7	C	32	32	64	3.0	8	B	38	33	71	3.0	8	B							46	43	89	1.5	9	A	46	37	83	1.5	9	A	7.89	FCD
26	4PS15CV027	J DARSHAN	38	38	76	4.0	9	A	34	29	63	4.0	8	B	39	48	87	4.0	9	A	33	35	68	4.0	8	B	43	34	77	3.0	9	A							43	46	89	3.0	9	A	46	43	89	1.5	9	A	48	35	83	1.5	9	A	8.67	FCD
27	4PS15CV028	JEEVAN D M	46	44	90	4.0	10	S	50	34	84	4.0	9	A	49	50	99	4.0	10	S	43	48	91	4.0	10	S	40	43	83	3.0	9	A	45	41	86	3.0	9	A							48	45	93	1.5	10	S	46	33	79	1.5	9	A	9.46	FCD
28	4PS15CV031	K LAVVKIMA	36	38	74	4.0	8	B	45	21	66	4.0	8	B	34	28	62	4.0	8	B	38	26	64	4.0	8	B	25	21	46	3.0	5	D	35	22	57	3.0	7	C							45	44	89	1.5	9	A	45	30	75	1.5	9	A	7.70	FC
29	4PS15CV032	KANCHANA B V	47	37	84	4.0	9	A	48	28	76	4.0	9	A	39	47	86	4.0	9	A	45	44	89	4.0	9	A	47	45	92	3.0	10	S	49	42	91	3.0	10	S							48	46	94	1.5	10	S	48	39	87	1.5	9	A	9.24	FCD
30	4PS15CV033	KARTHIK A R	49	43	92	4.0	10	S	50	42	92	4.0	10	S	49	50	99	4.0	10	S	49	48	97	4.0	10	S	44	49	93	3.0	10	S	50	36	86	3.0	9	A							48	47	95	1.5	10	S	48	43	91	1.5	10	S	9.78	FCD
31	4PS15CV034	KARTHIK H R	30	28	58	4.0	7	C	32	26	58	4.0	7	C	37	42	79	4.0	9	A	27	28	55	4.0	7	C	45	24	69	3.0	8	B	42	30	72	3.0	8	B							48	44	92	1.5	10	S	48	34	82	1.5	9	A	7.83	FCD
32	4PS15CV035	KARTHIK N	42	41	83	4.0	9	A	43	37	80	4.0	9	A	43	50	93	4.0	10	S	48	47	95	4.0	10	S	45	33	78	3.0	9	A	49	35	84	3.0	9	A							48	47	95	1.5	10	S	48	45	93	1.5	10	S	9.30	FCD
33	4PS15CV036	KAVYA C	42	34	76	4.0	9	A	45	21	66	4.0	8	B	28	27	55	4.0	7	C	35	23	58	4.0	7	C	31	28	59	3.0	7	C	47	41	88	3.0	9	A							48	43	91	1.5	10	S	46	32	78	1.5	9	A	7.98	FCD
34	4PS15CV037	KAVYA M	47	42	89	4.0	9	A	47	36	83	4.0	9	A	38	43	81	4.0	9	A	37	40	77	4.0	9	A	45	34	79	3.0	9	A	47	37	84	3.0	9	A							48	47	95	1.5	10	S	48	37	85	1.5	9	A	8.94	FCD
35	4PS15CV038	KIRAN D	34	26	60	4.0	8	B	30	20	50	4.0	7	C	25	40	65	4.0	8	B	31	26	57	4.0	7	C	26	28	54	3.0	7	C							40	35	75	3.0	9	A	45	41	86	1.5	9	A	46	31	77	1.5	9	A	7.85	FCD
36	4PS15CV039	KIRAN G B	44	38	82	4.0	9	A	48	39	87	4.0	9	A	35	43	78	4.0	9	A	40	40	80	4.0	9	A	45	37	82	3.0	9	A	49	38	87	3.0	9	A							48	45	93	1.5	10	S	48	40	88	1.5	9	A	8.94	FCD
37	4PS15CV040	KOUSHIK GOWDA B G	37	28	65	4.0	8	B	48	20	68	4.0	8	B	31	31	62	4.0	8	B	33	33	66	4.0	8	B	28	30	58	3.0	7	C	41	27	68	3.0	8	B							45	41	86	1.5	9	A	47	25	72	1.5	8	B	8.02	FCD
38	4PS15CV041	KOWSHIK B S	37	38	75	4.0	9	A	41	20	61	4.0	8	B	28	38	66	4.0	8	B	28	32	60	4.0	8	B	26	23	49	3.0	5	D	41	30	71	3.0	8	B							45	41	86	1.5	9	A	47	28	75	1.5	9	A	7.96	FCD
39	4PS15CV042	LAKHAN SWAMY GOWDA E	36	27	63	4.0	8	B	46	20	66	4.0	8	B	27	31	58	4.0	7	C	26	28	54	4.0	7	C	25	25	50	3.0	7	C							45	44	89	3.0	9	A	45	43	88	1.5	9	A	47	25	72	1.5	8	B	7.80	FCD
40	4PS15CV043	MADHU B	46	32	78	4.0	9	A	39	35	74	4.0	8	B	30	40	70	4.0	8	B	36	40	76	4.0	9	A	45	37	82	3.0	9	A	47	41	88	3.0	9	A							48	45	93	1.5	10	S	48	40	88	1.5	9	A	8.65	FCD
41	4PS15CV044	MADHUSHREE D B	47	34	81	4.0	9	A	36	29	65	4.0	8	B	38	36	74	4.0	8	B	41	32	73	4.0	8	B	45	29	74	3.0	8	B	44	39	83	3.0	9	A							48	47	95	1.5	10	S	48	44	92	1.5	10	S	8.52	FCD

P15CV51 : - Water Supply Engineering
P15CV52 : - Hydrology and Water Resources Engineering
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering

P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV51						P15CV52						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
42	4PS15CV045	MAHIMA H S		47	39	86	4.0	9	A	41	30	71	4.0	8	B	34	27	61	4.0	8	B	45	41	86	4.0	9	A	45	23	68	3.0	8	B							47	47	94	3.0	10	S	47	45	92	1.5	10	S	47	43	90	1.5	10	S	8.70	FCD
43	4PS15CV047	MANJU M		43	30	73	4.0	8	B	42	20	62	4.0	8	B	32	40	72	4.0	8	B	26	33	59	4.0	7	C	31	34	65	3.0	8	B							45	42	87	3.0	9	A	46	45	91	1.5	10	S	44	46	90	1.5	10	S	8.15	FCD
44	4PS15CV050	MANOJ K C		46	47	93	4.0	10	S	47	26	73	4.0	8	B	46	50	96	4.0	10	S	43	42	85	4.0	9	A	45	42	87	3.0	9	A	47	43	90	3.0	10	S							46	45	91	1.5	10	S	46	45	91	1.5	10	S	9.37	FCD
45	4PS15CV051	MIRZA ASEEM BAIG		33	33	66	4.0	8	B	42	24	66	4.0	8	B	29	44	73	4.0	8	B	30	40	70	4.0	8	B	45	31	76	3.0	9	A							41	45	86	3.0	9	A	45	41	86	1.5	9	A	46	43	89	1.5	9	A	8.37	FCD
46	4PS15CV052	MOHAMMED EITHESHAM		44	32	76	4.0	9	A	45	15	60	0.0	0	F	44	39	83	4.0	9	A	44	37	81	4.0	9	A	39	32	71	3.0	8	B	46	35	81	3.0	9	A							46	42	88	1.5	9	A	46	42	88	1.5	9	A	7.44	FL
47	4PS15CV053	MOHAN G		37	12	49	0.0	0	F	35	22	57	4.0	7	C	25	26	51	4.0	7	C	29	33	62	4.0	8	B	45	30	75	3.0	9	A							43	42	85	3.0	9	A	46	43	89	1.5	9	A	46	44	90	1.5	10	S	6.87	FL
48	4PS15CV054	MONISHA M N		40	31	71	4.0	8	B	40	30	70	4.0	8	B	34	43	77	4.0	9	A	46	41	87	4.0	9	A	45	32	77	3.0	9	A							41	37	78	3.0	9	A	46	45	91	1.5	10	S	46	42	88	1.5	9	A	8.65	FCD
49	4PS15CV055	NAGESH		35	35	70	4.0	8	B	40	23	63	4.0	8	B	30	42	72	4.0	8	B	30	20	50	4.0	7	C	33	27	60	3.0	8	B	34	28	62	3.0	8	B							45	41	86	1.5	9	A	42	40	82	1.5	9	A	7.93	FCD
50	4PS15CV056	NANDANKUMAR M R		41	35	76	4.0	9	A	36	28	64	4.0	8	B	34	43	77	4.0	9	A	38	38	76	4.0	9	A	44	42	86	3.0	9	A	46	33	79	3.0	9	A							47	42	89	1.5	9	A	46	42	88	1.5	9	A	8.74	FCD
51	4PS15CV057	NANJUNDA SWAMY		47	36	83	4.0	9	A	47	37	84	4.0	9	A	41	49	90	4.0	10	S	48	46	94	4.0	10	S	44	40	84	3.0	9	A	46	39	85	3.0	9	A							48	46	94	1.5	10	S	47	45	92	1.5	10	S	9.30	FCD
52	4PS15CV058	NETHRAVATHI M		47	43	90	4.0	10	S	48	27	75	4.0	9	A	47	45	92	4.0	10	S	43	38	81	4.0	9	A	44	42	86	3.0	9	A	48	44	92	3.0	10	S							46	48	94	1.5	10	S	46	45	91	1.5	10	S	9.46	FL
53	4PS15CV059	NITHIN A		27	10	37	0.0	0	F	29	10	39	0.0	0	F	25	20	45	4.0	4	E	25	14	39	0.0	0	F	44	23	67	3.0	8	B							34	36	70	3.0	8	B	46	45	91	1.5	10	S	40	25	65	1.5	8	B	3.93	FL
54	4PS15CV060	NITISH A G		37	26	63	4.0	8	B	39	20	59	4.0	7	C	25	16	41	0.0	0	F	31	25	56	4.0	7	C	44	25	69	3.0	8	B							39	42	81	3.0	9	A	46	45	91	1.5	10	S	46	45	91	1.5	10	S	6.78	FL
55	4PS15CV061	P CHIRANTH		40	36	76	4.0	9	A	48	20	68	4.0	8	B	25	29	54	4.0	7	C	27	24	51	4.0	7	C	28	34	62	3.0	8	B							41	41	82	3.0	9	A	48	44	92	1.5	10	S	45	20	65	1.5	8	B	8.04	FCD
56	4PS15CV063	PAWAN H S		44	35	79	4.0	9	A	41	25	66	4.0	8	B	31	47	78	4.0	9	A	38	39	77	4.0	9	A	45	31	76	3.0	9	A							45	41	86	3.0	9	A	46	45	91	1.5	10	S	47	46	93	1.5	10	S	8.85	FCD
57	4PS15CV064	POOJA H P		47	42	89	4.0	9	A	46	20	66	4.0	8	B	44	45	89	4.0	9	A	44	37	81	4.0	9	A	41	38	79	3.0	9	A	48	32	80	3.0	9	A							47	43	90	1.5	10	S	45	44	89	1.5	9	A	8.80	FCD
58	4PS15CV065	POORNIMA D		46	42	88	4.0	9	A	50	26	76	4.0	9	A	50	36	86	4.0	9	A	45	42	87	4.0	9	A	45	46	91	3.0	10	S	48	42	90	3.0	10	S							48	46	94	1.5	10	S	46	43	89	1.5	9	A	9.24	FCD
59	4PS15CV066	PRADHAN K P		39	28	67	4.0	8	B	38	27	65	4.0	8	B	30	50	80	4.0	9	A	36	42	78	4.0	9	A	45	28	73	3.0	8	B							45	34	79	3.0	9	A	46	45	91	1.5	10	S	48	38	86	1.5	9	A	8.54	FCD
60	4PS15CV067	PRAJWAL D M		45	29	74	4.0	8	B	42	20	62	4.0	8	B	48	15	63	0.0	0	F	38	23	61	4.0	8	B	38	31	69	3.0	8	B	47	41	88	3.0	9	A							45	45	90	1.5	10	S	46	44	90	1.5	10	S	7.19	FL
61	4PS15CV068	PRAJWAL H N		26	20	46	4.0	5	D	27	12	39	0.0	0	F	25	23	48	4.0	5	D	25	7	32	0.0	0	F	45	12	57	0.0	0	F							33	37	70	3.0	8	B	40	40	80	1.5	9	A	42	15	57	0.0	0	F	3.43	FL
62	4PS15CV069	PRAMOD G K		35	30	65	4.0	8	B	38	14	52	0.0	0	F	29	34	63	4.0	8	B	32	25	57	4.0	7	C	29	29	58	3.0	7	C							42	36	78	3.0	9	A	45	42	87	1.5	9	A	45	43	88	1.5	9	A	6.74	FL

P15CV51 : - Water Supply Engineering
P15CV52 : - Hydrology and Water Resources Engineering
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering

P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV51						P15CV52						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
63	4PS15CV070	PRATHVINI B M		42	28	70	4.0	8	B	26	20	46	4.0	5	D	26	31	57	4.0	7	C	33	30	63	4.0	8	B	44	20	64	3.0	8	B	46	36	82	3.0	9	A							47	47	94	1.5	10	S	47	36	83	1.5	9	A	7.72	FC
64	4PS15CV071	PRAVEEN K N		38	38	76	4.0	9	A	49	25	74	4.0	8	B	33	34	67	4.0	8	B	27	36	63	4.0	8	B	37	39	76	3.0	9	A	43	34	77	3.0	9	A							47	43	90	1.5	10	S	45	42	87	1.5	9	A	8.57	FCD
65	4PS15CV072	PRIYADARSHINI K Y		49	41	90	4.0	10	S	50	22	72	4.0	8	B	47	49	96	4.0	10	S	45	40	85	4.0	9	A	43	31	74	3.0	8	B	50	40	90	3.0	10	S							50	48	98	1.5	10	S	47	38	85	1.5	9	A	9.17	FCD
66	4PS15CV073	PRIYANKA D K		31	12	43	0.0	0	F	36	21	57	4.0	7	C	25	29	54	4.0	7	C	32	32	64	4.0	8	B	44	20	64	3.0	8	B							32	34	66	3.0	8	B	48	46	94	1.5	10	S	47	40	87	1.5	9	A	6.61	FL
67	4PS15CV074	PRIYANKA M N		47	30	77	4.0	9	A	38	27	65	4.0	8	B	29	39	68	4.0	8	B	33	36	69	4.0	8	B	46	29	75	3.0	9	A							42	41	83	3.0	9	A	46	45	91	1.5	10	S	47	42	89	1.5	9	A	8.50	FCD
68	4PS15CV075	PUNEETH C R		47	41	88	4.0	9	A	50	24	74	4.0	8	B	43	34	77	4.0	9	A	41	38	79	4.0	9	A	41	39	80	3.0	9	A	48	46	94	3.0	10	S							48	49	97	1.5	10	S	45	33	78	1.5	9	A	8.91	FCD
69	4PS15CV076	PUNITHKUMAR K P		46	43	89	4.0	9	A	42	30	72	4.0	8	B	27	48	75	4.0	9	A	36	42	78	4.0	9	A	44	35	79	3.0	9	A	47	40	87	3.0	9	A							48	48	96	1.5	10	S	47	42	89	1.5	9	A	8.87	FCD
70	4PS15CV077	RAGHU S		33	31	64	4.0	8	B	34	29	63	4.0	8	B	28	35	63	4.0	8	B	31	31	62	4.0	8	B	45	23	68	3.0	8	B	43	33	76	3.0	9	A							46	45	91	1.5	10	S	46	27	73	1.5	8	B	8.26	FCD
71	4PS15CV078	RAHUL A R		41	39	80	4.0	9	A	39	30	69	4.0	8	B	35	42	77	4.0	9	A	34	41	75	4.0	9	A	44	32	76	3.0	9	A	45	39	84	3.0	9	A							46	46	92	1.5	10	S	44	38	82	1.5	9	A	8.87	FCD
72	4PS15CV079	RAJESH I V		39	26	65	4.0	8	B	47	20	67	4.0	8	B	32	38	70	4.0	8	B	27	30	57	4.0	7	C	25	31	56	3.0	7	C	38	33	71	3.0	8	B							46	42	88	1.5	9	A	46	39	85	1.5	9	A	7.81	FCD
73	4PS15CV080	RAJU P R		42	38	80	4.0	9	A	45	22	67	4.0	8	B	32	32	64	4.0	8	B	41	42	83	4.0	9	A	44	35	79	3.0	9	A							42	40	82	3.0	9	A	46	46	92	1.5	10	S	46	42	88	1.5	9	A	8.72	FCD
74	4PS15CV081	RAKESH K S		34	33	67	4.0	8	B	39	26	65	4.0	8	B	29	29	58	4.0	7	C	27	27	54	4.0	7	C	31	32	63	3.0	8	B							40	46	86	3.0	9	A	46	44	90	1.5	10	S	45	25	70	1.5	8	B	7.96	FCD
75	4PS15CV082	RAKESHGOWDA K S		29	24	53	4.0	7	C	39	20	59	4.0	7	C	25	15	40	0.0	0	F	27	20	47	4.0	5	D	25	26	51	3.0	7	C							32	33	65	3.0	8	B	46	42	88	1.5	9	A	46	20	66	1.5	8	B	6.06	FL
76	4PS15CV083	RAKSHITHGOWDA K M		42	32	74	4.0	8	B	36	20	56	4.0	7	C	30	38	68	4.0	8	B	32	37	69	4.0	8	B	44	36	80	3.0	9	A							39	30	69	3.0	8	B	46	48	94	1.5	10	S	45	15	60	0.0	0	F	7.59	FL
77	4PS15CV084	RICHARD VANLALREMA		42	40	82	4.0	9	A	47	27	74	4.0	8	B	43	47	90	4.0	10	S	45	36	81	4.0	9	A	45	32	77	3.0	9	A	43	38	81	3.0	9	A							47	49	96	1.5	10	S	48	43	91	1.5	10	S	9.07	FCD
78	4PS15CV085	ROHIT CHAWAN		34	23	57	4.0	7	C	42	20	62	4.0	8	B	42	35	77	4.0	9	A	32	24	56	4.0	7	C	28	28	56	3.0	7	C							43	37	80	3.0	9	A	48	47	95	1.5	10	S	45	27	72	1.5	8	B	7.93	FCD
79	4PS15CV086	ROHITH KUMAR J		41	42	83	4.0	9	A	43	25	68	4.0	8	B	36	43	79	4.0	9	A	43	31	74	4.0	8	B	43	41	84	3.0	9	A	45	32	77	3.0	9	A							45	49	94	1.5	10	S	48	34	82	1.5	9	A	8.72	FCD
80	4PS15CV087	SACHIDANANDA B		25	28	53	4.0	7	C	33	15	48	0.0	0	F	25	20	45	4.0	4	E	25	12	37	0.0	0	F	43	40	83	3.0	9	A	41	30	71	3.0	8	B							45	47	92	1.5	10	S	48	25	73	1.5	8	B	5.15	FL
81	4PS15CV088	SAGAR HULLUR		40	32	72	4.0	8	B	30	24	54	4.0	7	C	25	27	52	4.0	7	C	27	21	48	4.0	5	D	43	27	70	3.0	8	B							46	41	87	3.0	9	A	47	47	94	1.5	10	S	48	25	73	1.5	8	B	7.52	FC
82	4PS15CV089	SAHANA K S		39	31	70	4.0	8	B	46	20	66	4.0	8	B	39	16	55	0.0	0	F	34	20	54	4.0	7	C	36	28	64	3.0	8	B							39	27	66	3.0	8	B	48	42	90	1.5	10	S	45	35	80	1.5	9	A	6.80	FL
83	4PS15CV090	SANDHYA S		40	38	78	4.0	9	A	42	22	64	4.0	8	B	37	37	74	4.0	8	B	39	27	66	4.0	8	B	46	30	76	3.0	9	A							45	46	91	3.0	10	S	46	48	94	1.5	10	S	48	38	86	1.5	9	A	8.69	FCD

P15CV51 : - Water Supply Engineering
P15CV52 : - Hydrology and Water Resources Engineering
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering

P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV51						P15CV52						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
84	4PS15CV091	SANTHOSH G		27	21	48	4.0	5	D	31	16	47	0.0	0	F	28	27	55	4.0	7	C	28	21	49	4.0	5	D	46	23	69	3.0	8	B	40	33	73	3.0	8	B							46	44	90	1.5	10	S	48	28	76	1.5	9	A	5.91	FL
85	4PS15CV092	SANTHOSHKUMAR C V		48	40	88	4.0	9	A	50	20	70	4.0	8	B	45	43	88	4.0	9	A	43	41	84	4.0	9	A	41	42	83	3.0	9	A	48	45	93	3.0	10	S							48	47	95	1.5	10	S	49	40	89	1.5	9	A	8.98	FCD
86	4PS15CV093	SANTHOSHA D B		27	37	64	4.0	8	B	29	20	49	4.0	5	D	27	39	66	4.0	8	B	30	25	55	4.0	7	C	46	26	72	3.0	8	B							29	26	55	3.0	7	C	46	44	90	1.5	10	S	48	40	88	1.5	9	A	7.50	FC
87	4PS15CV094	SAURABH KUMAR		47	44	91	4.0	10	S	49	25	74	4.0	8	B	46	48	94	4.0	10	S	40	32	72	4.0	8	B	37	32	69	3.0	8	B	43	37	80	3.0	9	A							48	44	92	1.5	10	S	48	27	75	1.5	9	A	8.94	FCD
88	4PS15CV095	SHAILAJA T		48	47	95	4.0	10	S	48	30	78	4.0	9	A	46	31	77	4.0	9	A	43	44	87	4.0	9	A	42	42	84	3.0	9	A	48	47	95	3.0	10	S							50	47	97	1.5	10	S	46	44	90	1.5	10	S	9.33	FCD
89	4PS15CV096	SHANTHARAJU		45	30	75	4.0	9	A	40	30	70	4.0	8	B	38	49	87	4.0	9	A	31	36	67	4.0	8	B	33	34	67	3.0	8	B	41	37	78	3.0	9	A							45	46	91	1.5	10	S	45	41	86	1.5	9	A	8.61	FCD
90	4PS15CV098	SHASHANK K S		44	23	67	4.0	8	B	49	16	65	0.0	0	F	38	33	71	4.0	8	B	37	30	67	4.0	8	B	36	28	64	3.0	8	B	46	36	82	3.0	9	A							44	46	90	1.5	10	S	47	40	87	1.5	9	A	7.13	FL
91	4PS15CV099	SHIVASHANKAR D		47	32	79	4.0	9	A	48	25	73	4.0	8	B	43	49	92	4.0	10	S	47	45	92	4.0	10	S	45	40	85	3.0	9	A	46	42	88	3.0	9	A							44	45	89	1.5	9	A	47	42	89	1.5	9	A	9.11	FCD
92	4PS15CV100	SHRATI		25	23	48	4.0	5	D	30	11	41	0.0	0	F	25	27	52	4.0	7	C	21	111	21	0.0	0	N	46	16	62	0.0	0	F							37	22	59	3.0	7	C	46	40	86	1.5	9	A	48	26	74	1.5	8	B	4.06	FL
93	4PS15CV101	SHRAVANI N S		33	111	33	0.0	0	N	27	111	27	0.0	0	N	25	111	25	0.0	0	N	25	111	25	0.0	0	N	45	111	45	0.0	0	N							44	111	44	0.0	0	N	47	111	47	0.0	0	N	48	20	68	1.5	8	B	0.81	FL
94	4PS15CV103	SHREYAS H R		46	41	87	4.0	9	A	43	28	71	4.0	8	B	37	46	83	4.0	9	A	35	33	68	4.0	8	B	45	35	80	3.0	9	A							47	43	90	3.0	10	S	46	48	94	1.5	10	S	48	43	91	1.5	10	S	8.89	FCD
95	4PS15CV104	SHRIDHAR S		46	36	82	4.0	9	A	48	32	80	4.0	9	A	50	49	99	4.0	10	S	46	47	93	4.0	10	S	48	45	93	3.0	10	S	49	46	95	3.0	10	S							48	48	96	1.5	10	S	47	46	93	1.5	10	S	9.52	FCD
96	4PS15CV105	SHRUTHI R		39	22	61	4.0	8	B	35	20	55	4.0	7	C	36	39	75	4.0	9	A	39	32	71	4.0	8	B	28	24	52	3.0	7	C	32	39	71	3.0	8	B							47	42	89	1.5	9	A	47	40	87	1.5	9	A	7.96	FCD
97	4PS15CV106	SHUBHA MALLANAGOUDA		38	20	58	4.0	7	C	48	15	63	0.0	0	F	35	27	62	4.0	8	B	35	33	68	4.0	8	B	32	31	63	3.0	8	B	41	32	73	3.0	8	B							46	43	89	1.5	9	A	47	16	63	0.0	0	F	6.24	FL
98	4PS15CV107	SHWETHA S		40	27	67	4.0	8	B	37	34	71	4.0	8	B	26	35	61	4.0	8	B	25	32	57	4.0	7	C	45	36	81	3.0	9	A							36	35	71	3.0	8	B	47	44	91	1.5	10	S	48	38	86	1.5	9	A	8.09	FCD
99	4PS15CV108	SIDDANAGOUDA M PATIL		40	30	70	4.0	8	B	47	20	67	4.0	8	B	27	26	53	4.0	7	C	29	37	66	4.0	8	B	37	35	72	3.0	8	B	42	33	75	3.0	9	A							44	44	88	1.5	9	A	47	44	91	1.5	10	S	8.06	FCD
100	4PS15CV109	SINDHU B		36	30	66	4.0	8	B	45	24	69	4.0	8	B	44	39	83	4.0	9	A	43	40	83	4.0	9	A	37	38	75	3.0	9	A	39	42	81	3.0	9	A							48	46	94	1.5	10	S	48	46	94	1.5	10	S	8.78	FCD
101	4PS15CV110	SNEHA K		47	35	82	4.0	9	A	49	24	73	4.0	8	B	43	49	92	4.0	10	S	44	45	89	4.0	9	A	47	47	94	3.0	10	S	48	45	93	3.0	10	S							48	46	94	1.5	10	S	47	45	92	1.5	10	S	9.19	FCD
102	4PS15CV111	SONIKA Y H		43	30	73	4.0	8	B	48	20	68	4.0	8	B	34	35	69	4.0	8	B	42	35	77	4.0	9	A	39	39	78	3.0	9	A	45	39	84	3.0	9	A							47	44	91	1.5	10	S	47	38	85	1.5	9	A	8.50	FCD
103	4PS15CV112	SOWJANYA M T		47	33	80	4.0	9	A	50	26	76	4.0	9	A	43	48	91	4.0	10	S	48	45	93	4.0	10	S	43	38	81	3.0	9	A	47	34	81	3.0	9	A							48	47	95	1.5	10	S	47	37	84	1.5	9	A	9.31	FCD
104	4PS15CV113	SPANDANA S		45	38	83	4.0	9	A	49	30	79	4.0	9	A	45	35	80	4.0	9	A	44	47	91	4.0	10	S	47	46	93	3.0	10	S	44	39	83	3.0	9	A							48	46	94	1.5	10	S	47	43	90	1.5	10	S	9.33	FCD

P15CV51 : - Water Supply Engineering
P15CV52 : - Hydrology and Water Resources Engineering
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering

P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV51						P15CV52						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
105	4PS15CV114	SRINIVAS H S		30	21	51	4.0	7	C	44	20	64	4.0	8	B	26	21	47	4.0	5	D	26	14	40	0.0	0	F	27	28	55	3.0	7	C							35	35	70	3.0	8	B	46	40	86	1.5	9	A	46	38	84	1.5	9	A	6.19	FL
106	4PS15CV115	SUMAN J K		42	39	81	4.0	9	A	34	28	62	4.0	8	B	25	31	56	4.0	7	C	40	39	79	4.0	9	A	45	39	84	3.0	9	A							43	43	86	3.0	9	A	46	46	92	1.5	10	S	47	46	93	1.5	10	S	8.63	FCD
107	4PS15CV116	SUMANTH KUMAR G S		46	38	84	4.0	9	A	40	27	67	4.0	8	B	32	47	79	4.0	9	A	33	29	62	4.0	8	B	45	35	80	3.0	9	A	44	41	85	3.0	9	A							47	45	92	1.5	10	S	47	43	90	1.5	10	S	8.70	FCD
108	4PS15CV117	SUMANTH S R		43	29	72	4.0	8	B	43	23	66	4.0	8	B	30	39	69	4.0	8	B	36	38	74	4.0	8	B	34	32	66	3.0	8	B							41	44	85	3.0	9	A	46	41	87	1.5	9	A	46	44	90	1.5	10	S	8.31	FCD
109	4PS15CV118	SUSHMITHA GOWDA R		47	30	77	4.0	9	A	49	31	80	4.0	9	A	40	46	86	4.0	9	A	45	43	88	4.0	9	A	48	40	88	3.0	9	A	48	30	78	3.0	9	A							48	48	96	1.5	10	S	48	45	93	1.5	10	S	9.07	FCD
110	4PS15CV119	SYEDA RUKHSHAN KAUNA		36	30	66	4.0	8	B	39	20	59	4.0	7	C	34	29	63	4.0	8	B	40	36	76	4.0	9	A	36	29	65	3.0	8	B	36	30	66	3.0	8	B							48	40	88	1.5	9	A	48	32	80	1.5	9	A	8.19	FCD
111	4PS15CV120	TEJASHREE M K		45	37	82	4.0	9	A	48	32	80	4.0	9	A	49	49	98	4.0	10	S	42	49	91	4.0	10	S	44	45	89	3.0	9	A	46	37	83	3.0	9	A							48	47	95	1.5	10	S	49	46	95	1.5	10	S	9.37	FCD
112	4PS15CV121	TEJASWINI B		45	31	76	4.0	9	A	49	22	71	4.0	8	B	32	41	73	4.0	8	B	37	33	70	4.0	8	B	37	34	71	3.0	8	B	47	36	83	3.0	9	A							48	45	93	1.5	10	S	48	33	81	1.5	9	A	8.39	FCD
113	4PS15CV123	THEJAS M P		46	22	68	4.0	8	B	48	23	71	4.0	8	B	46	44	90	4.0	10	S	39	36	75	4.0	9	A	42	38	80	3.0	9	A	45	39	84	3.0	9	A							48	48	96	1.5	10	S	49	40	89	1.5	9	A	8.91	FCD
114	4PS15CV124	THWJASWI B G		29	21	50	4.0	7	C	38	14	52	0.0	0	F	26	22	48	4.0	5	D	26	13	39	0.0	0	F	30	27	57	3.0	7	C							30	38	68	3.0	8	B	46	40	86	1.5	9	A	46	37	83	1.5	9	A	5.00	FL
115	4PS15CV125	VANDANA N		42	36	78	4.0	9	A	47	21	68	4.0	8	B	41	48	89	4.0	9	A	41	25	66	4.0	8	B	39	41	80	3.0	9	A	44	31	75	3.0	9	A							48	45	93	1.5	10	S	47	39	86	1.5	9	A	8.72	FCD
116	4PS15CV126	VARSHITHA SURESH		31	31	62	4.0	8	B	37	28	65	4.0	8	B	25	34	59	4.0	7	C	32	34	66	4.0	8	B	45	29	74	3.0	8	B							38	36	74	3.0	8	B	46	45	91	1.5	10	S	47	28	75	1.5	9	A	8.06	FCD
117	4PS15CV128	VARUN S CHAVAN		49	41	90	4.0	10	S	48	26	74	4.0	8	B	38	29	67	4.0	8	B	37	31	68	4.0	8	B	37	26	63	3.0	8	B	45	36	81	3.0	9	A							48	46	94	1.5	10	S	48	39	87	1.5	9	A	8.61	FCD
118	4PS15CV129	VINAY		45	45	90	4.0	10	S	46	36	82	4.0	9	A	30	33	63	4.0	8	B	37	34	71	4.0	8	B	45	37	82	3.0	9	A	47	34	81	3.0	9	A							46	47	93	1.5	10	S	48	41	89	1.5	9	A	8.80	FCD
119	4PS15CV130	VISHANKPRABHUGOWDA I		46	42	88	4.0	9	A	49	32	81	4.0	9	A	44	46	90	4.0	10	S	39	34	73	4.0	8	B	45	40	85	3.0	9	A							47	47	94	3.0	10	S	47	46	93	1.5	10	S	47	44	91	1.5	10	S	9.11	FCD
120	4PS15CV131	VISHWAS K N		30	25	55	4.0	7	C	31	11	42	0.0	0	F	32	29	61	4.0	8	B	26	20	46	4.0	5	D	25	23	48	3.0	5	D							34	31	65	3.0	8	B	46	40	86	1.5	9	A	46	14	60	0.0	0	F	5.46	FL
121	4PS15CV132	VISHWAS R		40	40	80	4.0	9	A	44	14	58	0.0	0	F	32	29	61	4.0	8	B	26	21	47	4.0	5	D	27	38	65	3.0	8	B							44	46	90	3.0	10	S	47	30	77	1.5	9	A	45	27	72	1.5	8	B	6.83	FL
122	4PS15CV133	ZAID ALI		41	35	76	4.0	9	A	44	20	64	4.0	8	B	34	43	77	4.0	9	A	28	34	62	4.0	8	B	26	42	68	3.0	8	B	44	33	77	3.0	9	A							46	28	74	1.5	8	B	44	28	72	1.5	8	B	8.37	FCD
123	4PS15CV134	DIVYASHREE H K		47	43	90	4.0	10	S	39	33	72	4.0	8	B	32	36	68	4.0	8	B	43	31	74	4.0	8	B	48	44	92	3.0	10	S							46	42	88	3.0	9	A	48	37	85	1.5	9	A	48	30	78	1.5	9	A	8.78	FCD
124	4PS16CV400	JYOTHI N		44	41	85	4.0	9	A	38	25	63	4.0	8	B	25	39	64	4.0	8	B	42	32	74	4.0	8	B	46	41	87	3.0	9	A							42	41	83	3.0	9	A	45	32	77	1.5	9	A	47	41	88	1.5	9	A	8.41	FCD
125	4PS16CV401	KANNIKA B V		45	34	79	4.0	9	A	47	26	73	4.0	8	B	42	38	80	4.0	9	A	44	41	85	4.0	9	A	42	35	77	3.0	9	A	46	40	86	3.0	9	A							48	39	87	1.5	9	A	49	43	92	1.5	10	S	8.80	FCD

P15CV51 : - Water Supply Engineering
P15CV52 : - Hydrology and Water Resources Engineering
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering

P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV51						P15CV52						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
126	4PS16CV402	ANANDA G		30	32	62	4.0	8	B	36	23	59	4.0	7	C	25	20	45	4.0	4	E	41	34	75	4.0	9	A	48	24	72	3.0	8	B							36	37	73	3.0	8	B	48	27	75	1.5	9	A	47	38	85	1.5	9	A	7.48	FC
127	4PS16CV403	ARBEENA SULTANA		42	38	80	4.0	9	A	47	37	84	4.0	9	A	31	47	78	4.0	9	A	44	43	87	4.0	9	A	47	38	85	3.0	9	A	47	33	80	3.0	9	A							47	39	86	1.5	9	A	47	40	87	1.5	9	A	8.89	FCD
128	4PS16CV404	DARSHAN H N		44	41	85	4.0	9	A	48	36	84	4.0	9	A	40	50	90	4.0	10	S	49	43	92	4.0	10	S	48	50	98	3.0	10	S	44	35	79	3.0	9	A							47	34	81	1.5	9	A	47	44	91	1.5	10	S	9.43	FCD
129	4PS16CV405	K A DAWOOD		40	30	70	4.0	8	B	39	27	66	4.0	8	B	25	44	69	4.0	8	B	44	33	77	4.0	9	A	47	37	84	3.0	9	A							45	47	92	3.0	10	S	47	44	91	1.5	10	S	48	46	94	1.5	10	S	8.67	FCD
130	4PS16CV406	KARTHIK A R		36	25	61	4.0	8	B	45	20	65	4.0	8	B	31	36	67	4.0	8	B	34	25	59	4.0	7	C	31	34	65	3.0	8	B							38	38	76	3.0	9	A	48	38	86	1.5	9	A	49	41	90	1.5	10	S	8.09	FCD
131	4PS16CV407	KIRAN T S		42	31	73	4.0	8	B	46	27	73	4.0	8	B	27	49	76	4.0	9	A	44	38	82	4.0	9	A	47	26	73	3.0	8	B	47	38	85	3.0	9	A							48	39	87	1.5	9	A	49	45	94	1.5	10	S	8.54	FCD
132	4PS16CV408	MAHADEVASWAMY		39	28	67	4.0	8	B	42	20	62	4.0	8	B	45	42	87	4.0	9	A	44	35	79	4.0	9	A	27	28	55	3.0	7	C							39	37	76	3.0	9	A	46	38	84	1.5	9	A	47	44	91	1.5	10	S	8.43	FCD
133	4PS16CV409	MANOJ M K		41	34	75	4.0	9	A	34	23	57	4.0	7	C	32	38	70	4.0	8	B	34	30	64	4.0	8	B	47	32	79	3.0	9	A							43	38	81	3.0	9	A	46	38	84	1.5	9	A	47	40	87	1.5	9	A	8.37	FCD
134	4PS16CV410	NEELAVENI H M		35	31	66	4.0	8	B	32	20	52	4.0	7	C	25	26	51	4.0	7	C	37	31	68	4.0	8	B	48	25	73	3.0	8	B							37	41	78	3.0	9	A	48	32	80	1.5	9	A	47	43	90	1.5	10	S	8.02	FCD
135	4PS16CV411	PAVAN M R		42	36	78	4.0	9	A	48	21	69	4.0	8	B	44	44	88	4.0	9	A	44	42	86	4.0	9	A	41	41	82	3.0	9	A							37	44	81	3.0	9	A	48	39	87	1.5	9	A	48	47	95	1.5	10	S	8.80	FCD
136	4PS16CV412	PREETHI S		43	33	76	4.0	9	A	31	15	46	0.0	0	F	25	35	60	4.0	8	B	41	38	79	4.0	9	A	48	23	71	3.0	8	B							38	38	76	3.0	9	A	47	32	79	1.5	9	A	47	41	88	1.5	9	A	7.37	FL
137	4PS16CV413	PRIYANKA M		38	27	65	4.0	8	B	36	26	62	4.0	8	B	30	46	76	4.0	9	A	41	36	77	4.0	9	A	46	31	77	3.0	9	A							45	41	86	3.0	9	A	46	32	78	1.5	9	A	47	47	94	1.5	10	S	8.65	FCD
138	4PS16CV414	RAKSHA R		42	20	62	4.0	8	B	28	20	48	4.0	5	D	28	46	74	4.0	8	B	39	34	73	4.0	8	B	46	24	70	3.0	8	B							41	37	78	3.0	9	A	46	38	84	1.5	9	A	47	39	86	1.5	9	A	7.81	FCD
139	4PS16CV415	RAVI B T		39	29	68	4.0	8	B	39	23	62	4.0	8	B	26	15	41	0.0	0	F	39	36	75	4.0	9	A	47	25	72	3.0	8	B							39	38	77	3.0	9	A	46	38	84	1.5	9	A	47	41	88	1.5	9	A	7.22	FL
140	4PS16CV416	SANGANNA		34	24	58	4.0	7	C	29	13	42	0.0	0	F	25	34	59	4.0	7	C	26	26	52	4.0	7	C	46	23	69	3.0	8	B							30	38	68	3.0	8	B	46	25	71	1.5	8	B	49	37	86	1.5	9	A	6.35	FL
141	4PS16CV417	SHALINI K		38	31	69	4.0	8	B	46	26	72	4.0	8	B	35	32	67	4.0	8	B	39	31	70	4.0	8	B	33	39	72	3.0	8	B							41	43	84	3.0	9	A	48	40	88	1.5	9	A	47	42	89	1.5	9	A	8.19	FCD
142	4PS16CV418	SHILPA S		40	31	71	4.0	8	B	37	24	61	4.0	8	B	37	49	86	4.0	9	A	40	39	79	4.0	9	A	47	34	81	3.0	9	A							45	40	85	3.0	9	A	47	40	87	1.5	9	A	48	44	92	1.5	10	S	8.72	FCD
143	4PS16CV419	SHIVAKUMAR T P		45	29	74	4.0	8	B	49	42	91	4.0	10	S	38	41	79	4.0	9	A	45	33	78	4.0	9	A	35	34	69	3.0	8	B	48	33	81	3.0	9	A							48	45	93	1.5	10	S	49	40	89	1.5	9	A	8.91	FCD
144	4PS16CV420	SHWETHA S B		46	33	79	4.0	9	A	40	34	74	4.0	8	B	34	44	78	4.0	9	A	41	46	87	4.0	9	A	47	37	84	3.0	9	A							45	43	88	3.0	9	A	46	45	91	1.5	10	S	47	38	85	1.5	9	A	8.87	FCD
145	4PS16CV421	SUMANTH S		43	36	79	4.0	9	A	41	20	61	4.0	8	B	31	35	66	4.0	8	B	32	32	64	4.0	8	B	30	33	63	3.0	8	B							39	38	77	3.0	9	A	46	39	85	1.5	9	A	47	42	89	1.5	9	A	8.30	FCD
146	4PS16CV422	SUNITHA S		42	40	82	4.0	9	A	49	20	69	4.0	8	B	45	43	88	4.0	9	A	45	46	91	4.0	10	S	41	45	86	3.0	9	A							45	45	90	3.0	10	S	48	45	93	1.5	10	S	48	44	92	1.5	10	S	9.11	FCD

P15CV51 : - Water Supply Engineering
P15CV52 : - Hydrology and Water Resources Engineering
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering

P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 **10-01-2018**

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV51						P15CV52						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
147	4PS16CV423	VEERAMANI M V		44	42	86	4.0	9	A	46	20	66	4.0	8	B	43	43	86	4.0	9	A	34	44	78	4.0	9	A	35	37	72	3.0	8	B							31	35	66	3.0	8	B	47	33	80	1.5	9	A	49	40	89	1.5	9	A	8.52	FCD

P15CV51 : - Water Supply Engineering
P15CV52 : - Hydrology and Water Resources Engineering
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering

P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV59						P15HU510						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
1	4PS14CV046	KAVYA.A		48	0	48	1.0	10	S	25	20	45	1.0	4	E																																											3.44	FL
2	4PS14CV062	MONIKA J		48	0	48	1.0	10	S	25	20	45	1.0	4	E																																											6.61	FL
3	4PS14CV117	SUMEET		50	0	50	1.0	10	S	25	20	45	1.0	4	E																																											3.06	FL
4	4PS15CV001	ABHISHEK M		50	0	50	1.0	10	S	25	21	46	1.0	5	D																																											6.24	FL
5	4PS15CV002	ADARSH KUMAR		50	0	50	1.0	10	S	26	32	58	1.0	7	C																																											9.17	FCD
6	4PS15CV004	AKSHAY N GOWDA		50	0	50	1.0	10	S	25	35	60	1.0	8	B																																											9.57	FCD
7	4PS15CV005	ANEKALLU ASHOKA		49	0	49	1.0	10	S	27	21	48	1.0	5	D																																											8.59	FCD
8	4PS15CV006	ANISH A KOTHARI		49	0	49	1.0	10	S	28	27	55	1.0	7	C																																											7.70	FC
9	4PS15CV007	ARSHITHA K		48	0	48	1.0	10	S	29	20	49	1.0	5	D																																											8.09	FCD
10	4PS15CV008	ARUN KUMAR M G		47	0	47	1.0	10	S	25	20	45	1.0	4	E																																											4.39	FL
11	4PS15CV009	BASAVANNA M		50	0	50	1.0	10	S	26	20	46	1.0	5	D																																											8.22	FCD
12	4PS15CV010	BI BI SARA		47	0	47	1.0	10	S	25	20	45	1.0	4	E																																											7.83	FCD
13	4PS15CV012	CHAITHRA S		49	0	49	1.0	10	S	25	20	45	1.0	4	E																																											8.76	FCD
14	4PS15CV013	CHALAPATHI K S		50	0	50	1.0	10	S	26	20	46	1.0	5	D																																											8.54	FCD
15	4PS15CV014	CHANDRASHEKHARA M		48	0	48	1.0	10	S	26	34	60	1.0	8	B																																											8.41	FCD
16	4PS15CV015	CHANDRASHEKHAR S K		50	0	50	1.0	10	S	26	22	48	1.0	5	D																																											8.39	FCD
17	4PS15CV016	CHANDRASHEKHARA S K		48	0	48	1.0	10	S	27	32	59	1.0	7	C																																											8.41	FCD
18	4PS15CV017	CHAYADEVI B N		49	0	49	1.0	10	S	25	32	57	1.0	7	C																																											9.48	FCD
19	4PS15CV018	DEVIKA B A		50	0	50	1.0	10	S	27	24	51	1.0	7	C																																											9.07	FCD
20	4PS15CV019	DILEEP KUMAR C B		48	0	48	1.0	10	S	28	32	60	1.0	8	B																																											9.07	FCD

P15CV59 : - Industry Visit and Interaction
P15HU510 : - Apptiude and Reasoning Development - Advanced (ARDA)
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering
P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME 148	P15CV59						P15HU510						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
			C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
21	4PS15CV020	DIVYASHREE C S	50	0	50	1.0	10	S	29	20	49	1.0	5	D																																											8.91	FCD
22	4PS15CV022	HARSHITH GOWDA D	48	0	48	1.0	10	S	26	34	60	1.0	8	B																																											9.78	FCD
23	4PS15CV023	HARSHITH KUMAR H C	50	0	50	1.0	10	S	25	21	46	1.0	5	D																																											9.46	FCD
24	4PS15CV024	HARSHITHA H K	48	0	48	1.0	10	S	26	21	47	1.0	5	D																																											6.59	SC
25	4PS15CV025	HARSHITHA M	50	0	50	1.0	10	S	25	36	61	1.0	8	B																																											7.89	FCD
26	4PS15CV027	J DARSHAN	48	0	48	1.0	10	S	27	26	53	1.0	7	C																																											8.67	FCD
27	4PS15CV028	JEEVAN D M	50	0	50	1.0	10	S	25	26	51	1.0	7	C																																											9.46	FCD
28	4PS15CV031	K LAVVKIMA	50	0	50	1.0	10	S	29	21	50	1.0	7	C																																											7.70	FC
29	4PS15CV032	KANCHANA B V	50	0	50	1.0	10	S	25	26	51	1.0	7	C																																											9.24	FCD
30	4PS15CV033	KARTHIK A R	50	0	50	1.0	10	S	26	32	58	1.0	7	C																																											9.78	FCD
31	4PS15CV034	KARTHIK H R	48	0	48	1.0	10	S	25	23	48	1.0	5	D																																											7.83	FCD
32	4PS15CV035	KARTHIK N	49	0	49	1.0	10	S	25	22	47	1.0	5	D																																											9.30	FCD
33	4PS15CV036	KAVYA C	50	0	50	1.0	10	S	26	23	49	1.0	5	D																																											7.98	FCD
34	4PS15CV037	KAVYA M	48	0	48	1.0	10	S	26	20	46	1.0	5	D																																											8.94	FCD
35	4PS15CV038	KIRAN D	50	0	50	1.0	10	S	27	25	52	1.0	7	C																																											7.85	FCD
36	4PS15CV039	KIRAN G B	48	0	48	1.0	10	S	25	24	49	1.0	5	D																																											8.94	FCD
37	4PS15CV040	KOUSHIK GOWDA B G	50	0	50	1.0	10	S	27	33	60	1.0	8	B																																											8.02	FCD
38	4PS15CV041	KOWSHIK B S	50	0	50	1.0	10	S	28	24	52	1.0	7	C																																											7.96	FCD
39	4PS15CV042	LAKHAN SWAMY GOWDA E	50	0	50	1.0	10	S	29	26	55	1.0	7	C																																											7.80	FCD
40	4PS15CV043	MADHU B	48	0	48	1.0	10	S	25	24	49	1.0	5	D																																											8.65	FCD
41	4PS15CV044	MADHUSHREE D B	49	0	49	1.0	10	S	26	26	52	1.0	7	C																																											8.52	FCD

P15CV59 : - Industry Visit and Interaction
P15HU510 : - Apptiude and Reasoning Development - Advanced (ARDA)
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering
P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV59						P15HU510						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
42	4PS15CV045	MAHIMA H S		48	0	48	1.0	10	S	25	21	46	1.0	5	D																																											8.70	FCD
43	4PS15CV047	MANJU M		50	0	50	1.0	10	S	25	24	49	1.0	5	D																																											8.15	FCD
44	4PS15CV050	MANOJ K C		50	0	50	1.0	10	S	26	37	63	1.0	8	B																																											9.37	FCD
45	4PS15CV051	MIRZA ASEEM BAIG		48	0	48	1.0	10	S	27	27	54	1.0	7	C																																											8.37	FCD
46	4PS15CV052	MOHAMMED EITHESHAM		50	0	50	1.0	10	S	25	23	48	1.0	5	D																																											7.44	FL
47	4PS15CV053	MOHAN G		48	0	48	1.0	10	S	27	21	48	1.0	5	D																																											6.87	FL
48	4PS15CV054	MONISHA M N		48	0	48	1.0	10	S	28	20	48	1.0	5	D																																											8.65	FCD
49	4PS15CV055	NAGESH		50	0	50	1.0	10	S	29	20	49	1.0	5	D																																											7.93	FCD
50	4PS15CV056	NANDANKUMAR M R		48	0	48	1.0	10	S	25	24	49	1.0	5	D																																											8.74	FCD
51	4PS15CV057	NANJUNDA SWAMY		49	0	49	1.0	10	S	26	22	48	1.0	5	D																																											9.30	FCD
52	4PS15CV058	NETHRAVATHI M								25	25	50	1.0	7	C																																											9.46	FL
53	4PS15CV059	NITHIN A		48	0	48	1.0	10	S	26	23	49	1.0	5	D																																											3.93	FL
54	4PS15CV060	NITISH A G		48	0	48	1.0	10	S	25	20	45	1.0	4	E																																											6.78	FL
55	4PS15CV061	P CHIRANTH		50	0	50	1.0	10	S	26	22	48	1.0	5	D																																											8.04	FCD
56	4PS15CV063	PAWAN H S		48	0	48	1.0	10	S	26	20	46	1.0	5	D																																											8.85	FCD
57	4PS15CV064	POOJA H P		50	0	50	1.0	10	S	27	20	47	1.0	5	D																																											8.80	FCD
58	4PS15CV065	POORNIMA D		50	0	50	1.0	10	S	25	34	59	1.0	7	C																																											9.24	FCD
59	4PS15CV066	PRADHAN K P		48	0	48	1.0	10	S	27	22	49	1.0	5	D																																											8.54	FCD
60	4PS15CV067	PRAJWAL D M		50	0	50	1.0	10	S	28	23	51	1.0	7	C																																											7.19	FL
61	4PS15CV068	PRAJWAL H N		48	0	48	1.0	10	S	29	20	49	1.0	5	D																																											3.43	FL
62	4PS15CV069	PRAMOD G K		50	0	50	1.0	10	S	25	23	48	1.0	5	D																																											6.74	FL

P15CV59 : - Industry Visit and Interaction
P15HU510 : - Apptiude and Reasoning Development - Advanced (ARDA)
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering
P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV59						P15HU510						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
63	4PS15CV070	PRATHVINI B M		48	0	48	1.0	10	S	26	26	52	1.0	7	C																																											7.72	FC
64	4PS15CV071	PRAVEEN K N		50	0	50	1.0	10	S	25	29	54	1.0	7	C																																											8.57	FCD
65	4PS15CV072	PRIYADARSHINI K Y		50	0	50	1.0	10	S	26	27	53	1.0	7	C																																											9.17	FCD
66	4PS15CV073	PRIYANKA D K		48	0	48	1.0	10	S	25	20	45	1.0	4	E																																											6.61	FL
67	4PS15CV074	PRIYANKA M N		48	0	48	1.0	10	S	26	20	46	1.0	5	D																																											8.50	FCD
68	4PS15CV075	PUNEETH C R		50	0	50	1.0	10	S	25	22	47	1.0	5	D																																											8.91	FCD
69	4PS15CV076	PUNITHKUMAR K P		48	0	48	1.0	10	S	26	28	54	1.0	7	C																																											8.87	FCD
70	4PS15CV077	RAGHU S		48	0	48	1.0	10	S	27	23	50	1.0	7	C																																											8.26	FCD
71	4PS15CV078	RAHUL A R		48	0	48	1.0	10	S	28	31	59	1.0	7	C																																											8.87	FCD
72	4PS15CV079	RAJESH I V		50	0	50	1.0	10	S	27	20	47	1.0	5	D																																											7.81	FCD
73	4PS15CV080	RAJU P R		48	0	48	1.0	10	S	28	29	57	1.0	7	C																																											8.72	FCD
74	4PS15CV081	RAKESH K S		50	0	50	1.0	10	S	29	23	52	1.0	7	C																																											7.96	FCD
75	4PS15CV082	RAKESHGOWDA K S		50	0	50	1.0	10	S	25	26	51	1.0	7	C																																											6.06	FL
76	4PS15CV083	RAKSHITHGOWDA K M		48	0	48	1.0	10	S	26	21	47	1.0	5	D																																											7.59	FL
77	4PS15CV084	RICHARD VANLALREMA		48	0	48	1.0	10	S	25	30	55	1.0	7	C																																											9.07	FCD
78	4PS15CV085	ROHIT CHAWAN		50	0	50	1.0	10	S	26	22	48	1.0	5	D																																											7.93	FCD
79	4PS15CV086	ROHITH KUMAR J		48	0	48	1.0	10	S	25	27	52	1.0	7	C																																											8.72	FCD
80	4PS15CV087	SACHIDANANDA B		48	0	48	1.0	10	S	26	32	58	1.0	7	C																																											5.15	FL
81	4PS15CV088	SAGAR HULLUR		48	0	48	1.0	10	S	26	24	50	1.0	7	C																																											7.52	FC
82	4PS15CV089	SAHANA K S		50	0	50	1.0	10	S	27	21	48	1.0	5	D																																											6.80	FL
83	4PS15CV090	SANDHYA S		48	0	48	1.0	10	S	25	26	51	1.0	7	C																																											8.69	FCD

P15CV59 : - Industry Visit and Interaction
P15HU510 : - Apptiude and Reasoning Development - Advanced (ARDA)
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering
P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV59						P15HU510						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
84	4PS15CV091	SANTHOSH G		48	0	48	1.0	10	S	27	22	49	1.0	5	D																																											5.91	FL
85	4PS15CV092	SANTHOSHKUMAR C V		50	0	50	1.0	10	S	28	25	53	1.0	7	C																																											8.98	FCD
86	4PS15CV093	SANTHOSHA D B		48	0	48	1.0	10	S	29	24	53	1.0	7	C																																											7.50	FC
87	4PS15CV094	SAURABH KUMAR		50	0	50	1.0	10	S	25	37	62	1.0	8	B																																											8.94	FCD
88	4PS15CV095	SHAILAJA T		50	0	50	1.0	10	S	26	24	50	1.0	7	C																																											9.33	FCD
89	4PS15CV096	SHANTHARAJU		50	0	50	1.0	10	S	25	31	56	1.0	7	C																																											8.61	FCD
90	4PS15CV098	SHASHANK K S		50	0	50	1.0	10	S	25	29	54	1.0	7	C																																											7.13	FL
91	4PS15CV099	SHIVASHANKAR D		50	0	50	1.0	10	S	26	29	55	1.0	7	C																																											9.11	FCD
92	4PS15CV100	SHRATI		48	0	48	1.0	10	S	26	20	46	1.0	5	D																																											4.06	FL
93	4PS15CV101	SHRAVANI N S		48	0	48	1.0	10	S	27	111	27	0.0	0	N																																											0.81	FL
94	4PS15CV103	SHREYAS H R		48	0	48	1.0	10	S	27	23	50	1.0	7	C																																											8.89	FCD
95	4PS15CV104	SHRIDHAR S		50	0	50	1.0	10	S	28	21	49	1.0	5	D																																											9.52	FCD
96	4PS15CV105	SHRUTHI R		50	0	50	1.0	10	S	29	20	49	1.0	5	D																																											7.96	FCD
97	4PS15CV106	SHUBHA MALLANAGOUDA		50	0	50	1.0	10	S	25	23	48	1.0	5	D																																											6.24	FL
98	4PS15CV107	SHWETHA S		48	0	48	1.0	10	S	26	21	47	1.0	5	D																																											8.09	FCD
99	4PS15CV108	SIDDANAGOUDA M PATIL		50	0	50	1.0	10	S	25	20	45	1.0	4	E																																											8.06	FCD
100	4PS15CV109	SINDHU B		50	0	50	1.0	10	S	26	26	52	1.0	7	C																																											8.78	FCD
101	4PS15CV110	SNEHA K		50	0	50	1.0	10	S	25	20	45	1.0	4	E																																											9.19	FCD
102	4PS15CV111	SONIKA Y H		50	0	50	1.0	10	S	26	21	47	1.0	5	D																																											8.50	FCD
103	4PS15CV112	SOWJANYA M T		50	0	50	1.0	10	S	27	30	57	1.0	7	C																																											9.31	FCD
104	4PS15CV113	SPANDANA S		50	0	50	1.0	10	S	25	27	52	1.0	7	C																																											9.33	FCD

P15CV59 : - Industry Visit and Interaction
P15HU510 : - Apptiude and Reasoning Development - Advanced (ARDA)
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering
P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV59						P15HU510						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
105	4PS15CV114	SRINIVAS H S		50	0	50	1.0	10	S	26	20	46	1.0	5	D																																											6.19	FL
106	4PS15CV115	SUMAN J K		48	0	48	1.0	10	S	27	28	55	1.0	7	C																																											8.63	FCD
107	4PS15CV116	SUMANTH KUMAR G S		48	0	48	1.0	10	S	25	24	49	1.0	5	D																																											8.70	FCD
108	4PS15CV117	SUMANTH S R		50	0	50	1.0	10	S	27	28	55	1.0	7	C																																											8.31	FCD
109	4PS15CV118	SUSHMITHA GOWDA R		50	0	50	1.0	10	S	28	27	55	1.0	7	C																																											9.07	FCD
110	4PS15CV119	SYEDA RUKHSHAN KAUNA		50	0	50	1.0	10	S	29	32	61	1.0	8	B																																											8.19	FCD
111	4PS15CV120	TEJASHREE M K		50	0	50	1.0	10	S	25	28	53	1.0	7	C																																											9.37	FCD
112	4PS15CV121	TEJASWINI B		50	0	50	1.0	10	S	26	22	48	1.0	5	D																																											8.39	FCD
113	4PS15CV123	THEJAS M P		50	0	50	1.0	10	S	25	35	60	1.0	8	B																																											8.91	FCD
114	4PS15CV124	THWJASWI B G		50	0	50	1.0	10	S	26	21	47	1.0	5	D																																											5.00	FL
115	4PS15CV125	VANDANA N		50	0	50	1.0	10	S	25	25	50	1.0	7	C																																											8.72	FCD
116	4PS15CV126	VARSHITHA SURESH		48	0	48	1.0	10	S	29	25	54	1.0	7	C																																											8.06	FCD
117	4PS15CV128	VARUN S CHAVAN		50	0	50	1.0	10	S	26	25	51	1.0	7	C																																											8.61	FCD
118	4PS15CV129	VINAY		48	0	48	1.0	10	S	28	20	48	1.0	5	D																																											8.80	FCD
119	4PS15CV130	VISHANKPRABHUGOWDA I		48	0	48	1.0	10	S	25	24	49	1.0	5	D																																											9.11	FCD
120	4PS15CV131	VISHWAS K N		50	0	50	1.0	10	S	26	23	49	1.0	5	D																																											5.46	FL
121	4PS15CV132	VISHWAS R		50	0	50	1.0	10	S	27	25	52	1.0	7	C																																											6.83	FL
122	4PS15CV133	ZAID ALI		50	0	50	1.0	10	S	25	24	49	1.0	5	D																																											8.37	FCD
123	4PS15CV134	DIVYASHREE H K		48	0	48	1.0	10	S	27	26	53	1.0	7	C																																											8.78	FCD
124	4PS16CV400	JYOTHI N		48	0	48	1.0	10	S	25	20	45	1.0	4	E																																											8.41	FCD
125	4PS16CV401	KANNIKA B V		50	0	50	1.0	10	S	25	23	48	1.0	5	D																																											8.80	FCD

P15CV59 : - Industry Visit and Interaction
P15HU510 : - Apptiude and Reasoning Development - Advanced (ARDA)
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering
P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 10-01-2018

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV59						P15HU510						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
126	4PS16CV402	ANANDA G		48	0	48	1.0	10	S	25	22	47	1.0	5	D																																											7.48	FC
127	4PS16CV403	ARBEENA SULTANA		48	0	48	1.0	10	S	28	20	48	1.0	5	D																																											8.89	FCD
128	4PS16CV404	DARSHAN H N		48	0	48	1.0	10	S	29	25	54	1.0	7	C																																											9.43	FCD
129	4PS16CV405	K A DAWOOD		48	0	48	1.0	10	S	25	22	47	1.0	5	D																																											8.67	FCD
130	4PS16CV406	KARTHIK A R		50	0	50	1.0	10	S	26	22	48	1.0	5	D																																											8.09	FCD
131	4PS16CV407	KIRAN T S		48	0	48	1.0	10	S	25	23	48	1.0	5	D																																											8.54	FCD
132	4PS16CV408	MAHADEVASWAMY		50	0	50	1.0	10	S	25	21	46	1.0	5	D																																											8.43	FCD
133	4PS16CV409	MANOJ M K		48	0	48	1.0	10	S	27	32	59	1.0	7	C																																											8.37	FCD
134	4PS16CV410	NEELAVENI H M		48	0	48	1.0	10	S	25	26	51	1.0	7	C																																											8.02	FCD
135	4PS16CV411	PAVAN M R		50	0	50	1.0	10	S	25	24	49	1.0	5	D																																											8.80	FCD
136	4PS16CV412	PREETHI S		48	0	48	1.0	10	S	25	29	54	1.0	7	C																																											7.37	FL
137	4PS16CV413	PRIYANKA M		48	0	48	1.0	10	S	25	21	46	1.0	5	D																																											8.65	FCD
138	4PS16CV414	RAKSHA R		48	0	48	1.0	10	S	28	24	52	1.0	7	C																																											7.81	FCD
139	4PS16CV415	RAVI B T		48	0	48	1.0	10	S	25	28	53	1.0	7	C																																											7.22	FL
140	4PS16CV416	SANGANNA		48	0	48	1.0	10	S	25	20	45	1.0	4	E																																											6.35	FL
141	4PS16CV417	SHALINI K		50	0	50	1.0	10	S	26	20	46	1.0	5	D																																											8.19	FCD
142	4PS16CV418	SHILPA S		48	0	48	1.0	10	S	25	25	50	1.0	7	C																																											8.72	FCD
143	4PS16CV419	SHIVAKUMAR T P		50	0	50	1.0	10	S	27	29	56	1.0	7	C																																											8.91	FCD
144	4PS16CV420	SHWETHA S B		48	0	48	1.0	10	S	28	29	57	1.0	7	C																																											8.87	FCD
145	4PS16CV421	SUMANTH S		50	0	50	1.0	10	S	25	20	45	1.0	4	E																																											8.30	FCD
146	4PS16CV422	SUNITHA S		50	0	50	1.0	10	S	26	22	48	1.0	5	D																																											9.11	FCD

P15CV59 : - Industry Visit and Interaction
P15HU510 : - Apptiude and Reasoning Development - Advanced (ARDA)
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering
P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
*** Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)**

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belagavi.)

Provisional Results of Fifth Semester BE Semester End Examination for the Academic year 2017-18 **10-01-2018**

CIVIL ENGINEERING

SL.No.	USN	NAME	148	P15CV59						P15HU510						P15CV53						P15CV54						P15CV551						P15CV561						P15CV562						P15CVL57						P15CVL58						SGPA	CLASS
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		
147	4PS16CV423	VEERAMANI M V		50	0	50	1.0	10	S	25	22	47	1.0	5	D																																												8.52	FCD

P15CV59 : - Industry Visit and Interaction
P15HU510 : - Apptiude and Reasoning Development - Advanced (ARDA)
P15CV53 : - Analysis of Indetermine Structures
P15CV54 : - Design of RC Structural Elements
P15CV551 : - Basic Geotechnical Engineering
P15CV561 : - Alternative Building Materials
P15CV562 : - Municipal and Rural Sanitation
P15CVL57 : - Concrete and Highway Material Testing Lab
P15CVL58 : - CAD Lab - I

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission
W - Withdrawn from the Course N - Not Eligiable w.r.t either CIE / Attendance
G -Satisfactory CIE and Attendance but Absent for SEE without Permission
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail
* Mandatory Learning Course (*PP : Passed ; *NP : Not Passed)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10
5.75	50 (Second Class)
6.25	55
6.75	60 (First Class)
7.25	65
7.75	70 (Distinction)
8.25	75

Percentage Equivalence of Grade Points (10 - Point Scale)

	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
	Grade	S	A	B	C	D	E	F
	Grade Points	10	09	08	07	05	04	00
Raw Score	P08, P13 Scheme	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
	P15, P17 Scheme	90 Above	89-75	74-60	59-50	49-46	45	Below 45

Dr. K. Narasimha Chary
Controller of Examinations
P.E.S. College of Engineering,
Mandya

Note : Candidates are informed to bring to the notice of COE for any discripency, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.